
"QUALITY IN SEEDS IS OF THE FIRST IMPORTANCE"



NINETEEN HUNDRED

INDEX.

Page	. Page.	Page,	Page,
	·		Raspherry *101 †412
Agadanthus 107	7 Composite #90 \$100	Lavander *5:5-57 +199	Remaisites, Agr. & Hort. 134
Agave *105 \$10	1 Cutlery, Horticultural 140 2 Current *101 †112	Lawns, Formation of 66	Khubarb
Ageratium . *68 †11:	2 Currant *101 †112	Mowers 136	Ruchea
110011111111111111111111111111111111111	' Dahlia	Stoner Attacaments 196	Rollers
Alfadfa 5: Alfiloria G	? Dandelain	, Leek	Rys
Almond *101 \$14:	Pasylirion 131	Lentils 61	Rosella Iti
Aloe	1 Programme Fault creams and 199	43 1144	Sacaline 63
Ampelopsis *78 †12	A to the second to the second	Taime	Sacking Twine 139
Autigoron *78 110	12 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Inquorace	Sage 52
Anthericum *101 3 1 1:	Engineering Diagram Sounds (22)	Table of the control	
Apricot *101 31 E	7 Egg Plant 3 *30 751	Louicera	
Araucaria 107-12	K Endiversity in the 2 of 31	Lotus 118	
Aristologhia*79 †107-12;	g fischscholtzia 71-92	Lupin 61	Saws 140 Schinns *100 †122
Artichoke	g totentyptus Do G Eurobowkia 120	Labricators	Saws 140 Schinns *100 †122 Scythes 139
Artichore, Jernam %. J.	Fige Plant *30 †51 Endive 31 Eschscholtzia 74-92 Dacalyptus 95 Employatia 132 Everlasting Flowers 77 S Fennercek 611	Magnolia *99 †122	Stones
Asparagus, Orman'l. To	Fenngreek 61	Mangel, Wurzel53	Seeds, California-Grown,
Aspidistra 10:	s Perus *85 †416	Maize Milo G2	why they lend the world 5
Aster 10.65-8;	2 Fertilizers	Mamire Hooks	Seed Drill
Balsam 69) Fiens *98 †118	Mattocks	Sowing, Rules for 17
Barley 50	p [9g 112	Water 34	Sequoia*100 †123
Beans It		- Mesendryanthemam *73 *152	Seradella 63
Beats, Soja 63 Beet	[Florists' Supplies 111	Mignouelte 13-73	Shears 110 Shovels 139
Beet, Sigger 5	Flower Seeds	Millets 60	8novels 159 8milax *80 †123
Begonia*82 †108	Ainmal GS	African 61	Sorrel
Beet, Sight 55	California Native	Moss 138 Musa *105 †118	Sorghum 63
Bignoma*79 †12; Bird Scot 6	Collections of SO	Mushroom Spawn 57	Spades
Blackberries 11:	Culture of 67	Mustard 37	Spinach
Books 145	Everlasting	Nasturtium, Tall 13-80	Spray Pumps 131
Bongainvillea 110 Brachychiton *95 †121	Novelues 10	Tom Thrink 73	Sprinkler 139
Drachychilen*95 *199	Urnamental Goords 77 Ornamental Grasses 92	Nectavine 112	Lawn
Brocon, Scatch		Oats	Spurry
Brussels Spronts 2 9.09	Codder Plants 60	Olive 142	Squash
Eryogday Iluro	FOR ATRITISON	Onion 38	Statelia 132
50 mck wheat 50	pariscensificons ut	Sets	Stocks
Cabbage*9.22 †51	Fruit Souds 104	Orange *101 †142	Stocks 75:91 Strawberry *101†132 Succulents etc 131
Cactus *83 †121-133 Calceolaria 69		Ornamental Grasses	Sandlower 61
Calendar of Organization 10	Furze or Gorse 61		Superior Seeds
Camellias122	Gaillardia 85 Garden Lines 138 Gardia 21	Palm & Deco, Palm Seeds 102 Palm Seeds 102	Sweet Potato
Campannla *83 †121	Garden Lines	Talm Seeds 102 Talms 119	Syringes
Candytuft 11-76	Garlie	Pampas Pinnies 411	Plants normile 66
Caper Tree 64	Garlie 31 Garvanzas 61 Gasteria 132 Becautium 86 Gooscherry *101 †112	Pansy 88	Flants per mile
Carnation *93 +112	tieranium 86	Pandamis 119	Reference, Time of Sowing 16
Carrol 21-55	Gooseherry *101 †112	Parsley 40	Sowing G5
		Parsley	Of Weights per lushel GB Teosinte . GB
Cauliflower	Grain 55 Grafting Compound 138	Pear*101 †142	(P)
		Pens 11 Field 61	715 . 1 . 5
- Penhanrea 11-79-83	Grapes 142	Sweet Street	Tomato *10-19 751
Chestant *101 †1.(2	Wax 1 8 Grapes 142 Grasses 59 Grass, Kentucky Blue 59 Hooks 138 Grevillen 298 Guava 101 Hand Cultivator 138	Pennit 64	Tools, Miscellaneous 138 Transplanters 139
Chicory 112	Hooks 199	Peran 142	Traps 139
Chives 51	Grevillen, *98 1199	Pencils	Tree Seeds, Deciduous 100
Claysantheniums *70-83 †112	Gnava 101	Persimmon 143 751	Tree and Shrub Seeds 93
Climbing Plants *78 †123	Hand Cultivator Name 138	Pick Axes	Australian 91 Conifers and Evergreens 99
Clover and Grass Speds 58	Haworthia	Pinus *99 †123	Trees, Couifera 123
Player Seeds	Gnava 101 Hand Cultivator 138 Haworthia 132 Heliotropium *86 †122 Herb Seeds 51 Hibisens *72-86 †122 Hoes 138 Hollyhoek 86	Planet dr. Tools137	Orchard and Fruit 112
Cobres*79 †123	Hibisens *79.56 41900	Transportation of 106	Octomental 122
Coniform 27	Hues 138	Trees and Roots 106	Trellises, Plant 111 Trowels 139
Coreopsis 12:81	Hollyhoek 86	Plum*401 †112	Turf Edger 110
Corn, Broom 63	Horse Endish *61 †51	Pomelo	Turnip , 50
Egyptian 62	Hose, Garden 126	Post Hom Dinger 198	Twentieth Century, On the
Aurasalam	Hunnemannia	Porato Books 138	Variatella Saule Card But 18
Kallir 69	Insecticides 131	Polatoes	Novelties 9
Planters 133	Appliances 131	Pontry Supplies . 113	Time of Sowing 16
Pop	Hollyhoek 86 Hop Vine	Physicans To intending	Verbena .13-91
Salad 27	Abearanda*99 †122	Prime 15 intending 2	Vetelies 63
Sweet 28463 Cosmos 71	Kale	Quince *101 †112	*94 7121
Catton	Knives 140	the Mark Control of the Control of t	Mainut
4 'est selections and a second	Kohl Rabi	Raftia	Watering Pots 140 Weeders 140
Creambles 28	Labels 138	Rakes 138	Wheat 57
* Sander & Transport	Lantana *87 †122	Rajec, Essex G3	Yneca . 105
St. 1 1 1 112 113			

^{*} Seeds. † Trees, Plants or Roots.

15TH ANNUAL CATALOGUE

OF THE

GERMAIN FRUIT CO.

COMPRISING

An Historical Sketch of the Company, Why California-Grown Seeds Lead the World, a Complete List of Standard Garden, Field, Flower, Tree and Palm Seeds, Plants, Shrubs, Etc.

GIVING A COMPLETE LIST OF

Agricultural and Horticultural Tools and Requisites, a Choice Line of Rural Books, and a Complete List of Poultry Supplies.



OFFICES AND SALESROOMS:

NOS. 326, 328 AND 330 SOUTH MAIN STREET, LOS ANGELES, CAL.



LOS ANGELES:
THE ATWOOD-KRUCKEBERG CO.
1900

TO INTENDING PURCHASERS:

How to Order.—With this eatalogue is enclosed an "Order Sheet" which explains itself, and which we request all our eustomers to use. Please remember to write your Name, Postoffiee, County and State as distinctly as possible, also the nearest Express Office, or, if on stage route send us the special directions, giving us the name of the Express Company delivering goods.

How to Remit.—We decline sending perishable goods, as bulbs and plants, C. O. D., unless a remittance of 50 per cent. accompanies the order, to insure us against loss. Orders from unknown correspondents must be accompanied by eash, or satisfactory reference. Cash may be remitted by Postoffice Order, Registered Letter, Express, or sums of less than one dollar in postage stamps.

Mode of Forwarding.—We will forward, free by Mail, to any part of the United States, at the retail price annexed, all Vegetable, Tree and Flower seeds, with the exception of Beans, Corn and Peas, and where otherwise noted, for either of which 10 cents por pound must be added when ordered by mail. We, however, reserve the right to send pareels of seeds by Express, prepaid, when it is to our advantage. All Bird, Grass, Clover and other Agricultural seeds, when ordered by Mail, will be subject to a charge of 10 cents por pound for Postage. When Postage is not added these goods will be sent by Express or Freight at purchaser's expense.

Non-Warranty of Seeds.—We exercise the utmost eare and vigilance in testing all seeds sold by us, but owing to uncontrollable influences and accidents, (such as bad weather, improper soil, insects, etc.) the best seeds will sometimes fail. We have, therefore, in common with all other large seed firms in the United States—members of the American Seed Trade Association—adopted the following disclaimer: "While we exercise the greatest care to have all seeds pure and reliable, we do not give any warranty, express or implied. If the purchaser does not accept the seeds on these terms and conditions they must be returned at once, and the money that has been paid for the same will be refunded."

Testing.—Our seeds are thoroughly and earefully tested, by count, and only those that grow a very strong percentage are kept in stock and sent out.

Prices Subject to Fluctuations.—The prices annexed to vegetable seeds by the pound, to Beans, Peas, Corn, Grass and Clover seeds, Bird seeds. Agricultural seeds of all kinds, and Onion sets, etc., are subject to market fluctuations, and we reserve the right to change them accordingly. The tendency is for prices to advance; hence we would advise patrons to order early, as in the press of the busy season it is sometimes impossible to fill orders the same day received. We endeaver to avoid delay; still, we cannot claim infallibility, therefore, should error be detected in the execution of orders, purchaser will at once notify us of the fact and we will rectify immediately.

Auxiliary Catalogues.—In addition to our Seed Catalogue, we publish each year two separate eatalogues, one on "Dutch, California and Other Bulbs," and one on "Incubators, Brooders and Poultry Supplies," either of which will be mailed free on application.

ON * THE * THRESHOLD * * * OF * THE * * * TWENTIETH * CENTURY

V V V

N THE threshold of the Twentieth Century, and after an existance of twenty-nine years, it seems timely and fitting to take a somewhat retrospective and prospeetive glance of the seed and plant situation as it presents itself. Engene Germain started this house in 1871, Los Angeles had scarcely emerged from its atmosphere of a Mexican pueblo, the throb of commercial supremacy as the leading center of a wide area of country, had scarcely taken its inception. There was only one railroad, of about twenty miles to the port of San Pedro, travel was limited, and the great fruit business, the shipping of midwinter vegetables, the growing of seed, our immense orange, walnut and kindred industries, were still undeveloped. Hence, in its career, the Germain Fruit Company, successors to Eugene Germain, the founder, has not only seen the building up of these great industries, but it has been part and parcel of the onward trend of the great southwest. Taking its inception in small beginnings, it has gradually grown until it is the oldest and leading seed house south of San Francisco and west of the Missonri river. Confining its early operations to the handling of garden, field and orchard products, it soon recognized the possibilities of Southern California as a seed-growing section, and has ever encouraged by every means within its power a diversified and enlightened agriculture and horticulture. Appreciating these pregnant facts, the Germain Fruit Company early felt the desirability of opening a first-class seed, plant and bulb department to its already extensive fruit and produce business. Its motive in so doing was twofold, viz: First, to supply the growers of the southwest with only fresh and reliable seeds, and second, to encourage the commercial production of seeds, bulbs and plants within the confines of the State. Needless to add, in both of these laudable ambitions, it has been eminently successful. As an evidence of this it is only necessary to state that through its efforts the marketing of the native alfilaria and burr clover seeds, the exporting of California native flower seeds and bulbs, the building up of the large business in exporting Calla, Freesia, Amaryllis, Canna and other bulbous plants, is largely due. Last season its shipments in the above specialties amounted to thousands of dollars. In this connection it is refreshing as well as gratifying to state that the Germain Fruit Company's efforts in the introduction of valuable economic and ornamental plants has been recognized by the national government through its department of agriculture and allied branches. In the main these new acquisitions have proven of value, and many of commercial importance. A feature of this establishment is its extensive corps of correspondents in the Australian Colonies, in Sonth Africa, in New Zealand, the Phillipine Islands, South and Central America, Old Mexico, and the leading horticultural centers of Europe. In these efforts its has been successful in adding much to our agricultural wealth and development.

It was in 1884 that the Germain Fruit Company opened an exclusive seed house. In the same year it succeeded by reason of purchase to the business of Porter Brothers,

fruit and produce dealers, and segregated the two businesses by occupying the premises of the former for fruit shipping, and three large store rooms situated in the Baker block on North Main street, with its seed department. This branch grew in importance and reputation rapidly, soon doing a business of upwards of \$100,000 per annum. Here the firm remained until 1892. During the interim, however, the trend of business was due southwest, and recognizing this, the Company moved from its quarters in the Baker block to Nos. 143-145 South Main street, where it remained for seven years, until the exigencies of business again called it still further south to its present spacious, commodious quarters, situated at Nos. 326, 328 and 330 South Main street. In area, accommodations, fixtures. and all the accessories of a well-equiped seed establishment, it is safe to say that they have the most complete seed store in the West. Every bit of fixture and furnishing is so arranged as to expedite business at the least possible cost, thus insuring to its patrons low prices and reliable service. The floor space occupied, comprises some 32,000 square feet, affording ample scope for the segregation and individualizing of each department: even the offices being distinct, so that no one branch of the business conflicts with another. Broadly speaking, the departments of the business are all contingencies of a complete seed store, with possibly one exception, and that is its recent addition of a complete line of poultry supplies, including all essentials necessary to an up-to-date poultry breeding establishment. Ample telephone and telegraph connections between the several departments and the world at large are provided for, and the ware rooms, shipping and packing rooms, and nursery departments, are all equipped and so situated as to afford dispatch and eelerity in filling orders. These salient features are mentioned. to show its eastern, southern, northern and foreign patrons that it has long since served its apprenticeship at the business and stands today ready to serve them with the best the world affords — and that means California-grown seeds, bulbs and plants, because experience has proven that they are superior, and hence afford the Germain Fruit Company the gratifying pleasure in giving the best values for the least money. For the truth of this statement a perusal of the following pages headed "Why California-Grown Seeds Lead the World" is asked.

It is alike creditable as well as refreshing to note that during its entire career this corporation has been in the control of the Germains—we write the name plural, because it now is composed exclusively of father and son. In 1890 Edmund Germain was admitted to the counting room of the company where he rapidly mastered its details and developed executive ability of a high order. Indeed, his keen observation and knowledge of men and affairs soon made him master of the business, and gave him a prominent place in the trade. As a natural result he was made manager of the entire business in 1894, which position he has held ever since. That the choice was not only wise but for the best of the House from every point of view is demonstrated in its onward trend under his guiding hand. From 1894 to 1898, while Engene Germain was serving in the U. S. Consular service in Switzerland, he assumed entire control of the corporations affairs, evincing driving powers and commercial acumen of the first order.

Thanking its thousands of patrons, both at home and abroad, for past favors, it hopes to deserve a continuance of their good will and patronage. Wishing all a happy and prosperous season,

Very truly yours,

GERMAIN FRUIT COMPANY.

Los Angeles, January 10, 1900.

WHY CALIFORNIA-GROWN * * SEEDS * * * LEAD * THE * WORLD

Geographical Situation and Area.

ALIFORNIA is nothing if not horticultural and agricultural. Possibly no portion of the footstool possesses so many and diverse advantages for the growth of a varied vegetation. Place your finger on a map of the state at its northmost point and trace it to the Mexican line at the south; thence from where the white foam of the Pacific fringes its western coast due east to the Nevada state line, and you will have traveled (with your finger on the map) over an area of country as large as that along the Atlantic coast from the pine-clad hills of Maine to the distant savannahs of the South. Think of it; California has 725 miles of seacoast; extends 330 miles inland—a veritable empire. Its area rivals in extent and natural advantages that of either France or Germany, and eclipses the citrous fruit regions of Italy and Spain in its salubrious climatic conditions for the prosecution of every branch of an enlightened horticulture; in agricultural and pomological possibilities a prototype of the far-famed gardens of the Hesperides.

The Contour of the Country.

California in its basic formation and outline is strikingly typical of the Italian peninsula; but it is superior to that delightful spot of Continental Europe in its variety of climate and diversity of soils. For, be it remembered, within this imperial domain, is to be found, chiefly on account of its situation, (being protected from the East by the Sierra Mountains, which shut off and break the rigors of an Eastern winter, and on the West bathed by the warm Japan Current, which renders the climate warm and equable) every conceivable condition for the growth and perfect development of vegetation, touching the temperate zone at the northern extremity of the State, only to meet and kiss that of the tropics at its southernmost point. Within this range of country are to be found the essentials of plant growth, which makes possible the luxuriance of the vegetation of arid regious on the one hand and those of humid on the other; on the high ranges of the Sierras the snow plants flourish, while in the southern counties stately palms vie with the kingly orange in nodding to the warm and balmy zephyrs of a perpetual spring. The rainfall, the temperatures, the altitudes, the varying character of soils, all conspire to make possible the growth and cultivation of a wider range of economic and ornamental vegetation than any other section of equal area in the World.

Soils and Crops.

In her natural development California may be said to be in a constant state of transition; strange as this statement may appear, it is nevertheless true. At first it was mining, then it was stock raising, then it was cultivation of the cereals; following wheat culture, came the phenomenal development of our fruit industry, wonderful in its extent of country, marvelous in its annual output, surprising in the quality and variety of its production. Now we are on the eve of another transition, namely, to the production on a great scale of the most reliable seeds that ever were grown in any country. This is no idle boast, but a veritable fact, amply proven and attested to in the exacting school of experience. "Tried and not found wanting," is the verdict that has been awarded to every bit of California-grown seed that has been properly grown, harvested and placed upon the market. And though this industry is only in its infancy, yet enough has been demonstrated to prove beyond a doubt that seed growing in importance is destined to rank with fruit enlture; indeed, in many respects it will rival and eclipse it. And yet, and in the face of these pregnant facts, from a scientific horticultural point of view, seed growing in this veritable garden of the western slope is an unexploited region whose soils for the grow-

ing of specific seed crops have scarcely been scratched To the student of our rural economy this is well understood, and hence agriculture and horticulture have attracted some of the best brawn, brain and bank from all parts of the world to California. Here and there an opening has been made, a beginning inaugurated, a success attained. Certain localities have proven exceptionally favorable for the growth of certain seeds and plants; other localities are still to be exploited. These embryonic beginnings give encouragement for the future, and lead us to survey the subject of seed production more in detail.

An Historical View.

From the above it must not be inferred that experimental seed farms are only of recent introduction. Far from it; as early as 1851 seed growing was a feature of the landscape in Sacramento County, and later its introduction was more or less carried on in Santa Clara County. These early efforts were mainly the result of local conditions. Seeds were hard to obtain, owing to the great cost of bringing them around the Horn by water, or else overland by wagon; naturally prices were correspondingly high.

From Professor E. J. Wickson's "California Vegetables," we learn that in 1851 Mr. John M. Horner, of Alvarado, produced 1150 pounds of garden seed; later, in 1857, Mr. A. P. Smith, of Sacramento, had some twenty acres devoted in garden seeds. That he had done a good business even before that date, is shown by the following paragraph taken from the reports of the State Agricultural Society of 1858: "To his vegetable seed department, Mr. Smith turned his attention at an early day, and has pursued it till now he devotes twenty acres of ground, and the time of several laborers, and from it reaps a merited reward. His crop of seeds for the last four years has reached from 3,000 to 4,000 pounds per annum, which up to 1858 averaged \$3.00 per pound." Another pioneer seed grower was D. L. Perkins, of Alameda. At the State Fair in 1860, he and Mr. Smith took several premiums on garden seeds. The committee on awards reported both exhibits as being of high merit, and predicted that "the time is at hand when our gardeners will be saved the time, trouble and expense of looking abroad for their seeds." This, in so far as the committee were concerned, referred to local demands. "Mr. Perkins," to quote from Wiekson's book "California Vegetables," "looked beyond that. In his statement submitted with a claim for a gold medal, at the State Fair in 1867, uses the significant words:"

"For the past ten years all my time has been given to the raising of seeds . . . striving to get the best seeds from all parts of the world. During the past three years I have sent collections of seeds to be tested at the East, and the results in the size and quality over the same varieties grown there have been so marked that several parties have ordered from me, thus showing that California can compete with the world for garden seeds. There is no State in the Union so well adapted to the raising of seeds as California. During five years past I have sent samples of my product to Japan, China, Sandwich Islands, Mexico and to Europe."

Mr. Perkins, however, did not exploit the infant industry to the brilliant future he predicted, but directed his energies in other directions. During the early seventies R. W. Wilson, an experienced seed grower of Rochester, N. Y., began seed farms near Santa Clara, and on commercial and scientific grounds may be considered the father of seed production for the export trade in California. Commencing with 50 aeres of land devoted to onion, lettnee, carrot and beet seeds, he did reasonably well, but sold ont after a few years to Kellogg & Merse, who continued the business until 1889, when the business was succeeded by others. This business has grown and expanded until it occupies a leading position in the American seed trade, and has had many followers, now in certain lines, Californiagrown seeds lead the world. Nor is the production far from being limited or confined, but embraces all garden and field seeds, flower seeds, bulbs, and quite a variety of tree and shrnb seeds. With many varieties superior strains have been developed by eareful selection, which have become recognized the world over as superior to the eastern and foreign grown seed.

These basic facts and conditions are self-evident. Frem the time Perkins made his prediction for a grand future for California, as a seed preducing section, to the time that Peter Henderson, prebably the best authority on seeds and their production this country ever had, made a similar prophecy in a letter to Mrs. Theodosia B. Shepherd, which encompassed a period of seventeen years. That prediction made in 1881 has largely come true much before its date of fulfillment, and is now a tangible, living, forcible fact. It is as follows:

"I am certain that California, before fifty years, will be the great seed and bulb growing country of the world. You have the exact conditions necessary to grow seeds, and I would advise you to go to work systematically at once."

Acreage and Production of Today.

That advice has been followed and profited by since it was given. During the past score of years, seed growing has become a feature of our landscape in all portions of the State — at least in three great agricultural divisions of the State, viz: The northern, central and southern portions; taking its inception at the north it has gradually spread until seed growing is practiced wherever crops are produced in quantity. The number of people engaged run into the thousands, from the specialist, with a single strain or variety, to the commercial growers having hundreds and thousands of acres devoted to seed. In certain lines California seeds already lead the world, both on grounds of quantity as well as quality. Before another decade shall have passed, we will be supplying the markets of the United States with all the standard garden, field and flower seeds of every seedman's catalogue. This is a foregone conclusion, because we have the varieties of climates and soils to accomplish it. Nature has been lavish with us, in providing every advantage, it now only remains for man to supply the brain, brawn and bank for their development on correct lines.

To prove that seed growing in California is destined to control the markets in seeds in this country and in certain particular lines is to supply the world, let us briefly survey the field as the situation presents itself at the present writing. It is conceded by all who are in the least familiar with the vitality and germinating qualities of California-grown seeds, that they lead the world in percentage of fertility and superiority of product. Hence we will take them in their importance of commercial production.

Our foremost crop is of course beans; this industry was inaugurated in 1882, in Ventura and Santa Barbara counties, where the conditions are exceptionally favorable for this crop. Some 40,000 to 50,000 acres are devoted to its cultivation, and the annual product of all varieties amounts to nearly 2,000 carloads when the crop reaches maximum yields. This seed is beyond all doubt superior in vitality and germinating power to that produced anywhere either in this country or Europe.

As a close second in volume of production must be mentioned the onion seed output, aggregating some 600,000 pounds per year. This crop finds congenial conditions in the semi-adobe lands which abound in all portions of the State. California onion seed gives a larger percentage in vitality and germinating power, and a corresponding better product, than either eastern or European grown. Our onion sets bear the same relative position as that occupied by the seed. All standard varieties are grown, and the output is sufficient in volume to supply the markets of the entire country.

Lettuce is a seed crop, of which the output is 200,000 pounds each year, that luxuriates in a California soil, and of which we now supply the United States with this crop. Tomatoes also do fine, if properly planted and cared for, and the California seed is pronounced A 1 quality. Celery is a big crop in Southern California, the annual shipment of fresh stalks being over 1,000 carloads from a single county. Some fifteen varieties are grown. The annual output of seed aggregates some 20,000 pounds.

In spinach we grow large quantities, the annual production being about 100,000 pounds, the varieties however are limited to about half a dozen. Carrot (200,000 pounds,) radish (100,000 pounds,) leek (5,000 pounds,) salsify (15,000 pounds,) and parsnip, parsley, collards, coleriac, endive, kale, kohl-rabi, etc., are all produced in commercial quantities. Mustard is grown in large quantities, also flax seed to some extent. Briefly, most every variety of garden and field seed is grown to perfection.

In field and tree seeds much has also been accomplished. The native fodder plants, such as alfilaria have become of commercial importance, and the seed is now a regular item of every well regulated establishment. Burr clover is also a big factor. Our native trees and shrubs are considered acquisitions to gardens the world over and their seeds are eagerly sought after, the chief items being Montere

cypress and pine, weeping white oak, the sequoias, etc. Palm seeds, both native and exotic, and particularly in the hardy fan and pinnate leaved sorts, are commanding wide sale at home and abroad.

As is well known to botanists and specialists, the native flora of California abounds in many beautiful flowering and ornamental plants which have long since become pronounced features of gardens everywhere. Chief among these must be mentioned the annuals and perennials, viz: Eschscholtzia California (California Poppy), Ronneya Coulterii (California Mountain Poppy), Delphinium Cardinale (Scarlet Larkspur), Nemophila, Collinsia, Godetia, Mimulus, Coreopsis lanceolata, Abronia umbellata (Sand Verbena), Bartonia, Clarkia, Gilia, Limnanthes Douglassii, Lupins, Whitlavia. In bulbous plants there are also a number strikingly beautiful, and now of recognized commercial value. We refer to Calochortus, Brodiæas, Erythroniums, Bloomerias, Fritillarias, Lilies.

It is possible that California flower seed production has achieved for the State its widest reputation as a seed growing section. In this division sweet peas are the chief product; the area devoted to this crop embraces some 500 acres, and includes about 135 varieties, aggregating some 350,000 pounds per year. It has been found that our long season of summer sunshine produces larger and more perfect blooms than are possible in less favored countries; for the same reason the seed is larger, more plump, and of stronger vitality. Closely following sweet-peas in commercial importance must be mentioned Petunias (California Giants, having a world-wide reputation), Nasturtiums, Cosmos, Verbenas, Asters, Coreopsis, etc., and in fact the whole range of garden flowering annuals. Fuchsias, Pelargoniums, Geraniums, Begonias, Smilax, and many other varieties are produced in appreciable commercial quantities. Bulbous plants grow in great luxuriance. California-grown Calla, Freesia, Amaryllis, Gladiolus, Montbretias, and many other sorts, now command the markets of the world. Carloads are shipped to the east and the European markets annually.

The Why and Wherefore.

Obviously, California seed growing is not an experiment, but a pronounced success, based on conditions of soils and climates for its successful prosecution, second to those of no other section in the world; here the grower has everything in his favor, a remarkably fertile soil, a salubrious climate, which is a happy medium between extreme cold and excessive heat; a long summer season giving great scope for the growing and maturity of all crops, a matter of vital importance in the production of seed. But beyond these advantages of soils, climates, temperatures and altitudes, the California grower is not a creature of Jupiter Pluvious—he turns on his irrigating water when the crop demands it, irrespective of a chance rain. Indeed, his motto all along the line is "Science, not Chance." He grows seed on pretty much the same lines that a manufacturer makes nails or sugar. He has the elements of success absolutely under control; if he fails, it is a matter of judgment rather than of the elements.


A Personal Word in Conclusion.

It affords as a cortain pride and gratification to be able to say, that in both seed growing as well as in seed seiling, this house has been an important factor in giving to the great army of growers all over the United States the advantages of California-grown seeds. These advantages are more than skin deep, they have a commercial significance of the first importance, for the planting of California-grown seeds means larger and better crops, and a corresponding increase of money returns to growers. These facts are self evident, and have been se thoroughly demonstrated in the hard school of experience, as to require no further authentication here. The question no longer is "Can you afford to plant California-grown seeds," but "Can you afford not to plant them."



Vegetable Seed Novelties and Specialties.

Asparagus, Snowhead.—(See cut.) This new Asparagus possesses a superiority over all others, in that its shoots remain entirely snow-white, when pushed already 6 inches out of the ground and exposed a whole day to sun and air, which makes other varieties colored and undesirable. It is exceedingly productive and is unrivalled for tendorness and delicacy of flavor, and is without doubt one of the finest introductions of late years. Per pkt. 15c.



Asparagus, Snowhead.

Brussels Sprouts, Hercules.—A medium-sized variety of excellent quality, and one of the most productive sorts yet introduced, producing well-shaped, solid sprouts, which remain a long time in condition for use. Per pkt. 10c.


Cabbage, Savoy, Ironhead.—This new variety is the earliest Savoy ever raised; produces large, solid, round heads, dark green in color, with yellowish green conters. A very desirable sort for market growers. Per pkt. 10c.

Lettuee, Nansen or Northpole.—A winter cabbage variety, extremely hardy, and stands very severe frost; forms solid crisp heads, of a yellowish green color. Per pkt. 10c.

Musk Melon, Rocky Ford.—This splendid melon derives its name from Rocky Ford, Colo., where it has been grown in large quantities, many carloads of it having been shipped to the markets of the large eastern cities, in the past three years, where it has been in great demand, no melon having ever sold for such high prices as the Rocky Ford. It is a very vigorous grower and one of the most productive sorts ever grown; somewhat resembles the old Netted Gem, but is more eval in shape; the color of the skin when ripe is a greenish gold, the notting prominent and light in color, giving it a very attractive appearance. The flesh is sweet and luscious in flavor and very deep, ripening clear to the rind. As an illustration of the value of this melon, we may mention the fact that a grower in Florida, from 25 acres planted with this sort, cleared \$8,000 net profit. Per pkt. 10c; per eq. 20c; per lb. \$2.00.

Germain's Autumn Musk Melon.—(See cut.) In offering this variety to the public, we believe we have something which will be appreciated by all lovers of good Musk molons. Our Mr. Eugono Germain discovered this variety while residing in Switzerland, but was unable to obtain the name of it. He, however, purchased some of the melons, from which he saved the seed and brought it to this country. We grew this melon last season for the purpose of saving the seed, and find it not

only sneceeds in this climate, but produces an enormous crop, and surpasses in flavor anything we have heretofore grown. The melons are oblong in shape, deeply ridged, of a dark green color, slightly tinged with reddish-brown when ripe; the seed cavity is very small, flesh pale green, vory deep, ripening clear to the rind and of the finest possible flavor; in fact those who have tasted this melon, have been enthusiastic over it and pronounced it "the best they ever ate." It is a late variety and will keep for a long time. We heartily recommend it both for market growing or for home use. Stock of seed very limited. Per pkt. 25c; per oz. \$1.00.



Germain's Autumn Musk Melon.

Radish, First Crop.—This variety will produce roots fit for the table, eight to ten days earlier, than any other forcing sort. In shape it is oval, and in color, bright aniline-red. Per pkt. 10e.

Radish, Icicle.—As a rule there is not much demand for white radishes, but this new variety has gained unanimous praise, wherever it has been grown. It is an early variety and produces cylindrical, transparent roots 3½ to 4 inches long, very crisp and of the finest possible quality, and which even in a riper state are still of good flavor and do not become woody. Per pkt. 10e; per oz. 60e.

Tomato, Honor Bright.—In this new tomato we have one of the most attractive varieties ever grown. The fruits are produced from 3 to 5 in a cluster, and are large and solid, the flesh is thick and meaty, and of the fluest quality, the seed cavities are very small, and the skin is smooth and never eracks. During growth it makes many changes in color, first being light green, then waxy white, then changing to lemon color, and again to a rich bright-red when ripe. It is an exceptionally flue market varioty, the fruit may be picked when white and packed like apples in boxes for shipping, and after a period of 2 to 4 weeks will ripen to a rich bright-red color. Per pkt. 10c; per oz. 30c.

Flower Seed Novelties and Specialties.

Antirrhinum majus Romco.—A new and remarkably beautiful variety, of the old but popular Snapdragon. The flowers are deep rose, stained with flesh-color, and spotted with yellow on the lower lip. The stems are dark colored, and the plants of a bushy graceful habit. Per pkt. 15c.

Antirrhinum majus nanum, Black Prince.—This is also a new variety of the Snapdragon, but belongs to the semi-dwarf class. The flowers are black-purple, with velvety black lip, and contrast finely with the narrow steel-blue foliage. Per pkt. 15c.

Dwarf Comet Aster, Bridesmaid.—A valuable addition to the Dwarf Comet group, and a color which is only represented in a few classes of Asters. The flowers when they first open

are white, and afterwards change to a charming lilae-rose. A wonderfully free flowering variety, and produces almost exclusively perfect plants, will prove very effective either for groups or pot culture. Per pkt. 25c.

Lady Aster, Comet-flowered, White with Rose.— (See cut.) This grand new variety is similar to the others of this new class, which we offered in our novelty list of last year, and which are easily distinguished from all other Asters, by the light green laneeolate foliage, as well as the unapproachable free flowering qualities, but in this new variety appears the long-petaled flowers of the popular Comet class. The plants are of exceedingly graceful branching habit, and produce flowers in great quantities on long stems, which will be found invaluable for cutting purposes; also unsurpassed for bedding or pot culture, the contrast between the fresh light green foliage, and the graceful Chrysanthemum-like flowers being particularly effective. Per pkt. 25c.

Candytuft, Little Prince.—(See cut.) We consider this new dwarf Candytuft one of the best novelties offered this season. The plants grow about 6 inches high, and form massive spikes of large pure white flowers, grouped candelabra-wise round the main stem. It is of extremely robust constitution, and continues a long time in bloom; especially valuable for groups and borders, and also makes an excellent pot plant. Planted in masses it produces a splendid snow-like effect, and will be admired by everyone. Per pkt. 15c.



Candytuft, Little Prince.



Lady Aster, Comet-Flowered

Six Grand New Hybrid Centaureas.

(See cut on next page.)

These are among the finest novelties offered for many years, and will undoubtedly become one of the leading florists' flowers. Since the introduction of the Centaurea Margaritæ some years ago, which at once became so popular, this class of flowers has been greatly improved, and we are now pleased to offer to the public, six grand new varieties, the first four of which are of our own raising. Flowers of some of these varieties have been on sale in the leading floral stores in our city, and have been the admiration of everyone who has seen them. The flowers are all of the same shape as C. Margaritæ, and vary from 2 to 4 inches in diameter, they are of exquisite beauty, delicious fragrance, and of fine texture, produced on long stems and if cut as soon as open, will last from a week to ten days in water; these qualities render them especially valuable for eutting purposes.

Centaurea, California Giant Yellow.—Flowers very large from 3 4 inches in diameter, of a pure sulphur-



New Hybrid Centaureas. from 3 to 4 inches in diameter, and of a lovely pinkish purple color. One particular characteristic of this variety, is its long duration of

bloom, some plants which were in flower early in July, still producing fine blossoms late in December. Per pkt. 15e.

Centaurea, Imperialis. - A remarkably beautiful strain, producing vory large flowers, varying in color from white, rose, lilac to purple. The plants are of vigorous growth, forming bushy plants 3 to 4 feet high. Per pkt. 15e.

Centaurea, Mariae. - A hybrid between C. Snaveolens and C. Purpurea. The flowers open a pure sulphur-yellow, and afterwards change to a paler shade with rose tips. In habit the plants are like C. Imperialis, but of somewhat dwarfer growth. Per pkt. 15e.

Collection of the above six grand varieties for 75c.

Coreopsis, California Sunbeams. - An improved form of C. Lanceolata Grandiflora, and produces immense flowers of various forms; some are flat, othors Cosmos-shaped, some saucershaped, some incurved, while others resemble large buttorcups. They also vary in different shades of yellow, some being very light, others of a deoper color, darker around the eye; all of great beauty and produced on long stems, and remarkably early flowering. Per pkt. 15c

Dianthus, Queen of Holland. (D. Heddewigi albus.)—(See ent.) This new variety of Indian Pink, wo feel sure will fill a long-felt want: a pure white variety having hitherto been lunkuown in this class. The flowers are large, even-edged, and of a lustrous pure white color, a few will be found with a small yellowish or pinkish ring round the eye, but a large percentage of the flowers are purest white. The plants grow about 1 foot high, and are literally covered with flowers, from early summer till fall. Per pkt. 15c.

Dianthus, White Diadem Pink. (D. Heddewigi Diadematus albus flore pleno.)— (See cut.) In this new variety, we have the first variation from the favorite Diadem Pink, from which it is at once distinguished, by the pure white ground color of the petals, which contrasts finely with the delicate Diadem markings, principally of lilac, purple, earmine or blood-red tints. Per pkt. 25e.

Hunnemannia fumariaefolia grandiflora.—This is an improved strain, of the old Hunnemannia fumariæfolia, a native of Mexico, and bears immenso yellow flowers, similar to those of the California Poppy, which it also resombles in foliage, and for which it is a very good substitute; is a hardy perennial,



Dianthus, Queen of Holland.



White Diadem Pink.

forms a large bush, 2 to 3 feet high, and blooms during the greater part of the year. Flowers of it may be had when the wild Poppy is out of season. Per pkf. 15e.

Mignonette, Ruby.—A new variety of striking appearance. The flowers are of a light, copper-searlet color, the plants compact in growth, and equally useful for pot culture, or for growing in the open ground. Per pkt. 10c.

Tall Nasturtium, Caprice.—A new varioty of California origin, belonging to the tall-growing class, and has been rightly named Caprice, because the plants (like Chameleon Nasturtium) bear flowers of different colors, on one and the same plant; some are beautifully blotched, striped or splashed, while others are self-colorod. The foliage is generally of a fine dark green color, making a rich background for the many-colored flowers. Per pkt. 15c.

Poppy, Chamois Rose.—A charming new Poppy, producing largo double flowers of a clear chamois-rose color. Quite distinct and a valuable novelty. Per pkt. 15c.

Poppy, Maid of the Mist.—A grand new Poppy of the Paeony-flowered type, and a novelty from our own state. The flowers are very large, and measure from 6 to 7 inches in diameter, of a pure snow-white color, rivaling the Romneya Coulteri in grace and beauty. The potals are large, over-lapping, daintily incurved and deeply and irregularly fringed. The flowers are produced on long stems, and instead of facing upwards as do most Poppies, they turn outward; the pretty centers fringed with silken stamens, and encircled by the deeply-fringed petals, produce a very striking effect, and suggest, as the grower says, "A pretty face looking out from white mist." Per pkt. 15c.

Mammoth Verbena, Firefly.—A magnificent variety of the Mammoth Verbena, producing immense trusses of bright red flowers with large white eyes. It is entirely distinct and comes quite true from seed; a very free-flowering variety, and as a bedding plant will be of greaf value. Per pkt. 25e.

Germain's Seeds are all tosted by an export and hence will always be found to give high percentages in germination.

Flower and Vegetable Garden.

A Concise Calendar of Operations Throughout the Year. Especially Adapted for Southern California.

JANUARY.

Flower Garden.—Continue to plant Lilies. All kinds of evergreen and deciduous shrubs can now be planted. The planting of Hyacinths, Tulips, Nareissi, etc., should be completed this month. Hardy annuals may be sown out of doors, and, where artificial heat is obtainable, half hardy annuals may also be sown. A hot-bed of stable manure is easily prepared by piling it 4 or 5 feet in height, well watered and trampled down, over which place a large box or frame, with glass sash, taking care to air and sweeten the bed well before using.

Vegetable Garden.—For main crop sow Broccoli, Carrot, Chicory and Parsnip. At the end of the month, in warm, sheltered situations, Early Rose Potatoes may be planted. Plant Asparagus, Horseradish and Rhubarb roots. These all require deeply-worked ground. Dress beds already planted with about 3 inches of well-rotted manure. Cueumbers, Egg Plants, Melons, Peppers, Squashes and Tomatoes may be sown under glass for after-planting. A safe plan is to sow about 5 seeds of each variety on reversed pieces of sod, about 4 inches square. On planting in the ground, insert the sod with the growing plants and firm the soil in the usual way. By this method the growing plants will suffer no injury. Stick and hill up Peas and other crops requiring it, and attend strictly to cleanliness.

FEBRUARY.

Flower Garden.—General planting of evergreens and shrubs should be completed as soon as possible. Also finish planting Lilies, Anemones and Ranunculi. Commence planting Gladioli bulbs for succession. Sow hardy annuals out of doors, especially Sweet Peas, and half hardy annuals as recommended for last month. This is the best month in which to sow Acacia seeds. Soak for 24 hours before sowing, or where practicable, spread dry leaves or bushes over the beds after sowing and watering and set fire to them. This is the best manner of sowing all hard tree-seeds.

Vegetable Garden.—This and the next month will be the busiest of the year in this department, as nearly all crops may be sown in these two months. (See reference table for varieties to be sown.) Continue planting Asparagus and other roots as recommended for last month. Plant main crop of Potatoes. Attend to weeding and hilling up. Thin out Turnips, Carrots and other root crops requiring it.

MARCH.

Flower Garden.—Continue planting Gladioli bulbs for succession. All hardy and half hardy annuals may be sown in the open ground this month. Alternanthera and other border plants can be planted with safety, as all danger from even slight frost is now over.

Vegetable Garden.—Nearly all vegetable seeds may be freely sown this month. (See reference table.) Plant out Cueumbers, Melons and other plants previously sown under glass. Hill up rows, keep down insects, slugs and vermin, and attend strictly to cleanliness.

APRIL.

Flower Garden.—Plant Dahlias, Gladioli, Tuberoses, Tigridias, Tuberous Begonias, and all summer-flowering bulbs. Continue sowing hardy and half-hardy annuals. Watch Rose bushes, and if troubled with green Aphis, use tobacco-dust freely.

Vegetable Garden.—(See reference table for varieties to be sown.) Plant out Egg, Popper, Tomato and Sweet Potato plants, the latter in light, rich soil, well worked, in rows 6 feet apart, and 2 feet in the rows, and keep the soil well worked. Cultivate well and hill up as required.

MAY.

Flower Garden.—As Hyacinths, Tulips, Narcissi, etc., die down, the bulbs should be dug up, and stored away in a cool, dry place till fall, when they may be replanted. The vacancies thus created should be filled with other flowering plants. Half-hardy and other annuals may still be sown, and

summer-flowering bulbs be planted. The garden should now be brilliant with flowers, and all sowing, planting and general cleaning up should be completed this month, ready for the summer season.

Vegetable Garden.—Pinch out points of shoots of Cucumbers, Melons, Squash, etc., as soon as they commence flowering. Sow vegetable seeds for succession (see reference table), and keep surface of soil well broken.

JUNE.

Flower Garden. — Trim edgings of borders and hedges, and carefully attend to watering. Dahlas and Gladioli may still be planted. Sow Eucalyptus and Cypress seeds for winter planting.

Vegetable Garden.—(See reference table for varieties that may be sown for succession.) Hill up all growing crops and stick Pole Beans and Tall Peas as required.

JULY.

Flower Garden.—Continue to dig up and store bulbs as they ripen. Trim edgings and hedgerows, and sow perennial flower seeds in shady situations. Continue sowing Eucalyptus and Cypress seeds.

Vegetable Garden.—Cultivate well between the rows. Sow vegetable seeds for succession, as per Reference Table. If manure is used during this hot month, it should be in liquid form.

AUGUST.

Flower Garden.—This is the best month in the year in which to sow hardy perennials. Most varieties if sown this mouth will flower the next year. (See remarks on culture in body of list.) Also sow Calceolaria, Cineraria, Pausy and Primula seeds. (See special remarks on culture of tender annuals.) Continue sowing Eucalyptus and Cypress seeds.

Vegetable Garden.—Plant second crop of potatoes. Sow Cabbage, Cauliflower and Spinach for main crops, and others mentioned in reference table for succession.

SEPTEMBER.

Flower Garden.—Commonce planting Hyacinths, Tulips, Anemones and other Dutch bulbs toward the end of the month. Prick off Calceolarias, Ciuerarias and Primulas sown last month, into small pots, and continue sowing same for succession. Pansies can be grown better transplanted into a well-manured bed than in pots, as they are not so liable to be attacked by the red spider. Pansy seed may be sown for succession until the end of November. Also sow all the hardy annuals and perennials.

Vegetable Garden.—Many varieties of vegotable seeds may be sown this month. (See reference table.) Plant out Cabbage and Cauliflower plants sown in July.

OCTOBER.

Flower Garden.—Hyacinths and other Dutch bulbs should be planted freely this month; also early Lilies. Cineraria and Primula seed may still be sown for late flowering. Continuo sowing hardy annuals.

Vegetable Garden.—Sow largely Peas, Onions and Spinach for main crop; also other seeds for succession (see reference table), eepecially Winter Radishes.

NOVEMBER.

Flower Garden.—Continue planting Hyacinths and other Dutch bulbs, and Lilies of all kinds; also plant roses, evergreens, and deciduous shrubs of all kinds. Form now lawns and renovate old ones (for which we recommend our special lawn fertilizer, at the rate of 600 pounds per acro). Carry out landscape alterations, if required; dig and manure borders, and energetically proceed with all heavy work.

Vegetable Garden.—Sow seeds as recommended in reference table for this month, and hill up young crops. Keep the ground thoroughly clean, and dig or plow manure in all unoccupied ground for future use. Keep down slugs by free use of Hammond's Slug Shot, salt, limo, or any other dressing which is beneficial to the growing crops.

DECEMBER.

Flower Garden.—Operations same as last month.

Vegetable Garden.—Operations same as last month.

Bear in mind we do not sell "cheap" seeds; that is an occupation enjoyed by others. Many seeds are grown under our personal supervision, from strains known to be of superior quality. Poor and unreliable seed is dear at any price, and for that reason no soil-tiller can afford to trifle with "held-over" or untested seeds. We sell only seeds tested by an export on our own grounds; hence you are safe in trusting us with your orders.

REFERENCE TABLE

Showing at a Glanee the Best Time to Sow the Different Kinds of

Vegetable Seeds.

This is arranged for the elimate of Los Angeles, In eolder districts spring sowings should be made one month later than indicated in column.


EXPLANATIONS.—The letters S or P opposite the variety and under the month in the column, indicate that the Seeds, Roots or Plants may be sown or planted in that mouth.

VARIETY.	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November	December
Artiehoke, Globe			\overline{s}	S								
Asparagus — Seed		S	S	S								
Asparagus — Roots	P	P	P								P	P
Beet, Table varieties	S	S	S	S			S	S	S			
Beans, Broad or English	S	S	S	s	S	S	s		S	S	S	S
Beans, Dwarf or Bush		S.	S	Š	S	13	ß	••••••				
Broeeoli	S	S					S	S	S	S	S	S
Brussels Sprouts	$\tilde{\mathbf{s}}$	$\tilde{\mathrm{s}}$					\tilde{s}	$\widetilde{ ext{S}}$	$\tilde{ ext{S}}$	ŝ	S	S
Cabbage, Early — Seeds	S	S	S					Š	S	S	S	S
Cabbage, Early — Plants		P	P	P					P	P	P	P
Cabbage, Lato — Seeds			S	S	S	S						
Cabbage, Late - Plants					P	P	P					
Carrot			S	S	S			S	S	S	S	S
Carliflower — Seeds	S	S P	S P	S P	D		S	S	S P	S P	S	5
Canliflowor — Plants Chervil		S	S	S	PS			•••••	S	S	P	
Chives	P	P	P	P	2				P	P	P	Р.
Collards		s	s	s					1	1		*
Chieory		\tilde{s}	\tilde{s}	ŝ								
Corn, Sweet			Š	Š	S	S						
Corn Salad	S	S	S	S				S	S	S		
Cress	S	S	S	S	S	S	S	S	S	S	S	S
Cueumbor			S	S	S	S						
Dandolion			S	S					S	S		
Egg Plant — Seeds			S	S P	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	S	T					
Egg Plant — Plants Endive	S	s	S	S	P	P	Р	S	S	S	s	S
Garlie —Sets	P	P	P	P				P	P	P	P	P
Horseradish — Sets	P	P	P	P				r	1	1	P	P
Kale	Ŝ	s	ŝ	l			S	S	S	S	ŝ	Ŝ
Kohl Rabi	. s	S	S					\tilde{s}	s	S		
Leek	S	S	S	S					S	S	S	S
Lettuee	. S	S	S	S	S	S	S	S	S	S	S	S
Melons, Musk and Water			S	S		S						
Mustard			S	S		S	S	S	S		S	S
OkraOnion — Seeds		s	S		S	0		S	S	S	S	· · · · · ·
Onion—Sets		P	P	P	10			8	۵	P	P	р
Parsley	$\cdot \cdot \cdot \cdot \cdot \cdot \cdot$	s	s	s				S	s	s	s	İs
Parsnip	\tilde{s}	\tilde{s}	\tilde{s}	$\tilde{\mathbf{s}}$				\tilde{s}	$ \tilde{s} $	\tilde{s}	\tilde{s}	
Poas	.l s	S	S	S	S	S	s	$\tilde{\mathbf{s}}$	S	S	S	S
Pepper — Seeds			S	S	S	S						
Pepper —Plants				P	P	P	P					
Potato — Sets		P	P	P	P		P	Р				
Potato, Sweet — Plants	•			P	P	P						
Pumpkin			S		S	S						0
RadishRhubarb — Seeds	. S	S	S	S	S	S			S	S	S	S
Rhubarb - Roots.	P	SP	P	S							P	P
Salsify	I.	S	S	S	S		•••••		••••••		F	I
Spinaeh		S	S	S	S	S	S	S	S	S	S	S
Tobaeeo	. ~	S	S	S	2	2	~	2	2	2	1 2	~

. VARIETY.	January.	February.	March.	April.	May.	June.	July.	August.	Soptember.	October.	November.	December.
Tomato — Seeds		S	8 P 8 8 8 8	SPSSS	SPSSS	P	S S	S	S	S		
Beet, Sugar Beet, Mangel Wurzel, for stock Clover, Scarlet Italian		S	S S	s s	S S			S	S	SSS	SSS	
Clover, Other sorts	S	SSS	SSS	SSSSS	SSSS	SSS	SS	~	SSSS	S	S	S

Rules for Seed Sowing and Vegetable Growing.

- 1. Choose the location for your garden on a sheltered, sunny slope if possible, and with thorough drainage.
- 2. Do not attempt too much. Two acres well cultivated will produce more than five under slovenly cultivation.
 - 3. Fertilize liberally before plowing or harrowing.
 - 4. Cultivate deeply, viz.: from 15 to 20 inches.
 - 5. Sow in drills, in preference to broadcast.
 - 6. Plow deeply and repeatedly, and work the soil to as fine a tilth as possible before planting.
 - 7. Keep weeds down. The old adage, "One year's seeding makes seven year's weeding," is correct.
 - 8. Cultivate frequently. Good tillage always pays, and prevents the soil from baking.
- 9. Attend strictly to rotation of crops. Do not let two tap-rooted crops (as Carrots and Parsnips) follow each other, nor two exhaustive head crops (as Cabbages and Cauliflower.) Let the soil have time to recover its fertility. Follow Carrots, for instance, with a surface, shallow feeding crop, as Peas, or vine crops, as Melons and Squashes.
 - 10. Water in drills, and copiously; slight sprinklings overhead do more harm than good.
- 11. Watch elosely for insects. Hammond's "Slug Shot" is very valuable to dust over young plants, as it is only destructive to insects, and is innocuous to larger forms of animal life. It does not harm poultry, and acts on the plant as a fertilizer.
- 12. Buy your seeds only from a roliable seed house, whom you are sure test their seeds before sending them out, and supply only varieties true to name.





Vegetable Seeds—General List.

NOTICE.—In ordering seeds please observe that ounce prices will be charged for quantities less than one-quarter pound, and pound prices for less than ten pound lots. All vegetable seeds, except where otherwise priced, can be supplied in packets at 5e cach -50e per dozen. We have affixed the names of the vegetable seeds in three languages—the first Spanish: second, German; third, French. The English name is of course given in the heading.



Large Green Globe.

ARTICHOKE.

Alcachofa - Artisehoke - Artiehaut.,

Drop the seeds early in the spring, 1 inch deep and 3 or 4 inches apart, in drills 1 foot apart. Hoe often and transplant in the following spring to hills 4 feet apart, setting from 1 to 3 plants in a hill. The soil should be deep, light and rich, and the situation open and free from the influence of trees.

Large Green Globe. - (See eut.) The largest and best. Per oz. 30c: per lb. \$3.50.

ASPARAGUS.

 ${\bf Esparrago-Spargel-Asperge.}$

Sow in rows a foot apart. Keep earefully hoed and clear from weeds, and the plants will be in condition to set out when one year old. The soil for the permanent bed should be thoroughly manured and




Conover's Colossal.

trenehed to a depth of at least 2 feet. Plant in rows 3 feet apart, and 1 foot between the plants in the rows; spread the roots well ont, and let the crown of the plant be covered about 6 or 8 inches when established. Previous to sowing the seed, soak in tepid water for 24 hours.

Columbian Mammoth White.-Very large, tender and sweet. Per oz. 10e; per lb. 75e.

Conover's Colossal. - (See eut.) A standard variety, excellent quality and productive. oz. 10c; per lb. 40c.



Palmetto Asparagus.

Palmetto. - (See eut.) A large, early variety; very regular and even in its growth, and unexcelled for quality and productiveness. Per oz. 10e; per lb. 75c.

The Germain Fruit Company does not trade on its established reputation, but keeps up the excellent quality of its seeds from year to year.

BEANS.

All beans ordered by mail will be charged 10c per lb. additional for postage.

ENGLISH.

Haba - Puff bohne -Feve de Marais.

Drop early in spring, 3 inches apart, in drills 2 or 3 fect apart. When in full bloom nip an inch or two off of each stem. A deep strong loam suits them best.

Broad Windsor .-Large, productive and of fine quality; best for general erop. Per 100 lbs. \$6.00; per lb. 10e.


Early Long Pod.-Good and productive. Per 100 lbs. \$6.00; per lb. 10e.



French Kidney Bean.

DWARF OR BUSH.

Frijoles - Bohne - Haricots Nains.




Burpee's Bush Lima. - Splendid Edwarf lima; large and of excellent quality. Per 100 lbs.



Black Wax. -(See cut.) Pods are transparent and yollow; a superior variety. Per 100 lbs. \$10.00; per lb. 15e.

Canadian Wo'n der.-(See cut.) It is without exception the most productive dwarf bean yet introdueed; pods long, execdingly tender and of fine flavor. Per 100 lbs. \$10; per lb. 15e.

Early Red Valentine. - See cut. Pods round, somewhat eurled, produetive, tender, and of excellent



Black Wax.

flavor. Per 100 lbs. \$9; per lb. 15c.




Germain's Flageolet Wax.

POLE OR RUNNING.

Frijol de Bejueo-Staugenbohne-Haricots a Rames.

These varieties require a rich soil. Plant in wellmanured hills, 3 feet apart each way, covering to a depth of 2 inches. In each hill set a pole 8 or 10 feet long, around which plant 5 or 6 beans, and afterwards thin out, leaving four strong, healthy plants to each hill. They may also be grown without


poles, allowing the vines to run, planting in hills 4 feet apart.



Creaseback. - Handsome green pods, 5 to 6 inches long, perfectly round with crease in back, hence the name. Early, exceedingly productive, and of good quality. Per 100 lbs. \$10.00; per lb. 15c.

Cut Short .- The finest cornfield bean grown; takes to the eorn as no other bean will. Per 100 lbs. \$10.00; per lb. 15e.






Long Yellow Six Weeks

Golden Wax.

Per 100 lbs. Per lb.



Lazy Wife's Pole Bean.



Asparagus or Snake Beans.

9.00 15e



German Black Wax.—(See cut.) Excollent variety, either for snaps or shelled; tender, rieheolored pods	Per lb.
Kentucky Wonder, or Old Homestead. - A very vigorous grower, and enormously pro-	

ductive. The pods, which hang in great clusters, are very long, tender and of the finest flavor. One of the very best pole beans in cultivation...... 10.00 15c


Lauge Lima. - A standard variety, unsurpassed in quality as a green or dried shell bean...... 9.00 ½ 15e


Lazy Wife's. - (See eut.) Very productive; excellent either as a snap or dried bean; may be grown either on poles or on corn

Scarlet Runner. - Often cultivated for the beauty of its flowers which are of a dazzling scarlet color, it is also a fine snap bean and the leading variety of English gardens 10.00 15e



Remolacha — Rothe Ruebon — Betterave.








Germain's Long Blood Beet.

Dewing's Early.

Per oz. Per lb.

50e



Edmund's Blood Turnip Beet.

Germain's Long Blood. - (See cut.) A splendid variety of fino flavor, and being of long symmetrical shape, is more easily sliced than the round varieties...... Swiss Chard, or Silver.-This va-

riety is cultivated for its leaf stalks, which are served up much like Asparagus, and for its leaves, cooked as Spinach. Cut often; now and more tender stalks will be produced 10c

For best varieties of Sugar Beet and Mangel Wurzel for feeding stock, see Agricultural Seeds.

BROCCOLI.

Broculi — Spargelkohl — Broccoli. Closely allied to the Cauliflower, but hardier. Sow the seeds in beds and transplant to rich, mollow ground, 2 feet apart. A light, free loam, well enriched with rotted stable manure is best. Cultivate the samo as Cauliflower. One ounce of seed will produce 2,000 plants.



Eclipse Blood Turnip Beet.

	Per pkt.	Per ox.	Per lb.
Early Purple CapeVery hardy; heads solid and compact; color greenish			
purple	10e	30e	\$3.00
White Cape Later than Early Purple Cape; heads medium size, firm, and a			
rich creamy eolor	10e	30e	\$3.00

BRUSSELS SPROUTS.

Berza de Bruselas - Rosenkohl - Chou de Bruxelles.

This plant produces from the sides of the stalks numerous little sprouts resembling cabbages, 1 or 2 inches in diameter. They are very tender and sweet. Sow in seed-beds, transplant and cultivate like cabbage.

Dwarf Improved.—(See cut.) Very fine; heads of good quality. Per oz. 15e; per lb. \$1.50.



Dwarf Improved.

Per lb.

\$1.50 1.50

1.50

Per lb.

\$1.50

1.50

2.00

20c

CABBAGE.


Repollo - Kopfkohl - Chou Pomme.

Commence to sow the seeds of the early varieties in August, and each month following, until spring, for succession. Transplant as soon as large enough, to fresh, rich soil, in rows 2 feet apart and 18 inches in the rows. For late use sow the Drumhead sorts in spring, and transplant to well-manured ground 3



Early Red Dutch.

feet each way. In planting Cabbage or Cauliflower, care should be observed that the stem is set under ground as far as the first leaf. The ground should be well worked, to produce good heads, and hoed as many as three times during the season, drawing the earth slightly about the



Early Winningstadt.

for general erop...... 15c

Early Red Dutch.—
(See eut.) Used for pickling; good solid heads;
fine deep red color............

stems. One ounce will produce 2,000 plants. The Drumhead varieties are used extensively for stock feeding purposes.

EARLIEST VARIETIES.

LANCIES! VANIE IES.	Per ox.	Per
Early Dwarf Ulm Savoy One of the earliest; unsurpassed in quality; capita	ıl	
for family use	15e	\$1
Early York.—One of the earliest; an old favorite variety	15e	1
Early Jersey Wakefield (See eut.) This cabbage is grown extensively b	у	
the leading market gar	-	
deners in the vicinity of	f	
New York and Boston	15e	1
SECOND EARLY VA	RIETII	ES.
	Per oz.	Per
All Seasons.—See eut		
Similar in form to Ston	e	
Mason; solid, compact	;	
claimed to be as early and	d	
larger than the Hender		
son's Summer	15e	\$1.
Dwarf Green Curled	1.	
Sayoy.—One of the bes	t	

All Seasons Cabbage.

	er oz.	Per lb.
Early Winningstadt (See cut.)		
One of the best for general use; heads		
large, solid and keep well. It heads uni-		
formly in the hottest weather; a standard variety	15e	\$1.50
Fottler's Early Drumbead, or		
Brunswick.—(See cut.) This variety		
produces fine large heads	15e	1.50
Henderson's Early Summer		
(See eut.) This is the earliest of the		
Drumhead varieties; heads large, solid		
and keeps well	15e	1.50
HoHander An excellent variety of		
the Drumhead type; a heavy eropper, a		
good shipper	30e	3.00
* *		



Surehead.



Marblehead Mammoth Drumhead.





Drumhead Savoy.



Large York.



Early Jersey Wakefield.

	A ALTA PA		
	Large York.—(See cut.) Larger than the Early York, and a little	er oz.	Per lb.
	later	15e	1.50
	Succession. — A valuable variety, heading surely at any season	15e	1.50
	Surehead (See cut.) A variety re-		
	markable for its certainty to head.		
	Heads large, solid, with seareely any		
	leose leaves	15c	1.50
	LATE VARIETIES.		
	Drumhead Savoy.—(See eut.) A cross between Savoy and Drumhead;		
	large solid heads	150	1.50
	Large Late Drumhead,—(See	100	1.00
	eut.) A well known variety, with		
The state of the s	large, round, compact heads	15e	1.50
Early Jersey Wakefield.	Marblehead Mammoth Drum-		
	head.—(See eut.) The largest var-		
iety in the world, some specimens weighing upwa		15e	1.50

	Per oz.	Per lb.
Premium Flat Dutch Large and excellent for winter; of superior quality	. 15e	\$1.50
Red Drumhead.—Used for pickling; large, very solid, color deep red	20e	2.00
Stone Mason Drumhead, -(See ent.) An excellent sure heading variety: solid.	15e	1.50





Fottler's Early Drumhead.




Hondorson's Early Summer.

CARROT.

Zanahoria — Mohre — Carotte.

Of root crops the Carrot ranks among the first in value and importance. The soil best adapted to it, and root crops in general, is a light loam, which should be richly manured, deeply ploughed, and pulverized. Sow in rows 15 inches apart, and thin the plants 5 or 6 inches in the rows. One ounce of seed will sow about 150 feet of row. Three pounds to the acre.



French Forcing Horn.

Early Searlet Horn.

Danver's Half Long.

Ox-Heart or Guerande.

Altringham long and final fine 1	Per oz.	Per lb.
Altringham.—Large and finely flavored; color bright orange red	. 10e	60e
Danver's Half Long (See ent.) A splendid cross between the stump-rooted		
Short Horn and Long Orange. It is a first-class Carrot for any soil; rich, dark orange		
in color		60e
Early Searlet Horn (See cut.) The most desirable for forcing	. 10e	75e
Early French Forcing Horn (See cut.) Small, best for table; generally used		
for foreing	10e	75e
Improved Long Orange Extra clean, rich color, for general crop, good for stock		
Ox-Heart, or Guerande (See cut.) A very choice strain of the stump-rooted		50e
variety	. 10e	60e
(For field carrots for feeding stock, see Agricultural Seeds)		

The allusions to methods of culture, time of planting, etc., mentioned briefly here and there in this catalogue, apply chiefly to California conditions. Planters in other sections, particularly in the northern, eastern and southern states, obviously, will modify these suggestions to correspond with their local conditions of soils, climates and practices.

CAULIFLOWER.


Coliflor — Blumenkohl — Choufleur.

This is one of the greatest luxuries which the gardon affords. It requires earo and a favorable season for successful cultivation. For early use, sow from July to September and transplant in rows 2½ feet apart, and 2 feet between the plants. For late crop transplant and pursue the same course as with Cabbage. The soil should be rich, moist and deep. One ounce of seed will produce 2,000 plants.

Autumn Giant.—(See cut.) A very large, vigorous late variety, succeeding well in this section. Per pkt. 10c; per oz. \$1.50.

Early Dw'f Erfurt.

—(See cut.) A good compact heading variety, of fine quality. Per pkt. 20c; per oz. \$2.00; per b. \$20.00.



Henderson's Early Snowball.



Large Algiers.




Extra Early Paris.



Lenormands Short-Stemmed Mammoth.


		Per oz.
Extra Early Paris.—(See cut.) A standard early variety; good for forcing.		
Per lb. \$7.00	10c	75e
Henderson's Early Snowball (Soo cut.) A variety held in great estimation		
by market gardeners for its earliness and reliability as a sure header		\$3.00
Large Algiers (Sec cut.) An oxtra fine variety for late sowing. Per lb. \$12.00.	. 10e	1.00
Lenormand's Short-Stemmed Mammoth (Sec cut.) Very fine, large heads,		
white and compact; one of the very best for late cultivation. Por lb. \$8.00	10e	75c



Early Dwarf Erfurt.



Autumn Giant.



Golden Self-Blanching.

CELERY.

Apio - Sellerie - Celeri.

Sow seed in frame or open ground. Transplant 4 inches apart, when 3 inches high, in rich soil finely pulverized; water and proteet until well rooted, then transplant into rows 5 or 6 feet apart, either on surface or in well-manured trenches a foot in depth, half filled with woll-rotted manure. Set the plants from 8 to 12 inches apart. To blanch, draw earth around the plants from time to time, taking eare not to eover the tops of the eenter-shoots. One ounco of seed will produce 5,000 plants.

The Celeriae, or turnip-rooted, may be planted either on level ground or in shallow drills, and cultivated in a manner similar to Celery. The roots are used as a salad.


	Per oz.	Per lb.
Boston Market (See eut.) One		
of the best of the white varieties;		
early and hardy	15e	\$1.50
ourly with reday manners and a second	100	φ
Carter's Dwarf Crimson		
Fine dark erimson eolor; stalks		
sweet and erisp; a first-elass		
• /		1.50
variety	15e	1.50
Celeriae, or Turnip-Rooted.		
· · · · · · · · · · · · · · · · · · ·		
(See eut.) Forming turnip-shaped		
bulbs of Celery flavor	20c	2.00

Per oz. Per lb.


1.50





Boston Market




solid, erisp, and of a rich nutty flavor; blanehes easily and quiekly...... 15e \$1.50











Large White Solid



Dwarf Golden Heart.

White Plume.—(See cut.) The stalks and portious of the inner leaves and heart are naturally white, so that by closing the stalks, either by tying them together or by pressing the soil up against the plant with the hand, the work of blanehing is eompleted. Its eating qualities are equal to the very best of the older sorts, being erisp, solid, and of a mitty flavor, while its white feather-like foliago places it ahead of all

Per oz. Per lb.



CHERVIL.

Perifollo - Kerbel - Cerfueil.

Sow in drills 1 foot apart, and 12 inch deep, when the plants are 2 inches high, thin them out to 6 inches apart.

Per oz. Per lb. Curled .- Used for flavoring soups and stows, also for salads and garnishing ______ 10e \$1.00

CHICORY.

Aehieoria - Ciehorie - Chicoree.


Much used as a salad by the French. Sow in spring in good rich soil, in drills 18 inches apart, after-culture same as for carrots.



Large Rooted.

Per oz. Per lb. Common or Wild .- Used as Barbe de Capuein, a salad umeh used in France. Sown in spring the roots are transplanted in autumn into sand in a cellar. The shoots which will come up soon, form the Barbo de Capucin 10e \$1.00

Witloof. - Has very broad leaves with large ribs or stalks, which is its ehief morit. When blanehed this forms tho vegetable which the Belgians eall Witloof. In appearance it much resemblos a blanched head of Cos Lettuce 10e



White Plume Celery.

Large Rooted, or Coffee. - (See eut.) Much used in Europe as a substitute for eoffee, and large quantities of the prepared root are annually exported to this country for a similar use. In the fall the roots require to be taken up and cut in small pieces and put where they will dry, requiring the same treatment used in drying apples. When

1.00

COLLARDS OR COLEWORT.

Cabu - Blatter kohl - Chou-Cabu.

A species of Cabbage which is caten when young, and used quite extensively as greens. Sow in spring in drills 1 foot apart. Thin plants to 8 inches, and treat as Cabbage.

Per oz. Per lb. True Georgia ______ 15e \$1.50

CORN SALAD.

Macha ó Valerianilla - Lammer-Salat - Macho.

Commonly ealled Lamb's Lettuee. For a summor supply, sow early in shallow drills 1 foot apart; and for early spring use, sow about the first of September. Per oz. Per lb.

Large Seeded. - Round leaved.... 10c \$1.00

CORN-SWEET.

Maiz - Welschkorn - Mais.

Plant the smaller varieties in drills 3 feet apart and 10 inches apart in the rows; or in hills 3 feet



Crosby's Early.

apart each way and 3 or 4 grains in a hill. The taller varieties on rich soil should be given a space of 4¹2 fect between the drills and 1 foot between the stalks, use some rich manure in the drills, hoe often, keeping the earth well stirred, drawing it in slightly about the roots.

The following are all grown from extra selected stocks. (If ordered

by mail 10e per pound will be charged additional for postage.)


Black Mexican.—The sweetest, riehest and tenderest of all sweet corn; it is remarkably productive. Second early; it is very white when suitable for cooking, but the kernels are bluish black when ripe. Per 100 lbs. \$7.00; per lb. 10c.



Early Mammoth.

Per	· 100 lbs.	Per lb.
Crosby's Early Sweet(See cut.) Second early, sweet and productive	\$7.00	10e
Country Gentleman Very productive, ears very handsome, from 8 to 9 inches in		
length and very attractive fer the table. The kernels are pearly white, deep and on a		
very small cobb, and unsurpassed for quality and delicious flavor	7.00	10e
Early Minnesota Sweet.—(See eut.) One of the earliest, with ears of suitable		
size for market purposes	7.00	10c
Early Mammoth.—(See cut.) This variety produces the largost ears of any variety		
of early sweet corn	7.00	10c
Hickox Improved Sugar.—(See eut.) Ears large, very white, handsome and of		
rich flavor	7.00	10e
Stowell's Evergreen.—(See eut.) A late variety, remaining green longer than		
any other kind	7.00	10e







Early Minnesota.



Stowell's Evergreen.

CRESS OR PEPPERGRASS.

Berro ó Mastuerze — Kresse — Cresson.

Select good, rich soil, sow the seeds thickly at frequent intervals for a succession, in drills 1 foot apart, covering lightly. A cool, moist soil and shady location is the best for summer sowings. One onnce of seed will sow 10 feet of drill.

CRESS—WATER.

Berro - Brunnenkrosse - Cressen de fontaine.



Boston Pickling.

CUCUMBER.


Pepino - Gurke - Concombre.

Plant the seed as soon as the weather bocomes settled and warm, in hills 4 feet apart, using a shovelful of warm, well-rotted manure to each hill. Cover the manure 3 inches deep with fine earth, and plant 8 or 10 seeds in each hill. The seeds should be covered about 1 inch deep with well-pulverized soil and firmly pressed down with the back of the hoc. Hoe eften, and when

out of danger from insects thin to 4 plants in each hill. Cueumber, as well as Melon and Squash seeds, are considered best when two or three years old; they run less to vines, and bear earlier and more abundantly.

One ounce will plant about 100 hills.

Cuenmbers should be gathered when large enough for use, whether required or not; if left to ripen it destroys their produetiveness.




1-Early Cluster. 2-Long Green.

3 - Early Frame, 4 - Early Russian.

5-White Spine. 6-West India Gherkin.

Per oz. Per lb. Boston Pickling. - (See cut.) Medium size; a very productive kind, of superior 60e Climbing Delicatessen .- (See ent.) A distinct variety, climbing up stakes and trellises 8 feet in height, producing enembers 8 to 10 inches in length, of a very fine 15e \$1.50



New Siberian.

Early Cluster .- (See eut.




Climbing Delicatessen.

.) Very productive, grows in clusters, short and prickly	10e	60c
Early Frame (See cut.) A very popular variety,		
short and prolifie	10e	60e
Early Russian(See cut.) The earliest, grows		
about 4 inches long	10e	60e
Giant Pera.—(See cut on next page.) Large, often 18		
inches in length; excellent quality, and fit to eat at all		
stages of growth	10e	70e
·		



Nichol's Medium Green.



	Per oz.	Per III.
Long Green (See cut on		
page 29.) An old standard sort;		
makes hard, brittle pickles	10e	60e
New Siberian (See cut on		
page 29.) The earliest encum-		
ber known, having produced		
fruit 5 inches long within 55 days		
from the time of sowing the		
seed in the open ground. Of		
medium size, a splendid free		
bearer, fruits straight, smooth,		
tender and erisp	10e	60e
Nichol's Medium Green.		
-(See cut on page 29.) Of re-		
cent introduction; one of the		
best for general use	10e	60e
White Apple-Shaped A		
variety introduced by us 3 years		
ago from Australia. Fruit is		
round, and of better flavor than		
any other variety. It is claimed		
by the Australians that this is		
the most wholesome of all en-		
cumbers, persons who dare not		
cat any other variety being able		
to eat this one with safety. Stock of seed very limited. Per		
Stock of seed very limited, Per		
pkt. 10c; per oz. \$1.00		
White Spine.— (See ent on		
page 29.) Excellent for table	10.	(*0
or pickling; a great bearer	10e	60c
West India Gherkin.—(See		
ent on page 29.) Oval shaped,		

prickly, for pickling only..... 10c \$1.00

DANDELION.

Amargon — Kuhblume — Pissenlit.


This vegetable has become very popular as an early healthful green, and the roots also are used when dried as a substitute for coffee. Its use in either of these forms is particularly recommended to those who are inclined to any disease of the liver. Sow in drills 1 foot apart, covering the seed 12 inch deep. A rich soil is preferable, but this plant will thrive any-

EGG PLANT.

Berengena - Eierpflanze - Aubergine.

Sow seed in a frame if possible. When 3 inches high transplant into small pots, so that the plants may become stocky, and be readily planted out from the pots. When the season becomes sufficiently warm, transplant into thoroughly-worked and well-enriched soil about three feet apart each way. Draw the earth up to the stems, when about a foot high. Egg plant seed will not vegetate freely without substantial heat, and if the plants get the least chilled in the earlier stages of their growth they soldom recover. Repeated sowings are sometimes necessary. One ounce of seed will produce 2,000 plants.

Early Long Purple.—Early, of comparatively	er pkt.	Per oz.
	10e	35e
New York Improved Purple.—(See cut.)		
An improved variety of the Round Purple, of		
deeper color, larger size, and finer quality: a su-		
manian maniant to	10e	50e



New York Improved.

ENDIVE.

Esearola ó Endibia — Endivien — Chieoree.

This vegetable is highly esteemed as a salad. Sow small quantities at different times to insure a



plentiful supply, as these crops soon run to seed. When the plants are 3 or 4 inches high transplant 1 foot apart each way, and keep free of weeds until the leaves are 6 or 8 inches long; then blanch the leaves by gathering thom carefully together when perfectly dry, and tying them by their tips in a conical form with Raffea to exclude light and air. From 3 to 6 weeks is required to thoroughly blanch. One onnee of seed will sow a bed of about 80 square feet, or 150 feet of row.

	Per oz.	Per lb.
London Green Curled. Broad-Leaved Batavian Leaves broad; nearly plain		Φ1 Ξ Ω
light green; best for soups	15e	фт.эо
French Moss Curled Green Moss-like appearance, beautifully curled	15e	1.50
London Green Curled (See cnt.) The common and best known kind, eris	р	
and tender	15e	1.50
Large Curled, or Ruffle-Leaved A variety largely grown by the French fo	r	
salad		1.50

GARLIC.

Ajo - Knoblauch - Ail.


Garlie Sets.-Per lb. 10c; by mail 10e per lb. extra; 100 lbs. market price.

KALE OR BORECOLE.

Col - Blatterkohl - Chou Vert.

Sow the seeds in beds, covering lightly. Transplant into rich, mellow ground, and cultivate the same as Cabbage. They are rendered very tender and delicions by moderate touches of frost. One ounce of seed will produce about 2,000 plants.

Per oz. Per lb.



used, grows to a height of 18 inches, and with good cultivation spreads to 3 feet in diameter; leaves bright green and curled......... 10c 1.00



Green Curled Scotch.



Early White Vienna.

KOHL RABI.

Colinabo - Kohlrabi - Chou-rave.

LEEK.

Puerro - Lauch - Poireau.

Sow in drills 1 foot apart, and 1 inch deep, in light, rich soil, liberally manured; thin the plants to 10 inches. One ounce of seed will sow about 100 feet of drill.

feet of drill.	Per oz.	Per lb.
London Flag (See cut.) A large and strong plant; hardy	15e	\$1.50
Large Musselburgh A standard old Scotch variety	15c	1.50
Monstrous Carentan A superior variety, with distinct and		
dark colored leaves	20e	2.00




London Flag.

LETTUCE.

Leehuga - Salat - Laitue.

Select rich, moist soil, and prepare beds or draw drills, thin or transplant, when 1 or 2 inches high, to 1 foot apart for heading; hoe frequently to prevent them from going to seed. One ounce of seed will produce about 5,000 plants.





F3		T 171		
14	uris-	- W h	110	Cos.

Denver Market.

Per oz. Per lb.

All the Year Round.-Heads compact and erisp, may be sown for succession all the year round Per oz, Per lb.

10cS0c



Red Winter Cos.

Black Seeded Simpson. - Leaves almost white; stands the heat well; size nearly double that of the Curled Simpson; prized by all who have cultivated it; our seed is from pure stock.....

Boston Market (White Seeded Tennis Ball.)—White and erisp; the bost and earliest for foreing, making small, eompaet heads.....

80e 10e


California Cream Butter


Per oz. Per lb,


California Cream Butter.—(See eut.) The outside leaves are of a medium green eolor, slightly marked with brown spots, while within the leaves are of a rich creamy yollow color. Stands the summer heat wonderfully well, as it grows slowly and forms a 80e 10e vory hard head, it remains fit for use a long time Denver Market. - (See eut.) An early head lettuce of great merit; very erisp, tender and of excollent flavor.....

Early Curled Simpson, White Seeded.—(See eut.) Rather loose heads;

80e 10c








Hanson

	Per oz.	Per lb.	and Women		
Golden BallVery erisp, tender and of ex-				Page 1	
eellent flavor, of a delieate golden yellow eolor,					-
very long standing, and distinct from all other	7.0	,			
sorts	10c	80e		200	
Hanson.—(See eut.) Heads very large, tender,					
erisp; green outside, white within; stands the	10	0.0			
heat well	10e	80e			
Large Drumhead, or Malta.—Good sum-	7.0	0.0			-14
mer variety; heads large, good flavor	10e	80e			* 7
New York Head.—The very best lettuce for 'summer; its size is immense; heads not.			A STATE OF THE STA		27.66
unfrequently weighing 4 pounds each. The			A CONTRACTOR OF THE PARTY OF TH		
onter leaves are dark, the heads blanch white,				196 L	2.00
and are erisp, tender and of excellent flavor	10e	S0e			
Paris White Cos (See eut.) Heads up-	200	000	Tomhannock.		
right, tender and erisp; should be tied up to				1	
blanch 10 days before cutting, excellent quality		\$1.00			
Prize Head.—Heads of large size; remains		,			
tender and erisp through				13	SEL.
out the season; very					1
hardy	10e	80e			
Red Winter Cos			The second second	Tay .	
(See ent.) Long green			1	1300	泛
leaves, tinged with			COURT OF	The said	
brownish red; usually					THE S
White Summer Cabbage. heads well without bo- ing tied up, it is very			Cal		
slow in running to seed,			Salamander.		* 11
and is extremely hardy					Per 1b. \$2.00
Salamander (See ent.) One of the best	Summ	คะ ซอเรีย	otics forming good-sized	200	φ2.00
eompaet heads; color light green outside, and v	white in	aside		10e	80e
Tennis Ball, Black Seeded One of the	ne earli	est head	ling varieties	10e	80e
Tomhannock.—(See ent.) An oxeollent va	riety.	remarka	ble for its long keeping	100	000
qualities		Спаска	tole for its long keeping	10e	-80e
Trianon Self-Folding Cos.—An excellent	variet	v the lo	payes fold in of themselves	200	0,00
and bleach quickly; large, erisp, tender and of	fine fla	vor. R	esists warm weather and is		,
probably the best Cos Lettuce yet introduced		••••••		15e	1.50
White Summer Cabbage (See eut.)					
lent for summer				10e	80e
Wonderful.—New, large, averaging from 2					
green color, very crisp and tendor; it stands the	sumn	er heat	well, and is remarkable		
for its long keeping qualities	••••	••••		10 e	1.00

MELON-MUSK.


Melón Almizelena — Cantalupen — Museade.


Select, light, warm soil. Plant in hills 6 feet apart each way, 6 or 8 seeds to a hill; thin out to 3 or 4 plants when in a forward state. The hills should be propared by digging out the soil 1½ feet deep, thoroughly mixing in each hill a couple of shovelfuls of well-decomposed stable manure, filling up a little above the level. The planting should be deferred until warm settled weather. One counce of seed will plant about 100 hills.



Banana Citron.

	Banana Citron.—(See eut on page 33.) Creamy white outside, flesh salmon eolor, possessing both the flavor and fragranee of the Banana. Cassaba.—(See eut.) Oblong and very large; fine flavor, yellowish-green flesh and		Per lb. \$1.00	
	netted skin	10e	60e	
Cassaba.	Delmonico.—Large, oval, deeply netted;			Prolific Nutmeg.
	flesh deep orange, delicious flavor	10e	60e	Per oz. Per lb.
Emerald Gemsweet	-Small extra early; smooth, dark green skin an			very
Extra Early H	ackensack Ripeus 10 days earlier than the	Large	e Hackens	aek 10e 60e





Large Hackensack.

Montreal Nutmeg.

flesh	10e	60e
Large Yellow Cantaloupe.—Good size; flesh reddish-or-ange, sweet and of good flavor	10e	60e
Montreal Nutmeg.—(See eut.) Grows to an immense size; deep ribbed; flattened at both ends, very thick flesh, rich in flavor	10e	60e
Osage, or Miller's Cream.—The most fragrant and delieious musk melon grown	10e	60e
Prolific Nutmeg.—(See ent.) A very good, hardy, and pro- skillman's Fine Netted. life variety; fruit medium size, roundish, netted; flesh thick, green, and of excellent flavor	10e	60e
Skillman's Fine Netted (See eut.) Flesh deep green, of delicions flavor; early	10e	60e

MELON-WATER.

Sandía — Wassermelone — Melon d' Eau.

As soon as the weather becomes settled and warm, select soil and manure as recommended for Musk Melons. Plant in hills 6 or 8 feet apart, 6 to 10 seeds, 1 inch deep, and thin to 3 best plants. Hoe often, and gradually hill up until the vines touch, and after the flowers appear, pinch off the extreme end of the most luxuriant shoots.


end of the most luxuriant shoots.	Pow or	Per lb.
Black Spanish Medium size, round, black-seeded, red flesh, thin rind, small vine;		
will admit of eloser planting than other varieties; a fine melon, of the best quality		50e
Citron, for Preserves.—Red-seeded; the standard variety for preserves, good also for feeding eattle		50e
Colorado Pie Melon, (Melon Pumpkin.) Good for feeding eattle, or for		000
pies; flesh very firm and solid, with a small proportion of seeds.		50e

		Per lb.
Cuban Queen (See eut.) Beautifully marked, light and dark green; solid, erisp,		
bright red flesh; grows to an immense size	10e	50c
Dark Icing, or Ice Rind (See cut.) Round, solid, thin rind, very delicious in		
flavor; not desirable for shipping, owing to its thinness of rind	10e	50e


Dixie.—This water melon possesses the rieh, Inscious flavor of the old Monntain Sweet, united with the excellent shipping qualities of the Kolb's Gem. It is longer than the latter variety, flesh is of an intense deep scarlet, very sweet, tender and juiey. It is very prolific, with the valuable characteristic of rooting at almost every joint, thereby increasing the duration of the vines. Per oz. 10c; per lb. 50c.

Florida Favorite.—A superior strain; improvement on Rattlesnak; earlier. Per ox. 10e; per,lb. 50c.

Georgia Rattlesnake, or Gypsy.—Standard Southern variety, possessing remarkable shipping qualities; oblong, searlet flesh, erisp and juicy. Per oz. 10c; per lb. 50c.



Kolb's Gem.



Cuban Queen.

Lodi.—A large, solid, cream-colored melon, with red flesh, of a rich delicious flavor, with only half an inch of ring; white-seeded; great favorito in the San Francisco market

Long Light Icing.—A very excellent melon for general purposes; fine quality

	Per oz.	Per lb.
Green and Gold.—This variety is of		
a golden yellow color, it possesses all the		
excellent qualities of the older varieties	10e	50e
Hungarian Honey Very early, per-		
feetly round, flesh brilliant red	10e	60e
Kentucky Wonder (See cut on		
next page.) Very highly recommended,		
enormously productive	10e	50e
Kolb's Gem(See cut.) Flesh bright		
erimson, solid, sweet and luscious, in-		
creasing in popularity every year	10e	50e

10e 50c





Dark leing,









Evolution from the Water Melon.


Per oz. Per lb.

10c

50e




	Per oz.	Per Ib.
Mammoth Iron		
Clad(Sec cut.) A		
variety that all large		
growers of melons for		
shipping should give a		
trial	10e	50c
Mountain Sweet		
(See cut.) A large,		
oval melon; flesh red,		
firm and sweet, solid to		
the center; a well-known		
standard variety	10c	50e



Mountain Sweet.

	Per oz.	Per Ib.
New Orange.—The rind will peel like an orange when fully ripe	10e	50e
Peerless, or White-Seeded Ice Cream.—Nearly round, pale green, thin rind, scarlet flesh		50e
Phinney's Early, -(See cut on page 35.) The earliest of all varietics; medium		
size, oval, quick growing variety; thin rind, red flesh	10c	50e
Seminole Extra early, extra large, enormously productive and of delicious flavor	10e	50e
SweetheartLarge, oval; mottled light and dark green, flesh bright red	10e	60e



Mammoth Iron Clad.

.0e 50e


MUSHROOM SPAWN.

Seta - Schwamm - Champignon.

Culture.—Mushrooms may be grown in cellars, under benches of grecu houses, or in sheds, wherever the temperature of 60 degrees can be kept. Secure fresh horse dung, free from straw and litter, and mix in an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. 3 or 4 feet wide, 8 inches deep and any length desired, are the proper proportions for a bed; these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the



Mushroom.



Mushroom Beds.

heat subsides to 90 degrees, make holes in the bed about 1 foot apart each way; into which put a piece of the spawu 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to a depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. When water is given it should be at a temperature of about 100 degrees, Mushrooms will appear in from 4 to 6 weeks, according to the season.

English Spawn.-1 lb bricks. Each 15c; doz. \$1.70.

French Spawn.—In 2 lb. boxes, including pamphlet of cultural directions. Each \$1.00; 4-lb. boxes \$2.00. When ordering by mail, add 10c per pound to cover postage.

MUSTARD.

Mostaza - Senf - Moutarde.

10e

Used as a salad early in spring, sometimes with lettuce and cress. Sow at intervals throughout the spring, in rows 6 inches apart and rather thick in the rows. Cut when about 2 inches high.

when about 2 mehes high.	
Brown or BlackMore pungent than	. Per lt
white	10e
New Chinese.—(See cut.) Leaves very	
large, 14 to 16 inches in length, which are	
cooked like Spinaeh, and have a very agree-	
able flavor. One of the best green foods	
for poultry 10	600

White London.—Best for salads or medicinal purposes

When ordering by mail, add 10c per lb. to cover postage.



New Chinese Mustard.

OKRA.

Quimbombo - Essbarer - Gombo.

This vegetable produces long nutritious pods, which, when young, are used in soups and stews, to which they impart a rich flavor. Sow after the ground has become warm, in drills 2 inches deep and 2½ feet apart; thin out the plants to 9 inches in the row; hoe often and draw the earth up to the stems. One ounce of seed will sow 50 feet of row.

Early Dwarf(See ent.) Productive; pods white, round,	Per oz.	Per 1b.
smooth	10e	75e
Long GreenLater and more productive; long, ribbed pods	10e	75e
White VelvetPods round, smooth, free from seams, exceed-		
ingly tender, well flavored and very prolifie	10e	75e



Early Dwarf.



Mammoth Silver King.

ONION.

Cebolla — Zwiebel — Ognon.


Select fine, light soil, and manure heavily with the oldest and strongest compost that can be procured. Plow a depth of 5 inches, and work well with the eultivator. Plow again at right angles with the first furrows, and again thoroughy cultivate. The ground will then be in fine working order, and should be leveled smoothly with a rake. Drill 14 inches apart, sowing the seed thinly, eover a quarter of an inch deep with fine soil, and press down with the back of a spade or light roller. When the young plants are strong enough, thin gradually, so that they stand finally 4 inches apart. Keep elean of weeds, and take eare that the earth does not accumulate about the

bulbs, but allow them to bottom above the ground. When the greenness has left the tops of the onions, pull them and let them dry a few days before storing. One ounce of seed will sow about 100 feet of drill. Four pounds to the aere.

El Paso, or Large Mexican.—(See eut.) Large size mild and tender. Per oz. 25e; per lb. \$2.50.

Extra Early Pearl, or Barletta.—(See cut.) Small, early, pure white skinned, mild flavor, fine for piekling or for pulling green. Per oz. 25e; per lb. \$2.50.

Germain's Yellow Globe Danvers.— (See Cut.) A thick, heavy, straw-colored Onion, mild flavored, yields abundantly, ripens early, keeps equal to the best. Per oz. 15e; per lb. \$1.50.



El Paso.



Extra Early Pearl.



Large Red Wethersfield.



Giant White Tripoli.



Extra Early Red.



White! Portugal.


Extra Early Red.-(See ent.) A flat variety, heavy, close grained, keeps well. Per oz. 15e; per lb. \$1.50.


Giant White Tripoli. - (See eut.) Flat, mild flavored, of quiek growth; very large size. Per oz. 25e; per lb. \$2.50.

Large Red Wethersfield.-(See eut.) Grows very large; keeps well, and is pleasant flavored. Por oz. 15e; per lb. \$1.50.

Mammoth Silver King .- (See cut.) Very large, particularly mild and pleasant flavored. Per oz. 25e; per lb. \$2.50.

Marzagole, or Neapolitan.-An extra early silverskinned variety of great Per oz. 25e; merit. per lb. \$2.50.





White Globe.

Per oz. Per lb. New Queen.—Very early, flat, beautifully white, and of the finost flavor; grows to a fair size in California and is one of our best market varieties, its principal rocommondation being its rapidity of growth, and its long keeping qualities. Also an excellent variety for pulling green or for piekling.....

25e \$2.50

Silver Skin Pickling, - A small French variety, used extensively in Europe for piekling, its white eolor, in eontrast with the fine green voins or lines, gives it a very agreeable appearance

25e 2.50

Per oz. Per lb. Spanish King, or Mammoth Prize-Taker. - (See eut on page 40.) Largost Onion known; will grow to full size in California, of a straw eolor.... 20e \$2.00 White Globe. - (See eut.) Very fino shape, skin white; fine grained, mild and pleasant flavored; keops well..... 2.50 White Portugal, or Silver Skin. - (See eut) Flavor mild, fair size; one of the best white varieties 2.50 25e

ONION SETS.


Bottom Onions, or Onion Sets, are produced by sowing the seed thickly late in spring, in beds or drills, and about the end of August, or whenever the tops die down, tho little bulbs or sets are gathered and kept spread thiuly in a dry airy loft, and re-set in the spring, to make large onions.



Yellow Bottom Sets.—(See cut on page 39.)	r lb.	20e
White Bottom Sets.	"	20e
Red Bottom Sets.	4.6	20e

If ordered by mail, 10c per pound will be charged additional for postage. Price per 100 lbs. on application.

Top or Button Onions are the little round bulbs, growing on top of the stalk, and are planted early in the spring, in shallow 12-inch drills, about 4 inches apart, slightly covered; these will produce large onions, maturing much earlier than from the seed. If the large onions are planted again in the spring, they will produce a number of small bulbs growing on the top of the stalk, which serve as a substitute for seed in propagation. Per lb. 25e, postage added as above; price per 100 lbs. on application.



Spanish King, or Mammoth Prize Taker Onion.

PARSLEY

Perijil — Petersilie — Persil.



Champion Moss-Curled.

Parsley sneeeeds best in rich moist soil. Sow thickly in drills 1 foot apart, and 12 inch deep. The seed germinates slowly, and frequently remains in the ground 2 or 3 weeks without showing any signs of vegetation. When the plants are 2 inches high, thin them out to 4 inches apart. One ounce of seed will sow about 50 feet of row.

Per oz. Per lb.

Champion Moss-Curled (See ent.) Beautifully eurled;		
finest variety for garnishiug	10e	7 5e
Hamburg, or Turnip-Rooted.—The roots are excellent		
for flavoring soups	10e	\$1.00

Round Hollow Crowned.

PARSNIP.

Chirivia - Pastinake - Panais.

A deep, richly manured soil, suscoptible to moisture, should be selected for Parsnips. This vegetable requires a long season to mature, and the seed should therefore be sown early. Drills 12 inch deep and 15 inches apart should be marked out; drop the seed in thickly, for where the seeds are few they are apt to perish in the ground, not having sufficient strength to open the pores of the earth. One onnce of seed will sow about 50 feet of row.

Hollow Crowned (See cut) Best parsuip grown either		rer 10.
for table or stock	10e	50e
Round, or Turnip-Rooted (See cut.) For shallow soil	10e	75e

PEAS.


Chicharos ó Guisantes — Erbsen — Pois.

The pea is one of our most important crops, and to be successfully grown must be liberally treated. A deep, rich soil, well pulverized, and incorporated with a fair allowance of well-decayed manure, should be chosen for the principal crops. For early peas the ground does not require to be so rich. Sowing of the first early variety should be made in October, and the other varieties for

> successive- crops, plant every 2 weeks until the first of April.

> Peas are sown in single or double rows, from 2 to 6 feet apart, according to the variety or the height to which they attain. Have the rows of the dwarf varieties 2 feet apart, and those of the medium sorts from 3 to 4 feet, and the tall varieties from 5 to 6 feet apart.

> The dwarf varieties may be grown without sticks. Two pounds will sow 100 feet of row. If ordered by mail, will be charged 10c per pound additional for postage.



Everbearing.

Cleveland's Alaska.

FIRST EARLY VARIETIES.

Per 100 lbs, Per lb. American Wonder. - Earliest dwarf wrinkled pea in cultivation;




Abundance.

Cleveland's Alaska.

-(See cut.) The earliest pea known; excellent for market gardener's use, 3 feet

10.00 15e



Gem. - (See cut on page Green wrinkled, oarly marrow, delicious flavor, 15 inches.....

10.00 15e

Premium Gem.—(Sec cut.) Splendid wrinkled

variety, very early, fine flavor, 18 inches..... 10.00 15e

SECOND EARLY VARIETIES.

Abundance.-(See cut.)


An immense bearer; peas large and of excellent quality, 2 feet...... 10.00 15e


Premium Gem.




Dwarf Sugar.— (Edible pods.) Pods beautifully erimped, vory sweet, delicious flavor; use same as snap beans. Per lb. 20e; per 100 lbs. \$12.00.

Heroine.—Vory prolifie; long pods containing from 8 to 9 peas of the richest flavor, 2-2¹2 feet. Per lb. 20c; per 100 lbs. \$12.00.







Champion of England.

Stratagem.

Telephone.



McLean's Little Gem.

Per	100 lbs. I	Per lb.
McLean's Advancer.—(See cut on page		
41.) Green wrinkled variety, fine flavor, very		
productive, 2 feet	\$10.00	15e
Stratagem (See cut.) The most elegant		
and showy pea in cultivation, 2-212 feet	10.00	15e
Yorkshire Hero (See cut.) Los Angeles		
market favorite, 212-3 feet, sure eropper	10.00	15e

GENERAL CROP.

Yorksl.ire Hero.

Per 100 lbs. Per lb.

California-grown seeds are of higher germinating power than those grown in any other country, therefore buy your seeds direct from California.

PEPPER.

Pimiento - Pfeffer - Piment,

Sow early in the spring in a frame. Transplant when the weather is favorable to open ground, in rows 18 inches apart and 10 inches in the row. The ground should be highly manured before transplanting. When about 6 inches high, hoe the plants and earth up slightly.

Per oz. Per lb.

25e	\$2.25
25e	2.50
25e	-2.50
25e	2.50
	25e 25e 25e 25e



Ruby King.

		t er m.
Large Bell, or Bull Nose (See cut.) Early, sweet, and of good flavor	25e	\$2.50
Large Sweet Mountain Very large, and excellent for mangoes	25e	2.25
Mexican Chili (true.) Beautiful and productive; 3 to 4 inches in length, pungent	15e	1.50



Large Bell, or Bull Nose.

Red Cluster.—As implied by the name, this variety fruits in bunches at the end of each branch. The thin peppers are of a brilliant coral red color, and very hot in flavor

Ruby King.—(See cut.) Large size, splendid color, mild and productive......

Per oz. Per lb.

25e



POTATOES.


Patatas - Kartoffeln - Pommes de Terre.

The soil best adapted to the production of fine and clean tubers is a naturally good friable loam, rather light than otherwise, and free from stagnant water. In such soil the produce is abundant and the quality good. Thin sandy soils also produce well-flavored Potatoes, but of course to obtain quantity of produce, the assistance of manure is necessary. The worst soils for the Potate are those which are naturally wet and heavy.

As prices are apt to fluctuate, quotations on Seed Potatoes will be mailed upon application.

Burbank's Seedling.—One of the most prolific of the late sorts; not liable to rot; handsome and of excellent quality.

Early Rose.—The standard variety for earliness, quality and productive ness; a universal favorite...




Peachblow.—An old variety, largely grown for market; a standard of excellence in quality. Peerless.—One of the best sorts for general cultivation.

PUMPKIN.

Calabaza - Kurbis - Courge.

Plant in manured hills 8 feet apart, and leave 3 strong, healthy plants in each hill. When planted among eorn, take every fourth row. Keep as far from melous and cucumbers as possible, as they are apt to mix. One pound of seed will plant about 400 hills. If ordered by mail, 10 cents per pound will be charged additional for postage.



Mammoth Tours, or Jumbo.	Por oz	Per lb.
Iron Bark An Australian variety, used for table exclusively; gray externally,	1 61 02.	10.
yellow flesh; excellent keeper, very prolific; pumpkins weigh from 7 to 10 pounds, and		
have a very hard shell. Per pkt. 10e	25e	
Cashaw(Crook-neeked.) Solid flesh, fine and sweet; keeps well	10e	60e
Cheese Sizo large; skin reddish orange; flesh thick, fine and sweet	10e	50e
Connecticut Field The true Eastern kind for stock; seeds much used medicinally	10e	40e
Mammoth Tours, or Jumbo.—(See eut.) An imported variety of immense		
size, often weighing 150 pounds; very productive and good keeper; flesh salmon color;		
desirable for cooking purposes and stock feeding	10e	75e
Quaker Pic Nearly oval, color creamy white inside and out, flesh sweet and rich,		
good keeper	10e	60e
See also Agricultural Seeds.		

RADISH.

Rabano - Radieschen - Radis.

The Radish will succeed well in any good garden soil, not over moist or too heavy. A sandy loar



French Breakfast.

enriched by well-rotted manure is best. For early and late erops a warm, sheltered situation should be chosen; whilst for those sown in the heat of summer a rather shady spot must be selected. For a succession, sow every two weeks. The ground where the sowing is to be made should be deeply dug and raked fine. The seed is generally sown thinly broadcast, in beds from 4 to 5 feet wide, with 1 foot alleys between, the soil from the latter being used to eover the seeds, but only slightly. The surface is then raked smooth, and in light soils pressed



Scarlet Turnip.

with the back of the spade. The winter varieties should be sown in drills 1 foot apart, and thinned to 6 inches apart in the rows, and if roots of large size are required, as much as 9 inches may be allowed. One ounce of seed will sow about 50 feet of drill or a bed of 50 square feet.



California Mammoth White.

	Per oz.	Per lb.
Black Spanish Winter, Long.		
-(See cut.) Grows to a large size,		
of oblong shape, quite solid	10e	60e
Black Spanish Winter, Round.	•	
-Similar to the above, except in form	10e	60e
Beckert's Chartier.—(See eut.)		
Decidedly distinct in appearance from		
any radish in cultivation	10 e	50e
California Mammoth White.		
-(See ent.) A winter sort introduced		
into California by the Chinese; 8 to 12		
inches long and 2 inches in diameter;		
flesh white, firm and of excellent	7.0	0.0
flavor	10e	- 60e

China Rose Winter .- Medium

one of the best varieties for winter use...... 10c


size, oblong, of a bright rose color,



Beckert's Chartier.

Early Long Scarlet Short Top.—(See cut.)
Roots long, pinkish eolor; flesh white, crisp. Per oz.
10c; per lb. 50e.

60e



Mixed Radishes.

White Strasburg.



Long Black Spanish.

	Per oz.	Per lb.
French Breakfast (See eut.) A fine		
· · · · · · · · · · · · · · · · · · ·		
early variety; olive shaped, scarlet body		
with white tips	10e	50e
Y 3171 1/2 O - 1-3 O - 1		
Long White Spanish Similar to		
Black Spanish except in eolor; crisp and		
solid	10e	60e
	100	000
Scarlet Olive-Shaped (See eut on		
page 46.) Oval; very early and handsome;		
	10.	eo.
flesh rose colored, tender and brittle	10e	60e
Searlet Turnip (See cut.) An excel-		
lent early variety, crisp and tender	10e	50e
Coordet Warris White Winned		
Searlet Turnip, White Tipped		
A late introduction of excellent quality	10e	50e



Early Long Scarlet.

White Strasburg.—(See cut.) One of the most valuable summer radishes in cultivation. Per oz. 10c; per lb. 60c.



Scarlet Olive-Shaped.


White Turnip.—(See eut.) Early, resembles the Searlet Turnip, except in color, and mixed with same they present a charming appearance for the table

Mixed Radishes.—(See cut on page 45.) Mixture of best sorts of radishes, particularly useful for family garden, supply a nice assortment for the tablo, of all colors and sizes; large quantities of mixed radishes are sold in eastern markets 10e



10e 50e

50c



White Turnip.



RHUBARB, OR PIE PLANT.

Ruibarbo - Rhabarber - Rhubarbe.

Sow the seed early in the spring, in drills 18 inches apart, and cover 1 inch deep; thin the plants to 6 inches apart, and keep thom free from weeds. When the plants are 1 year old remove to prepared beds and place 4 feot apart each way. Do not cut until the second year, and apply a dressing of manure every fall.

	Per oz.	Per lb.
Monarch, or Giant (See cut.). A superior variety of large size	15e	\$1.50
Victoria Very large, fine for eooking; cultivated largely by market gardeners for main		
erop late in the season	15c	1.50

PEPLANT)

ROSELLA. (Hibiscus Rosella Subdorifa.)

A tropical annual plant, native of India, and introduced here from Australia, where it is extensively grown for making jelly. It succeeds well in this climate, and is becoming more popular each year; quantitios of the fruits being sold in our markets every fall. The plants grow from 3 to 6 feet high and bear abundance of handsome flowers, followed by fruits enclosed in a thick fleshy ealyx, from which is made an excellent jelly, like, but an improvement upon, that made from black currants. It also makes a fine sauce when stowed like cranberries. The seed should be sown in February on bottom heat and treated like the ogg plant. Per pkt. 10e; per oz. 50e, per lb. \$5.00.

SALSIFY, OR VEGETABLE OYSTER.

Ostión Vegetal - Haferwurzel - Salsifis.

Select light, rich soil. Sow the seed thickly in drills, 12 inches apart, and cover 1 inch deep. When the plants are 2 or 3 inches high, thin out to 6 inches from each other in the rows; hoe often, and keep the earth looso and clean around them. They are boiled or stewed like parsnips, the flavor resembling the oyster. One onnee of seed will sow 50 feet of row.

Long White.	10e	\$1.00
Sandwich Island, of enormous size, vory tender and delieious	15e	1.25

SORREL.

Aeedara — Sauerampfer — Oseille.

Sow in spring, in drills 18 inches apart, in a rich soil, and keep the flower stems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable. One ounce will sow 100 feet of drill.

Large Leaved French. Per oz., 15e; per lb., \$1.25

SPINACH.

Espinaea - Spinat - Epinard.



Prickly, or Fall.

For summer use sow early in spring, in drills 1 foot apart, and thin the plants 6 inches from each other in the row. For early spring use, sow in August and September. ounce of seed will sow about 50 feet of row.



Round, or Summer.

	Per oz.	Per lb.
Long Standing.—The valuable characteristic of this variety, is that of remaining a long time before running to seed		35c
New Zealand.—Produces leaves in great abundance throughout the summer; should be transplanted 3 feet apart each way		60e
Prickly, or Fall.— (See eut.) Very hardy; used for fall planting; leaves 7 or 8 inches long and thin in texture		35¢
Round, or Summer.—(See eut.) The variety used for early spring planting; leaves large, thick and compact; the best adapted to our climate		35e

SQUASH.

Calabaeera - Kurbiss - Courge.



Hubbard.

Light, warm soil is best adapted to the growth of the Squash. The seed should not be sown until all danger from frost is past. Plant in hills-prepared in the same manner as for Chembers and Melons - the bush kinds about 4 feet apart, and the running varieties from 6 to 9, according to their nature, as some will run more than others. Plant about 1/2 dozen seeds in each hill. The earth about the plants should be kept loose and elean from weeds until runners are well started. Cutting off the leading shoots of the running varieties is recommended as having a tondeney to promote growth and early maturity of the fruit. One ounce of seed will plant from 15 to 50 hills.




Early White Bush Scalleged.




Summer Crook-Neck.

Por oz. per lb. Boston Marrow.-(See eut.) A standard fall Squash of rich 60e 10e orango eolor, very productive and keeps well..... Early Golden Bush Sealloped .- An early variety, well 60e 10c flavored and productive; excellent for market..... Early White Bush Scalloped.—(See eut.) The earliest; 60e similar shape to the yellow..... 10e



Piko's Peak, or Sibley.



Boston Marrow.

Hubbard.—(See cut on page 47.) The best of all winter varieties; grows to a large	Per oz.	Per lb.
size	10e	50e
Long White Vegetable Marrow An English squash of very superior flavor	10e	€0е
Mammoth Chili.—Grows to immense size, often weighing over 200 lbs.; very productive		80e
Marblehead. — An excellent winter squash, good keeper, dry and sweet; the shell is much harder than the Hubbard, and light blue in color		60e
Pike's Peak, or Sibley.—(See cut on page 47.) Entirely original and distinct, considered an improvement on the Hubbard		60e
Summer Crook-Neck.—(See eut on page 47.) This is the richest summer bush squash; very early and productive		60e
Winter Crook-Neck.—An old standard sort; a good keeper; considered excellent for making pies		60e

TOBACCO.

Tabaeo — Tabak — Tabae.

The seed may be started in hot beds, or sown in the open ground as soon as the ground is warm, in rich, dry soil; rake off the bed and sow broadcast, pressing down firmly and evenly, covering the seed very slightly; keep free from weeds, and water frequently if the weather is dry; set out when all chance of frost is past, 3 feet apart, in land that has been heavily manured with wood ashes if obtainable—brush burned on the ground will answer the purpose. One ounce will sow 25 feet square, and produce plants for one acre.


Havana.—Bearing a fine colored leaf, varying from straw color to dark brown or black, it surpasses all other varioties in flavor for eigars; heavy cropper, fine texture, and the carliest eigar variety to mature and ripen.

American grown.

30c \$3.00

Cuban grown (Vuelto de Abajo.) 60e 6.00


Connecticut Seed Leaf.—Grows to a height of about 5 feet, with leaves from 2¹2 to 3 feet in length and from 15 to 20 inches broad, one of the best varieties for eigar wrappers 30e 300




TOMATO.

Tomate - Licbesapfel - Tomate.

Sow the seed in frame or sheltered bed. When the plants are 2 or 3 inches high, thin them out and set them in pots or in another bed, to give them room and make them "stocky." When 5 or 6 inches high, if the weather be warm and settled, transplant them to open ground, selecting a rainy day if possible; in the absence of rain, water and protect till well rooted. Set plants 4 feet apart each way, support by driving 2 or 3 stakes around each plant, and encircle with as many barrel hoops; this will serve



Aeme.



Ignotum.





Livingston's Beauty.

Livingston's Favorite.

to keep the fruit off the ground. One ounce of seed will produce 3,000 plants. The tomato requires a rather light soil to ripen early, but if handsome fruit and a plentiful crop be desired, very rich soil should be selected.

		Per lb.
Acme (See cut.) Very early; delicious flavor, glossy dark crimson, ripens all over, no		
core, few seeds	20c	\$2.00
Cherry Flavor unsurpassed; fruit small, a wonderful cropper; best for pickling	20e	2.00
Dwarf Champion In this variety we have a tomato that is entirely distinct	20e	2.00
Early Richmond Extra selected; a favorite winter variety with our Los Angeles		
gardeners in frostless districts	30c	3.00
Ignotum(See cut.) A large, smooth, deep-red variety; said to be the earliest of		
the large varieties	20e	2.00
Livingston's Beauty.—(See cut.) Extra early, growing in clusters of 4 or 5	20c	2.00
Livingston's Favorite (See cut.) One of the most perfect shaped tomatoes grown	20c	1.75



Mikado.

and firm; excellent quality, and one of the best for general use......





20e 2.00 Livingston's Porfection.



Strawberry, or Ground Cherry.

fruit solid

	Per oz.	Per Ib
Ponderosa.—(See cut on page 48.) Grows to an enormous		
size, sometimes weighing from 2 to 3 pounds each; very		
smooth and solid. Per pkt. 10c	40e	\$4.00
Royal Red An excellent variety for main crop, beautiful		
deep red; one of the best for eanning purposes, or general use;		
large round, and very handsome	20e	2.00
Strawberry, or Ground Cherry(See eut.) (Alke-		
kengi.) A distinct species; grows enclosed in husk; excollent		
for preserves; will keep with husk all winter. Per pkt. 10e	350	3.50
	300	5.00
Trophy.—One of the largest and best flavored sorts cultivated;		
	20e	2.00

TURNIP.

Nabo - Ruobe - Navet.

For early erops sow the Early White Flat Dutch or Munich during the winter; and for summer crops sow any of the other varieties at intervals of a fortnight until June, in drills 12 inches apart; eover the seed lightly unless the soason bo very dry; thin out the plants to 6 or 8 inches apart. For fall or winter use sow the Golden Ball, or Purplo Top Strap-Leaf. Success in raising turnips depends greatly on the selection of soil, and its subsequent pre-

paration as well as the quality of seed.

Early Purple Top Munich.

Early Purple Top Munich.—
(See eut.) One of the carliest varieties. Per oz. 10e; per lb. 50e.

Early White Egg.—An egg shaped variety, for spring and fall sowing; flesh firm, fine-grained, mild and sweet; an extra keopor, and in every respect a first-class table and market sort. Per oz. 10e; per lb. 50e.



Purple Top Strap-Leaf.

		Per lb.
Early White Flat Dutch (See eut.) White flesh, medium size, quiek growth.	10e	50e
Golden Ball Round, smooth, English Turnip of fine quality; skin bright yellow;		
good keoper	10e	50e
Purple Top Strap-Leaf (See eut.) Vory productivo, matures quickly; flesh		
whito, sweet	10e	50¢
Purple Top White Globe Of decided merit, globular shape	10e	50e

RUTABAGA, OR SWEDISH TURNIPS.



Imperial Purple Top Swede.

Extensively grown for a farm erop; also esteemed for table use; the roots are eloso-grained, very hard and will endure a considerable degree of cold without injury. Select light, clean soil and sow in drills 2 feet apart, and thin out to 10 or 12 inches in the row, 2 pounds of seed to the acre.

Imperial Hardy Purple Top	Per oz.	Per lb.
(See eut.) Large, handsome roots, of fine quality	10e	40e
Laing's Improved Purple Top		200
Earliest variety; succeeds on rich, free soil	10e	40e



Early White Flat Dutch.

Bear in mind we do not sell "cheap" seeds; that is an occupation enjoyed by others. Many seeds are grown under our personal supervision, from strains known to be of superior quality. Poor and unreliable seed is dear at any price, and for that reason no soil-tillor can afford to trifle with "held-over" or untested seeds. We sell only seeds tested by an expert on our own grounds; hence you are safe in trusting us with your orders.

Culinary Roots and Plants.

Note.—When ordered to be sent by mail, remit in addition to price, for Asparagus Roots 50e per 100; Cabbage, Cauliflowor, Celery, Sweet Potato, Pepper, Tomato plants and Horse-radish roots, 5e per dozen; 35e per 100; Rhubarb roots 5c each; Egg Plants 15c per dozen; Hop Vinc roots 10c oach, Chives 3c per clump.

Pe	r doz. P	er 100.	Per 1,000.
Asparagus.—(Conover's Colossal.) One year old roots, equal to 2-year old Eastorn grown		\$1.00	\$7.50
Cabbage Plants.—Early Winningstadt, Henderson's Early Summer, Fottler's Early Brunswick and Premium Flat Dutch		40e	3.00
Cauliflower Plants.—Early Erfurt, Snowball, Lenormand's Mammoth and Large Algiers		1.00	7.50
Chives, or SchnittlauchFor flavoring soups, salads, etc., per			
elump 5e	50c		
Egg Plants.—New York Improved Largo Round Purple, grown in pots	75e	5.00	
Hop Vine Roots	50e	3.50	
Horse-radish Roots, or SetsThrive best in low, damp land.			
Plant in rows 2 feet apart, and in the rows 18 inches apart	15e	1.00	
Pepper Plants Chili, Large Bell or Bull Nose, Sweet Mountain, etc	50e	3.50	
Rhubarb Roots Monarch and Victoria, strong rootseach 10e	\$1.00	7.50	
Sweet Potato Plants Yellow Nansemond and Large White		500	4.00
Tomato Plants.—Acme, Beauty, Favorite, Ignotum, Mikado, New Stone,			
Perfection, Pondorosa, Royal Red, Trophy	15e	1.00	

Seeds of Pot, Sweet, and Medicinal Herbs.


A well assorted selection of the various kinds of Herbs should have a place in every garden. Thoir value in seasoning and flavoring is well known and appreciated. Some kinds are aromatic, while others are used for medicinal purposes. Care should be taken to harvest on a dry day, just before they fully blossom. They may be sown in a sheltered, well-prepared border, morely doop enough to cover the seeds. When plants appear, they should be thinned out to a foot apart. Water carefully with a fine rose watering pot, and keep the surface soil loose. A slight mulching of fine litter will be found beneficial the first summer.

All can be supplied in pkts. at 5c each; 50c per dozen pkts.



Lavender.

	Per oz.
Augelica, Garden.—(Archangelica offici-	
nalis.) Useful on account of its medicinal	
qualities	35c
Anise (Pimpinella anisum.) Seeds and	
leaves are both aromatic and carminative.	
Officinal and medicinal	10e
Balm (Molissa officinalis.) For making	
Balm Tea; valuable in case of fever	50c
Basil, Sweet (Ocymum basilicum.) Cul-	
inary herb: used for flavoring soups, etc.,	25e
Borage (Borago officinalis.) Used for	
salads; excellent for bees	15e
Caraway (Carum carvi.) Principally cul-	
tivated for its seeds, which are used in con-	
fectionery and medicine. Tho under loavos	
are sometimes used for flavoring soups	10e
Catnip(Nepeta cataria.) Has medicinal	
qualities	
Coriander.—(Coriandrum sativum.) Seeds	
aromatic, used in confectionary	
the state of the s	. 200



Valuable Fodder Plant for Alkali Soils and Arid Regions.

30e

25c

Thyme, Broad Leaved (Thymus vulgaris. See cut.)—Used in soups, sauces and dressings, as seasoning....

Wormwood (Artemisia Absinthium.)—Used for medicinal purposes.....


The matter of green forage for stock under arid conditions, and also to utilize the arid soils for which California is noted, much experimental culture has been tried with varying success, until the introduction of the salt bushes of Australia. These have given excellent satisfaction, adapting themselves to our arid conditions and thriving on alkali soils as no other plant has. In a late bulletin detailing the results of 18 years of experimental cultures under all sorts of conditions and soils, the State University Experiment Stations give the following summary of the specific results:

"Atriplex Semibaccatum is the most generally useful species of all that have been planted, although others are worthy of cultivation. It shows that semibaccatum grows on strong alkali soil, furnishing a very large amount of satisfactory pasturage or fodder; that it also thrives on arid non-alkaline uplands, even where wells have to be sunk 200 feet to water, and where the annual rainfall has been less than five inches. * * * The salt bushes are of easy, rapid growth, and are hardy under California conditions. Reported from Australia as onduring 14° Fahr., without injury, some of the Amorican tests would indicate that semibaccatum will stand considerably more cold than this."

Agricultural Seeds.

BEET-SUGAR VARIETIES.

Sow in the beginning of March; first plowing and subsoiling to the depth of at least fifteen inches. The seed should be soaked for 12 hours before sowing, and be covered at least one inch when sown. The rows should be 15 inches apart, and the plants should be thinned to S inches apart in the rows. Sow about 15 lbs. per acre. Twenty-five pounds supplied at 100 lb. rates. If ordered by mail, 10c per lb. will be charged additional for postage.



Klein Wanzlebener.


Vilmorin's Improved White.

Lane's Improved Imperial.

Klein Wanzlebener (See cut.) Well known, richest in sucrose, and heaviest		100 lbs.
cropper	200	p12.00
Lane's Improved Imperial. — (See cut) An American variety originated in Vermont; contains a large porcentage of sugar, is a large, uniform cropper, and is highly		
esteemed both for sugar purposes or for feeding stock. Has yielded 40 tons per acre	20e	12.00
Vilmorin's Improved White (See cut.) A much improved variety of the		
White Silesian, extonsively cultivated as a sugar producing beot. Very valuable	20e	12.00
White Silesian. — Grows to a large size; useful for sugar purposes or stock feeding	15c	10.00

MANGEL WURZEL.

Cultivated extensively for stock. Select a deep rich loam and manure well. Sow any time from the middle of November until April, in drills 2¹2 to 3 feet apart, and thin to 9 inches in the row. The long varieties prefer a light sandy loam. The round varieties are the best for planting on stiff soil. Sow 6 pounds to the acre. If ordered by mail, 10 eents per pound will be charged additional for postage.



Golden Tankard Mangel.

Mammoth Long Red Mangel,

Yellow Ovoid Mangel.

		Per 100 lbs.
Golden Tankard (See cut.) Bright yellow, handsome and sweet; large cropper, highly esteemed by dairymen		\$15.00
Golden Giant.—(See cut.) The largest of the yellow varieties, of oval shape, growing half above ground, an enormous cropper, yielding from 46 to 60 tons per acre		15.00
Mammoth Long Red(See cut.) Grews partly above ground, immense size		15.00
Yellow Ovoid, or Olive-Shaped.—(See cut.) A distinct variety; very productive		15.00
Yellow Globe.—(See cnt.) A splendid keeper; the easiest to harvest from stiff soil.	20e	15.00

Large White Belgian Carrot.

CARROT.

A light, friable sandy loam is best suited for Carrots. Apply plenty of fine, well decomposed manure, and cultivate theroughly and often. It is important that the soil be perfectly free from stones. If ordered by mail, 10c per lb. additional will be charged for pestage.


FIELD PUMPKINS.

JERUSALEM ARTICHOKES.

Woll known in most localities. It is a tuberous-rooted sunflower, and is said to be capable of preducing 1,500 bushels of tubers to the acre. Hogs thrive when fed on Artichokes, which are not only food, but are said to supply sufficient water to allay thirst. Some farmers cure the tops for hay.

Common and Red Brazilian.—Per 100 lbs. \$3.50; larger quantities, price on application.

Prefessor E. J. Wicksen's "California Vegetables" in Garden and Field. A manual fer practice, with and without irrigation, fer semi-tropical countries. The mest complete werk en the subject. Mailed fer \$2.20. Every grewer of Vegetables should have a cepy of this valuable book.



Jerusalem Artichoke.

Seed Grain.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10 cents per pound. As the market is apt to fluctuate, quotations on 100 lb. or ton lots of the following varieties of seeds given on application.

BARLEY.

Common. - Extra eleaned. Prices on application.

Beardless.—Best for hay, being entirely free from beards, so injurious to the mouths of horses. Prices on application.

Bald or Russian.—Has no hull or husk, and much resembles wheat, except that the grains are larger; greatly esteemed for hay. Prices on application.

BUCKWHEAT.

Common.—Buckwheat should be sown broadcast, at the rate of about 45 pounds to the acre. The average yield is from 25 to 30 bushels per acre. It should be threshed as soon as dry, on the ground or barn floor. If allowed to stand in mass it quickly gathers moisture. It is an excellent food for poultry, and is also useful for bees. Per lb. 5e; 100 lbs. \$4.00.

Silver Hull.—This improved variety is much botter than the old sort. It is in bloom longer, matures sooner, and yields better. The lunsk is thinner, the corners less prominent, and the grain of a beautiful light gray color. The flour is said to be better and more nutritious. Excellent for bees. Per lb. 10c; 100 lbs. \$6.00.


Japanese.— (See cut.) A distinct variety, with grains nearly twice as large as those of the common kind. The straw is stouter and heavier; it branches more and does not need to be sown as thickly. It is a very heavy cropper and less likely to blight than the other varieties. Per lb. 10c; 100 lbs. \$6.00.



Japanese Buckwheat.

CORN-EASTERN VARIETIES.

Champion White Pearl.—(100 days. See cut.) The stalk is short and thick. The ear grows low on the stalk, from 7 to 12 inches in length, almost parallel throughout, of medium size, aver-



Golden Beauty.

aging 16 rows of grain. The grains are pure white, very deep, compact and heavy. Two grains will more than span the cob; the cob is small. It roots deeply and matures early. We recommend it highly. Selected ears, shelled, per lb. 5e; 100 lbs. \$3.50.

Golden Beauty.—(100 days. See cut.) The ears are remarkable in size, and filled out comletely to the extreme end of the cob. The cob is the smallest, in comparison with the size of the ear, of any variety in cultivation, and when broken in half, a grain will reach across. The richness of color and fine quality of the grain make it vastly superior for grinding into meal. The grains are not of a hard flinty nature, neither are they so soft as to be greatly shrivelled. It matures early, ripening in 100 to 110 days from planting, and surpasses all in size and beauty of grain. Selected ears, shelled, per lb. 5c: 100 lbs. \$3.50.

Hickory King. — (110 days. See cut.) This corn is entirely distinct from all other varieties, having the largest grain with the smallest cob ever introduced in a white corn. A single grain will completely cover the cob of an ear broken in half. Selected ears, shelled, per lb. 5c; 100 lbs. \$3.50.

Improved Learning. — (90 days.) This is one of the earliest yellow dent corns in cultivation, ripening in 90 to 100 days from planting, surpassing the Yellow Canada and Flint varieties in earliness, productiveness, and quality. Over 4 tons of shelled corn have been grown on 1 acre. Solected ears, shelled, per lb. 5c; 100 lbs. \$3.50.

CORN—CALIFORNIA GROWN.

Large Yellow.

Yellow Spanish.

Large White.

Small White.

Prices quoted upon application.

POP CORN.

White Pearl.—A standard market variety, per lb. 5c; 100 lbs. \$3.50.

White Rice.—A popular and productive variety. The kernels are fine, white and pointed, and the ears from 4 to 5 inches in length, and from 1 to 1¹4 in diameter. A favorite variety with retail grocers. Per lb. 10c; 100 lbs. \$4.50.

Queen's Golden.—The ears are large and produced in great abundance; the stalks grow about 6 feet high. Pops perfectly white. Per lb. 5c; 100 lbs. \$3.50.

OATS.

Heavy White Oregon.—Prices quoted upon application.
Rustproof Red.—Texas grown. Prices quoted upon application.

Rustproof Red. - California grown. Prices quoted upon application.

RYE.

Winter .- Prices quoted on application.

WHEAT.

Australian White, Russian White, Sonora White. - Prices quoted on application.

The Seed Dealer and "Cheap" Seeds versus the Seedsman and "Superior" Seeds.

The United States Department of Agriculture's Experiment Station in Massachusetts in a recent article on seed-testing, state that—

"Seeds may be collected from the stock kept in country stores, much of which is produced by growers of little skill, and possibly in localities where mixing by cross fertilization cannot be avoided."


In a late paper Peter Honderson, a recognized authority on American seed-growing, pointedly said:

"The seed dealer is any man who does not grow or control his own seed-bearing plants. He may also sell other goods, or deal in seeds alone; at any rate his only object is profit, and with seeds as with all of his other merchandise, his interest lies in buying as low as possible; the consequence is that the person who supplies him with seeds is the one who quotes him the lowest price. The effect is blighting on quality, for the price does not justify the grower in 'roguing' seed-bearing plants very rigidly, nor in eliminating through cleaning too much of the light, small or imperfect seeds; the consequence is that the seeds are of mixed sizes and maturity, and the person who buys and sows them gets a very irregular crop maturing at different times, ontailing extra labor and oxpense in harvesting portions at intervals, with the final result of some of the crop being unmarketable and rejected.

crop maturing at different times, ontailing extra labor and expense in harvesting portions at intervals, with the final result of some of the crop being unmarketable and rejected.

Cheap seeds are often produced from the poorest plants, that cannot be used for anything else. Cheap seed beans and peas are often taken from the later maturing pods after a market crop has been gathered. Cheap radish, turnip, beet seed, etc., is often saved from roots not good enough for the table or for sale. Cheap cabbage seed has been grown from the stumps after the heads have been marketed. Cheap cauliflower seed is grown from free seeding plants that will not head. Cheap seeds are always grown with the least possible outlay of money, trouble and care. Cheap seeds are often old seeds, and old seeds germinate slowly, and the plants produced from them grow slowly and are less vigorous and prolific."

As contradistinguished from the above well taken criticisms and suggestions, it is needless to again emphasize the fact that all our seeds are grown by us, or under special contract for us, or by growers whose reputation and quality of product always give satisfactory results. Our seeds are reliable because they are California grown and thoroughly tested before being placed on sale.



Clover and Grass Seeds.

For Lawns, Meadows, and Permanent Pastures.

Expross or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10 cents per pound. As market is apt to fluctuate, quotations on 100 lb. lots of the following varieties of seeds given on application, and samples mailed free. 25 lbs. eharged at 100 lb. rate.

CLOVER SEEDS.



Italian Crimson, or Scarlet Clover.

Alsike, or Swedish (Trifolium hybridum.)—A hybrid between the Red and White Clovers, but of much stronger growth than the latter, and will yield a heavy erop on any soil. Stands drouth well, yields a large return in hay, and is unsurpassed for bees. Sow early in spring. Per lb. 20e.

Alfalfa, or Lucerne (Medicago sativa.)—This valuable species is too well known in California to need description. Per lb. 15c; 100 lbs. market price.

Bokhara, or Sweet Clover (Melilotus alba.) —Very valuable for soiling. It grows from 4 to 6 feet high, and may be cut 3 times or more if sown in good soil. Should be cut before flowering. Very good for bees. Per lb. 40c.

Burr Clover (Medicago maculata.)—California Burr Clovor, Spotted Medick. An excollent foddor plant for the South. Flourishes in dry soils. About 12 lbs. of the burrs should be sown to the aere, and on good soil, lightly covered, will soon cover the entire surface. Per lb. 15e; 100 lbs., market price.

Italian Crimson, or Scarlet Clover (Trifolium inearnatum.—See eut.) A very valuable forage plant. As a "stolen erop" it is unsurpassed, for it ean be sown in the fall and cut in the spring in time to plant another erop on the same ground. The yield of green fodder ranges from 10 to 13 tons to the acre. In addition to its valuable qualities as a forage plant it is no less desirable as a green manure, absorbing as it does, large quantities of nitrogen from the atmosphere, which, in its capacity as a fertilizer, it transfers to the soil. Sow 12 pounds to the acre. Per lb. 15c; 100 lbs. \$10.00.

Mammoth Red, or Cow Grass (Trifolium pratense perenne.) Quite distinct from the common

Red Clever, having a shrubby stem, and a longer and more penetrating root, thus enabling it to withstand drouth well. Grows 3 to 4 feet high, and is much used as a green manure. Sow 20 lbs. per aero alone, or 5 lbs. when mixed with grasses. Per lb. 20e.

Small Red (Trifolium pratenso.)—A most valuable variety for fodder, also excellent for plowing under for manure. Per lb. 20e.


White Dutch (Trifolium repens.)—An excellent pasturage plant. Its flowers are also a favorite resort for the honoy bee. It succeeds on all rich, clayey lands, if not too wet. It is the best variety for lawns, either alone or mixed with grasses, and is now in great demand for that purpose. Perlb. 30e; 4 lbs for \$1.00.

GRASS SEEDS.

The following are the most valuable grasses for agricultural and other purposes. Prices of some varieties may change as the season advances.

Bermuda, or Couch Grass (Cynodon daetylon.)—This grass, the "Doob" grass of India, is one of the most valuable for hot countries, suitable either for lawn or pasture, and valuable for fixing loose soils. For eight months in the year it is beautifully green; in cold weather it turns brown. The seed will not germinate in cold weather. April, May and September are the best months in which to sow. Use 10 lbs. to the acre. Per lb. \$1.00.

Crested Dog's-Tail Grass (Cynosurus eristatus.)—A valuable grass for sheep pastures, on dry, hard soils and hills. It belongs to the family of lawn grasses. 25 lbs. to the acre. Per lb. 40e.



Italian Rye Grass (Lolium Italieum.)—A valuable annual variety, thriving well in any soil, and yielding early and abundant crops. Especially valuable for pasture in Southorn California. Although strictly speaking it is an annual, if cut bofore going to seed, it may be considered perennial in this climate. Claimed to stand any amount of forcing by irrigation. Sow 30 lbs. to the acro. Per lb. 15e; 100 lbs. \$9.00.

Kentucky Blue, or Smooth Meadow Grass (Poa pratensis.)—Principally used for lawns, also valuable for pasturo. For lawns sow 150 lbs. per aere; for pasturo 50 lbs. per aero is sufficient. We offer none but fancy cleaned seed. Per lb. 25e; 5 lbs. for \$1.00; 100 lhs. at market rates.

Oreliard Grass, or Coeksfoot (Daetylis glomerata.)—A valuable grass, all kinds of stock being greedily fond of it. Will bear cropping very woll. When established will withstand both floods and drouth. Sow 40 lbs. to the acre. Per lb. 20c; 100 lbs. at market price.

Perennial, or Australian Rye Grass (Lolium perenno. See cut.)—The merits of this grass are becoming more recognized every year. It adapts itself to almost any soil, germinates freely, and seeds abundantly. Of upright habit, bearing abundance of nutritious foliage, it is much relished by stock, and its roots being fibrous and penetrating, give it a permanency not possessed by many other species. Sow 40 lbs. per acre. Per lb. 15e; 100 lbs. \$8.00.

Red Top (Agrostis vulgaris. See cut.)—A valuable permanent grass in mixture for eithor pastures or lawns, standing heat well and growing in almost any soil. Ripens later than almost any other grass. Sow 30 lbs. to the acre. Fancy cleaned seed per lb. 25c; 100 lbs. \$20.00. Fair seed per lb. 15c; 100 lbs. at market price.

Timothy, or Herd's Grass (Phleum pratonse.)—This grass thrives best on moist soil, or rich wheat-bearing alluvial lands. Should be cut when seeds are ripe, as the nutritive value of the hay will be twice as great as when cut in flower. Ou account of it first yielding an abundant hay crop and then a nutritious aftermath, it is particularly valuable as pasture grass. Sow 20 lbs. to the acre. Per lb. 10c; 100 lbs. \$7.00.

Fodder Plants.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10c per lb. As market is apt to fluctuate, quotations on 100 lb. lots of the following varieties of seed given on application. 25 lbs. charged at 100 lb. rates.

MILLETS.

French Round White, Imported.—A very choice variety of Millet with large, round, pearly white seeds, used by the French for making into bread, generally sold in this country for feeding valuable foreign birds. Por lb. 15e; 100 lbs. \$12.00.



Hungarian Millet.

German, or Golden Millet.—This variety is not so early as Common Millet, but yields a much larger crop. Will grow from 3 to 5 feet in height. The heads are closely condensed and the spikes very numerous. It will yield 2 crops a season. Sow 25 lbs. to the acre. Per lb. 10c; 100 lbs. \$4.50.

Hungarian (Grass) Millet (Panicum Germanicum. See cut.)—This annual forago plant is a Millet, and is one of the most valuable for a hay crop, as it will grow in any ordinary soil, and will withstand the most sovere droughts. It may be sown in this latitude middle of June. As a green crop for plowing in, it is very fructifying. Per lb. 10c; 100 lbs. \$4.50.

Italian Millet (Setaria Italica.)—This variety grows much larger than Hungarian Grass, and produces a heavier crop; not quite so early; heads uodding, 4 to 6 inches long, yellowish; seeds oval, slightly flattened, yellow. Per lb. 10c; 100 lbs. \$7.00.

Common Millet (Panicum miliaceum.)—Very carly; height 3 to 4 feet; foliage broad and very abundant; heads open; branching panicles; seeds glossy, oval, somewhat flattened. Per lb. 5c; 100 lbs. \$4.00. The foregoing Millets should all be cut while in bloom.

Pearl, or Egyptian Millet (Penicillaria spicata.)—This is quite distinct from all other species, and is without doubt destined to take a place

in the front rank of vegetable forage plants. Sown in light, sandy soil, the plants at first appear feeble, resombling Broom Corn; but when a few inches above ground they begin to tiller, and new shoots appear very rapidly from the original root. When cultivated for fodder the seed should be dropped in drills and given plenty of room, on account of the peculiar habit of tillering. The fodder is in the best condition for cutting and curing when the stalks are 5 to 6 feet high. Per lb. 25c; 10 lbs. \$2.00.

Evergreen Millet, or Johnson Grass (Sorghum Halepense.)—A perenuial with fleshy underground stems, about the size of the little finger. These are very tender, and are much liked by hogs. They literally fill the ground near the surface, and every joint will develop a bud. On good ground, the stems attain a height of 5 to 10 feet, growing about as thick as they can stand on the ground. It likes dry, hot weather, and will grow luxuriantly where it is too hot and dry for most other grasses. Sow early in the spring, at the rate of 30 lbs. of seed per acre. The seed should not be sown until the weather becomes moderately warm. Per lb. 15c; 100 lbs. \$10.00.

FIELD PEAS.

These are grown for marketing dry, for split peas, fodder or for stock, and for soiling. Plant at the rate of 150 lbs. to the acre broadcast, or in drills at the rate of 80 lbs. per acre.

Black-eyed Marrowfat.—Very hardy and prolific. Good for either soiling or fodder. Per lb. 10c; per 100 lbs. \$7.50.

Blue Prussian.—The boiling pea of commerce. Per lb. 5c; 100 lbs. \$4.00.

Canadian Field.-Very valuable for soiling. Per lb. 5c: 100 lbs. \$4.00.


Southern Cow Pea, Black Eye.—This is not exactly a pea, but more proporly belongs to the bean family. The pods may be harvested for the grain, or the plants plowed under to fortilize the soil. The seed or grain is ground and used for cattle fodder; the stalks and leaves also make excellent fodder, fed green. Poor, sandy land, may be greatly improved by plowing under a crop of Cow Poas, and thus made into fertile loam. Plant in a thoroughly pulverized soil. If grown for fodder or the seed, plant 3½ feet apart and cultivate thoroughly. The seeds must not be sown until the ground has become thoroughly warm. Per lb. 10c; 100 lbs. \$6.00.

Miscellaneous Fodder Plants.

African Millet.—A variety growing stalks 8 to 10 feet high, and yielding heads of grain 12 to 14 inches long, weighing 6 ounces to ¹2 lb. when fully ripe. If the whole stalk is cut down and cured when the sceds are in the dough state, it makes excellent forage; easy to cure, keeps well in out-door shocks, and much liked by stock in the winter. It also makes excellent green feed; bears in dry weather and gives a crop where corn would wholly fail. Per lb. 10c; 100 lbs. \$5.00.

Alfilaria (Erodium cicutarium.)—Commonly called Crane's Bill, or Wild Geranium, as it belongs to the same family. The seed is very scarce and hard to procure, owing to the difficulty in gathering free from weeds. As to quality, it is one of the most nutritious of plants; cattle, sheep, horses and hogs alike prefer it to any other natural product of the plains. It makes the sweetest milk and butter, and the best meat of any of the natural fodder plants of this State. When nearly at maturity it is very fattening, and may be considered a strong, safe feed for grazing animals. We heartily recommend it for use on the large stock grazing ranges of Arizona and New Moxico. Sow 20 lbs. per acre. Per lb. 75c; special prices given on large quantities.

Australian Salt Bush (Atriplex somibaccatum. See cut.)—This forage plant, which was introduced a few years ago from Australia, has been grown here with the very best results. The plants have a diffuso habit of growth, each one when fully developed covering an area of 3 or 4 feet in diameter.



Australian Salt Bush.

It is much relished by stock, and supplies the salt so necessary to their well being. Its groatest recommendation, however, in the estimation of many farmers, is the fact that it will thrive better on alkali land than any other. It is proved by analysis to be very nutritious, and contains, whon dried, from 8 to 10 per cent of salty matter. The yield is about 20 tons of green fodder per acre, which will make 5

tons of hay. The plant is perennial; if intended for a grazing pasture, it is better not to cut it the first year, but let the seed fall and thus form a sod. Prepare the land by plowing and harrowing as for other erops. The seed may be sown in beds or boxes and transplanted to from 6 to 8 feet apart each way, but it is better to sow it where it is to remain, either thinly broadcast or in hills, taking care in all cases to cover the seed very lightly. Use 1 pound of seed to the acre if sown broadcast or 4 ounces if transplanted. In cutting the fodder, be careful not to injure the crowns of the plants. Per oz. 15c: per lb. \$1.25.

Australian Salt Bush, "Old Man."—A distinct species, and quite different from the Atriplex semibaccatum. It succeeds on alkali land as well as, and withstands drought better than the latter kind, while on account of its upright growth (growing sometimes 15 feet high) it is easily cut. In its immense productiveness it is far ahead of the common kind, while its leaves are much larger. In Australia, the cattle men prefer the "Old Man" to any other kind for cattle, while the A. semibaccatum is used for sheep and the smaller animals, on account of its being more easily reached by them. Plant in hills 6 feet apart each way, several seeds to a hill, thinuing out to the two strongest plants. Per pkt. 10c; per oz. 30c; per lb. \$3.00.

Egyptian Rice Corn, or Brown Dhonra.—It is much sweeter than corn stalks, and cattle, horses and hogs will cat it ravonously. The seed is excellent for fowls. Culture same as corn. Sow 5 lbs. to the acre. Per lb. 5c: 100 lbs. \$3.00.



Jerusalem Corn.

Egyptian Rice Corn, or White Dhoura.—The yield of grain is very great, and cooked when the kernels are not fully ripe, like green corn, it has the flavor of chestnuts, or after fully ripe, cooked like rice, or ground into fine flour or meal, and used for baking. A favorite variety with poultry raisers. Per lb. 5c; 100 lbs. \$3.00.

Jernsalem Corn.—(See cut.) Lately introduced from Palestine, and will stand drought better than any of the non-saccharine sorghums. The most valuable forage plant over offered in this climate. It has yielded five entings during the season. Height about 5 feet, and when matured, the grain is an excellent chicken food. Sow 4 lbs. to the acre. Per lb. 10c; 100 lbs. \$5.00.

Kaffir Corn, or Imphi.— Introduced from South Africa. The plant is low, stocky and perfectly erect. It does not tiller, but branches from the top joints. The wholo stock, as well as the leaves, cures into excellent fodder, and is good for feed at all stages of its growth. When the grain turns white, clip the heads, and other heads will come. If required for fodder, sow in the spring, either broadcast or in drills, 3 feet apart at the rate of 10 lbs. per acre. If required for grain, sow 4 lbs. per acre. White or Red. Per lb. 10c; 100 lbs. \$5.00.

Lathyrus Sylvestris Wagnerii (Flat Wood Pea.)—Claimed to be the most profitable fod-

der plant ever grown. It is twice as nutritious as Alfalfa and of equal value with oil cake for feeding purposes. Perennial, lasting over fifty years; the roots penetrating into the sub-soil from 10 to 18 feet. Has proved to be pro-eminently the plant for drouthy, and barren soils. Sow in spring in rows and at the depth of 1 inch. With the pea sow a few grains of barley to indicate the position of the rows, as it will be necessary to hee the ground before the Lathyrus appears above it. In the following spring transplant to 1 foot apart each way. Per oz. 20c; per lb. \$2.00.

Milo Maize, or White Branching Dhoura.—Valuable as a forage plant and for its grain, having great capacity to stand drouth. It can be ent and fed at any stage, or cured when heading out, for fedder. It bears grain in erect, full heads, and is almost equal to corn for feeding all sorts of stock: also makes excellent meal. It requires all summer to mature seed. Sow 3 to 5 pounds per acre. Can be cut for green feed several times a season. Average yield of seed about 40 bushels per acre. Per lb. 10c; 100 lbs. \$5.00.

Milo Maize, or Yellow Branching Dhoura.—Similar to the white as before described but of larger heads. Per lb. 10e; 100 lbs. \$5.00.

Rape, Dwarf Essex.—A valuable fodder plant for sheep, yields an abundant erop and is vory fattening; contains about 9 per cent of carbo-hydrates, 2 per cent, albumen, and some fat. It is also exceedingly useful as a green manure. For fodder, sow from 8 to 10 pounds per acre; for soiling, sow from 15 to 20 pounds per acre. Per lb. 15c; 100 lbs. \$10.00.

Sacrine (Polygonum sachalinense.)—Grows to the height of 10 or 12 feet, and may be cut three times a year. The stems and loaves, which are very nutritious, are greedily eaten by cattle and sheep. The seed should be started in boxes, and the young plants afterwards transplanted 3 feet apart each way. Per pkt. 10e; per oz. 30e; per lb. \$3.00.

SeradeHa (Ornithopus sativus.)—A valuable forage plant, admitting of two cuttings in one season, and succeeding well in dry, sandy soil. Excellent for sheep. Per lb. 25e; 100 lbs. 15.00

Soja Bean.—A valuable forage plant, much advertised of late. It is easily grown and very nutritious, and is highly recommended for pasturing, or for feeding as green fodder. The beans are an excellent substitute for eoffee. Sow broadcast 30 to 40 lbs. to the acre, or 12 to 15 lbs. in drills. Per lb. 10e; 100 lbs. \$7.00.

Sorghum, or Chinese Sugar Cane (Sorghum saeeharatum.) Early Amber.—The earliest and most productive variety. Its saecharine matter is of first quality, fine and rieh; it grows to the height of from 10 to 12 feet; makes sugar or syrup equal to any in the market. One of our best green fodder plants, producing from 2 to 3 cuttings during the summer. The seed is relished by all kinds of stock. Sow 6 lbs. in drills, and 12 lbs. broadcast to the aero. Per lb. 10e; 100 lbs. \$4.00.

Sorghum, Early Orange,—It is from 8 to 10 days later than the Early Amber; produces syrup of excellent quality. Por lb. 10e; 100 lbs. \$5.00.

Spurry (Spergula Arvonsis.)—Small annual plant sneeeeding best in sandy soil. It can be used in a green state, or for hay. Sow 15 lbs. to the aere. Per lb. 20c; 100 lbs. \$15.00.

Sweet Corn.—For fodder, ensilage, or soiling. Per lb. 5e; 100 lbs. \$4.00.

Teosinte (Reana luxurians.)—Recommended as the most prolific forage plant yet introduced. In appearance somewhat resembles eorn, but the leaves are much longer and broader. The stalk, containing much saccharine matter, is very nutritious. It can be cut several times during the season, yielding enormously. Plant in spring in drills 3 feet apart, and 2 to 3 seeds every 12 inches in drill; 4 lbs. to the aere. Per oz. 15e; per lb. \$1.50.

Vetches, or Tares (Vicia sativa.)—A most valuable forage plant. Also excellent as a green manure. Sow in early spring, with oats, barley or rye, which help to support it, and greatly add to its productiveness. When sown in conjunction with any of the above, 30 lbs. is sufficient for an acre; if alone 100 lbs. is required. Per lb. 15c; 100 lbs. \$9.00.

Vetch, Sand or Winter (Vieia villosa.)—A valuable forago plant from Europe, and now in great demand here. It will thrive on the most barren soils and produce two cuttings during the season; also valuable for ploughing in as a green manure. It may be sown alone or together with rye, the latter method is preferable, as the Vetelies grow from 3½ to 5 feet, the rye will afford support for them. Sow from 65 to 90 lbs. to the aere. Per lb. 15c; 100 lbs. \$9.00.

Sundry Seeds of Economic Plants, Etc.

Express or froight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10c per lb. As market is apt to fluctuate, quotations on 100 lb. lots not given of the following varieties of scods will be sent on application. 25 lbs. charged at 100 lb. rate.

Broom Corn. IMPROVED EVERGREEN.—This variety is more cultivated than any other, on account of the color and quality of its brush, which is of good length, fine and straight, and always green; it brings the highest market price; grows about 7 feet high. Per lb. 10e; 100 lbs. \$5.00.

Broom Corn. Large California Golden.—One of the most popular kinds for making brooms. Per lb. 10c; 100 lbs. \$5.00.

Broom Corn. DWARF.—This variety grows about 4 feet high, extra fine for making brushes or whisks. Sow 12 lbs. of Broom Corn seed of the above varieties to the acre. Per lb. 10c; 100 lbs. \$6.00.

Broom, Scotch (Genista scoparia.)—The young growth of this shrub is chiefly valuable las food for sheep and other animals in winter. Coarse brooms are also made from it. Per oz. 10e; por lb. 50c.

Caper Tree (Capparis spinosa.)—The undeveloped flower-buds are the true Capers of commerce. Flowers blush, very handsome. Per pkt. 10c.

Caterpillars (Astragalus var.)—A enrious plant, interesting from the fact that the seed pods resemble living Caterpillars. Much fun is caused by mixing them in salads. Per pkt. 10e.

Cotton. Sea Island. - Best variety. Per oz. 10e; per lb. 25e.

Cotton. Tenn. Upland. - Sow 25 lbs. to the agre. Per oz. 10e; per lb. 25e.

Fenugreek (Trigonella fenum Græeum.)—An annual, very fragrant. The seed is often used to give temporary fire and vigor to horses: also given to eattle while fattening, causing them to drink and digest their food. Per oz. 10c; per lb. 60c.

Flax, or Linseed. - Best Riga. Per lb. 10e.

Furze, or Gorse (Ulex Europeus.)—Sheep and cattle browse on the young growth of this plant, with much relish. Also valuable for hedges and fences. Per oz. 25e; per lb. \$2.50.


Garvanzas, or Chick Peas .- Largely used for soups. Por lb. 10c.

Hop Vine (Humulus lupulus.) - Well known. Per pkt. 10e; per oz. \$1.50.

Lentils (Ervum lens.)—Best imported. Succeed best in dry, sandy soil; used for soups. Per lb. 15e, Lentils (Ervum lens.)—California grown. Per lb. 10c.

Liquorice (Glyeyrrhiza glabra.)—In pods. A perennial plant, the roots of which furnish the Liquorice of commerce. Per oz. 30e; per lb. \$3.00.

Peanut.—This plant thrives and produces bost on a light, sandy, tolerably fertile soil. They may be planted from March to May in pods, or shelled; it is best to drop about 4 in a hill on the lovel ground, the rows being laid off 3½ feet wide, and the hills 2 feet asunder; cover them 2 or 3 inches. When they come up, thin them to 2 in a hill. They will produce from 25 to 75 bushels per aero, according to soil and culture. Virginian, per lb. 15e; 100 lbs. market price. California grown, per lb. 10e; 100 lbs. market price.



Mammoth Russian Sunflower.

Lupin, Blue.—One of the best plants for soiling, succeeding well in the poorest soil. Many lands that were formerly poor, have had their value greatly enhanced by plowing in the Lupin as a manure. Per lb. 15c; 100 lbs. \$10.00.

Lupin, Yellow.—Used for soiling same as the Blue variety. Per lb. 15e; 100 lbs. \$10.00.

Poppy. Opium.—The seed furnishes about 35 per eent. of an agreeable sweet oil, good for eating, painting and illuminating. Per oz. 20e; per lb. \$1.00.

Pyrethrum Cinerariaefolium.—The plant from which is made the Persian insect powder in Europe, or "Buhaeh" as made in California. Per pkt. 25e; per oz. \$1.00.

Ramie. SILVER CHINA GRASS. (Urtica nivea.)—This is the variety new so extensively cultivated in the South for its fibre. Per oz. 75c; per lb. \$9.00.

Seurvy Grass (Cochlearia officinalis.)—Used in salads same as Cress. A good antiseorbutic. Per oz. 25e.

Sunflower (Helianthus annus.)—The Sunflower is rapidly acquiring a reputation as a valuable farm crop. Its seeds are superior food for poultry (said to improve the meat), and it has yielded 40 bushels per acre.

Manmoth Russian.—(See eut.) Very large. Per lb. 10e; 100 lbs. market priee.

BIRD SEED.

If required by mail 10 cents per pound must be added to prepay postage.

	Per lb.	3 lbs.		Per lb.	3 lbs.
Mixed Bird Seed	10e	25e	Maw (Blue Poppy)	20e	
Mixed Canary and Rape	10c	25e	Lettuce Seed, for birds	25c	
Canary	10e	25e	Cuttle Fish Bone	35e	
Hemp	10e	25c	Rice, unhulled	25e	
Millet, Italian	10e	25e	Millet, White French	15e	
Rape, German Sweet	10c	25e	Sunflower	10e	25c

Useful Tables for the Farmer and Planter.

SOWING TABLE FOR THE GARDEN.

QUANTITY OF SEED REQUIRED TO PRODUCE A GIVEN NUMBER OF PLANTS, OR TO SOW A CERTAIN QUANTITY OF GROUND.

Artiehoke
Asparagus 1 oz to 60 feet of drill, 500 plants
Beans, Dwarf
Beans, Tall
Beet
Broeeoli
Brussels Spronts 1 oz to 2000 plants
Cabbage 1 oz to 2000 plants
Carrot
Cauliflower
Celery 1 oz to 5000 plants
Chicory
Coru
Cress
Cuenmber 1 oz to 100 hills
Egg Plant 1 oz to 2000 plants
Endivo 1 oz to 3000 plants
Kale
Kohl Rabi 1 oz to 2000 plants
Leek 1 oz to 100 ft of drill
Lettuee 1 oz to 5000 plants
-

Melon, Water	1 oz to 30 hills
Melon, Musk	
Okra	
Onion Seed	
Onion, Top Sets	
Onion, Bottom Sets	
Parsnip	.1 oz to 100 ft of drill
Parsley	
Peas	
Pepper	
Pumpkin	1 oz to 25 hills
Radish	4 oz to 50 ft of drill
Salsify	
Sage	1 oz to 100 ft of drill
Spinach	1 oz to 50 ft of drill
Squash, Early	1 oz to 50 hills
Squash, Winter	
Tomato	1 oz to 3000 plants
Tobacco	
Turnip, Early	I oz to 75 ft of drill
Turnip, Rutabaga	.1 oz to 100 ft of drill

NUMBER OF TREES OR PLANTS TO AN ACRE OF GROUND.

SET AT REGULAR DISTANCES APART.

Distance Apart. No. of Plants.	Distance Apart.
3 inches by 4 inches522,720	4 l2 by 4 l2 feet
4 inches by 4 inches392,040	5 feet by 1 foot
6 inches by 6 inches174,240	5 feet by 2 feet .
1 foot by 1 foot 43,560	5 feet by 3 feet
1 ¹ 2 feet by 1 ¹ 2 feet19,360	5 feet by 1 feet.
2 feet by 1 foot 21,780	5 feet by 5 feet.
2 feet by 2 feet 10,890	5^{1} 2 feet by 5^{1} 2
2½ feet by 2½ feet6,960	6 feet by 6 feet
3 feet by 1 foot 14,520	6 2 feet by 6 2 f
3 feet by 2 feet	7 feet by 7 feet.
3 ¹ 2 feet by 3 ¹ 2 feet3,555	8 feet by 8 feet. 9 feet by 9 feet.
4 feet by 1 foot10,890	10 feet by 10 feet
4 feet by 2 feet5,445	11 feet by 11 fee
4 feet by 3 feet3,630	12 feet by 12 fee
4 feet by 4 feet2,722	13 feet by 13 fee

Distance Apart. No. of Plants.
4 ½ by 4 ½ feet2,150
5 feet by 1 foot8,712
5 feet by 2 feet
5 feet by 3 feet 2,904
5 feet by 4 feet2,178
5 feet by 5 feet1,742
5 ¹ 2 feet by 5 ¹ 2 feet1,440
6 feet by 6 feet 1.200
6 ¹ 2 feet by 6 ¹ 2 feet
7 feet by 7 feet
8 feet by 8 feet
0 feet by 0 feet
9 feet by 9 feet
10 feet by 10 feet
11 feet by 11 feet
12 feet by 12 feet302
13 feet by 13 feet257

Distance Apart. No. of Plants
14 feet by 14 feet
15 feet by 15 feet193
16 feet by 16 feet170
16 ¹ 2 feet by 16 ¹ 2 feet160
17 feet by 17 feet
18 feet by 18 feet134
19 feet by 19 feet 120
20 feet by 20 feet108
25 feet by 25 feet
30 feet by 30 feet
33 feet by 33 feet 40
40 feet by 40 feet
50 feet by 50 feet17
60 feet by 60 feet
66 feet by 66 feet 10

Rule.—Multiply the distance in feet between the rows, by the distance the plants are apart, in the rows, and the product will be the number of square feet for each plant or hill; which, divided into the number of square feet in an aere (43,560) will give the number of plants or trees to the aere.

TABLE SHOWING THE QUANTITY OF SEED USUALLY SOWN PER ACRE.

LDS. 10 the Acre.
Alfalfa 25
Barley-broadcast
Beans, Dwarf or Bush - hills 40
Beans, Dwarf or Bush - drills 80
Beans, Tall or Pole - hills
Beet, Garden 6
Beet, Sugar
Beet, Mangel Wurzel 6
Broom Corn – drills
Buckwheat - broadcast
Cabbage - in beds to cover an aere !
Cabbage — in beds to cover an aere after transplanting.
Carrot — drills
Clover, Red, alono - broadcast 15
Clover, White, alono - broadcast 10
Clover, Alsiko – broadcast
Corn. Sweet or Field - hills
Corn to ent green for fodder-drille or)
Corn, to cut green for fodder-drills or \ \text{lmost deast}125
Corn, to cut green for fodder—drills or \ \ \frac{\text{broadeast.}}{\text{broadeast.}} \frac{125}{\text{to 2}}
Flax (when wanted for seed) 30
Flax (when wanted for fibre). 50
Flax (when wanted for fibre)
Grass, Bermida 10
Grass, Crested Dogstail 25
Grass, Kentneky Bluo (for pasture) 50
Grass, Kentucky Blue (for lawns)
Grass, Orzhard 40
Grass, Perennial or Australian Rye 40
(for meadow.)

Lbs. to the Acre. Grass, Perennial or Anstralian Rye. 75 (for lawn.) 75 Grass, Italian Rye. 30 Grass, Red Top. 30 Grass, Timothy 20 Grass, Hungarian 25 Millet 25 Hemp - broadcast 20 10 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Grass, Red Top. 30 Grass, Timothy 20 Grass, Hungarian 25 Millet 25 Hemp - broadenst 40 to 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadenst 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Grass, Red Top. 30 Grass, Timothy 20 Grass, Hungarian 25 Millet 25 Hemp - broadenst 40 to 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadenst 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Grass, Red Top. 30 Grass, Timothy 20 Grass, Hungarian 25 Millet 25 Hemp - broadenst 40 to 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadenst 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Grass, Timothy 20 Grass, Hungarian 25 Millet 25 Hemp - broadenst 40 to 50 Melon, Water - hills 2 to 3 Melou, Musk - hills 2 Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Grass, Hungarian 25 Millet 25 Hemp - broadcast 20 to 50 Melon, Water - hills 2 to 3 Melou, Musk - hills 2 Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Millet 25 Henup - broadenst 40 to 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadenst 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Hemp - broadcast 90 to 50 Melon, Water - hills 2 to 3 Melon, Musk - hills 2 Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Melon, Water - hills 2 to 3 Melou, Musk - hills 2 Oats - broadcast 80 Onions, for Dey Bulbs - drills 3 Onions, for Bottom Sets 30 Parsnip - drills 5
Melou, Musk - hills 2 Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Oats - broadcast 80 Onions, for Dry Bulbs - drills 4 Onions, for Bottom Sets 30 Parsnip - drills 5
Onions, for Dry Bulbs — drills 4 Onions, for Bottom Sets 30 Parsnip — drills 5
Onions, for Bottom Sets 30 Parsnip – drills 5
Parsnip – drills 5
Parsnip – drills 5
Peas - drills
Peas - broadcast
Potatoes - hills500 to G00
Pumpkin – hills
Radish – drills
Ryo - broadcast
Spinach - drills
Squash, Bush Varieties - hills 4
Squash, Running Varieties hills
Tomato in beds to transplant 18
Turnip and Rutabaga - drills 2
Turnip and Rutabaga broadcast 3 to 4
Vetehes — broadcast100
Wheat - broadcast100
Wheat — drills 75

TABLE OF WEIGHTS.

SHOWING THE STANDARD WEIGHTS PER BUSHEL OF SOME OF THE MORE COMMON SEEDS.

Barley48 lbs.	Flax56 lbs.	Rye56 lbs.
Beans60 "	Hemp44 "	Red Top Grass14 "
Buckwheat48 "	Hungarian Grass48 "	Rape50 "
Blue Grass14 "	Millet48 "	Timethy45 "
Clever60 "	Oats32 "	Vetches er Tares60 "
Corn 56 "	Peas 60 "	Wheat 60 "

TABLE SHOWING THE NUMBER OF PLANTS IN LENGTH FROM ONE FOOT TO ONE HUNDRED FEET APART.


USEFUL FOR PLANTING HEDGES, WINDBREAKS, SHADE TREES, ETC.

Distance	No.	Distance	No.	Distance	No.
	per Mile	Apart.	per Mile	Apart	per Mile
	5,280	15 feet	352	60 feet	88
	2,610	20 feet			31
1 foot	1,760 $1,320$		211		75
	1,056	35 feet	176 151		
			132		62
7 feet	754		117		58
S feet	€60	50 feet			55
9 feet		55 feet	96	100 feet	52
10 feet	328 1				

Hints on the Formation and Improvement of Lawns, Tennis Grounds and Parks.

The preparation of the Lawn is usually preliminary to the laying out of the Flower Beds in new grounds. This should be carefully done, as if this work is imperfect, it eannot afterwards be remedied, unless by undoing the work done, and rodoing it in a proper manner. The first thing to be done is to got the ground to the propor grade desired. Thou dig or plow up the ground to the depth of 8 inches, afterward carefully harrowing and removing all large stones, etc. If the soil is thin, procure a supply of fine mould and spread over to a depth of 5 inches. If the soil is poor, well-rotted stable manure, well incorporated with the soil, will be very beneficial; or if this is unobtainable, 600 pounds of ground

bone per acre may be applied. Then rake level and roll well the soil to make a firm bottom. When sowing the seed, choose a calm, damp, cloudy day, and sow at the rate of 150 pounds to the aere (1 pound will sow well 16 feet square.) The seed should be carefully raked in and again well rolled. In dry weather regular and careful watering Nevor lot the ground is strictly essential. dry out. Should the surface once become powder dry while the seed is germinating, the latter would inovitably porish. When the grass is up to the height of 3 inches, it should be cut and rolled, and cutting should be repeated every woek till the grass has become firm and turfy. When weeds appear they should be carefully cut out with a sharp kuife, eare being taken to disturb the young grass no more than is absolutely neeessary. With the most careful sowing and attention some bare spots will be found in the lawn; theso may be filled up by scoring the spots with a steel rake, and then resowing and raking in more seed. A light dressing of manure or lawn fertilizer should be applied to every Lawn annually, and the roller should be used frequently during winter, when the state of the ground and the weather will pormit.



Tennis Grounds.

To Grass a Bank or Terrace. For each square rod of land take 1 lb. of grass seed, and thoroughly mix with 4 cubic feet of good, dry, garden soil. When well mixed, add water enough to bring it to the consistency of soft mortar. After the slope is properly graded and watered, spread the paste over it as thinly and evenly as psssible.

Kentucky Blue Grass. Extra, fancy eleaned. The grass usually sold for lawn purposes. Per lb., 25c; 5 lbs., \$1.00; 100 lbs., market price.



From Seeds.

REMARKS ON SOWING AND CULTURE.

We have heard it remarked that the position of a person or a nation in the scale of refinement and civilization may be judged by his or their love of two things, viz: Music and Flowers.

The use and growth of flowers, especially, marks the progress of individuals and nations, the greatest nations of the earth being those with whom the love of Floriculture most provails. To the lover of flowers, what can be more interesting than to sow the seed, water, and otherwise care for the growth and development of the plant, and at last, enjoy the expansion of the flowers? What does the sense of proprietorship of the purchaser of flowers, compare to that of the grower of them? The latter feels that they are verily his own, the results of his fostering care. Among the flowers which may be grown with a minimum amount of care and expenso are thoso variotics which reproduce themselves from seeds. These are classed as Annuals, Biennials and Perennials, and these are subdivided into Hardy, Half Hardy and Tonder varieties of each class. Hardy Annuals are those plants which may be sown in the open air. They grow, flowor, produce seed and then die. Half Hardy Annuals are thoso varieties which require an even temperature of at least 60 degrees to germinate the seed, and will not stand frost; consequently, they must not be sown in the open ground during the fall or winter months, and not in spring till April. A good rule for those to follow who wish to sow this class is to wait for the proper weather and season in which to sow Corn, Melon or Pumpkin seeds. These being Half Hardy Annual vegetable seeds, it follows that Half Hardy Annual flower seeds may be sown without risk at the same time.

Tendor Annuals are those that require greenhouse protoction, as Calceolaria, etc., tho seeds are usually very fino, and it requires skill and care to raise them.

Hardy Biennials are those that flower the second year from sowing the seed and theu die.

Hardy Porennials are among the finest of our border plants. They do not usually flower till the second year after sowing, but may be relied upon to produce larger clumps of flowers year by year for many years. Half Hardy Perennials are those which require some protection during the coldest weather as they will not stand frost. Tender Perennials are those species that require greenhouse or other protection during the greater part of the year, as they are, generally speaking, natives of tropical countries.

The best time to sow Hardy Annuals is in the fall months, as they will make much stronger plants, and flower much more abundantly when wintered over. They may be sown in any finely prepared shady border, and transplanted when large enough, to where they are to flower. Do not cover the seeds too deep. A good rule is to cover each seed its own depth with soil, at the same time taking eare to water carefully. Never water so much that the soil gets "soggy," i.e., saturated; nor never lot the top get dry. Most varieties will germinate within ten days.

They may also be sown at any time during the spring months for summer blooming, care being taken to shade the young plants, after transplanting, in hot weather.

Half Hardy Annuals may be sown in April out of doors, or in boxes in March or earlier. If in boxes they should be eovered, or removed under cover during the night time, and during heavy rains. Those who have hot beds may sow the seed in February and grow the plants in 3-inch pots, for planting

out doors in April, thus gaining two months on those who have not this advantage. (See instructions for making hot beds, in Calendar of operations.) If sown in boxes, the boxes should have an inch of rough soil, or gravel, at the bottom for drainage; the remainder of the box should be filled within an inch of the top with sifted, light, rich soil, firmly pressed and the seed should be sown, covered its own dopth with soil, again pressed and watered. When the young plants are large enough to be handled, prick out into other boxes, planting them about 1 inch apart, and, when weather permits, they should afterwards be planted in the open ground to the place where they are to flower.

Tender Annuals should be sown in pots as follows: Take a 5 or 6-inch flower pot, put an inch of drainage in the bottom, then two inches of finely sifted soil, firmly pressed, with a sprinkling of sand on top. Then sow the seed, and do not cover, but press it into the soil. Water with a very fine sprinkler, and cover the top of the pot with a sheet of glass. Remove the glass for an hour daily to dry up the damp. When seedlings appear, gradually harden them off to the air. As soon as they can be handled prick out into 2-inch pots, and shift again when necessary.

Hardy Biennials and Perennials should be shown in September. Many varieties, if sown then, will flower the next year. If sown in spring they will not flower till a year later. They may be sown in a shady border, and when large enough, transplanted to where they are to remain.

Half Hardy and Tender Perennials should be sown in boxes, and treated as recommended for Half Hardy Annuals, till plants appear, when they should be pricked into 2-inch pots, and shifted afterwards when necessary.

Wo have arranged our list of Flower Seeds, according to the various classes. Annuals (including separate lists of Ornamental Grasses, and Gourds, and Everlasting Flowers.) Climbers, Annual and Perennial, and Biennials and Porennials in separate lists.

ABBREVIATIONS: hh means Half Hardy, Annual or Perennial; t means Tender Annual or Perennial. When no abbreviation is used, the variety will prove hardy in this climate. The letter b affixed to a variety, means that it is useful for bouquets and cut flowers.

All 5c packets at 50c per dozen.

All 10c packets at \$1.00 per dozen.

All 15c packets at \$1.50 per dozen.

All 25c packets at \$2.50 per dozen.

10 per cent Discount for Cash allowed on all orders for Flower Seeds amounting to \$1.00 and upwards.

ANNUALS.

Per	pkt.
Abronia Umbellata. Delicate roso; ht. 14 ft.	
The "Sand" Vorbena, beautiful nativo trailer.	
Adonis Flos. Crimson, with black eye; ht.	
1 ft	5e
The "Pheasant's Eye," a beautiful, showy,	
free flowering plant.	
And the second second	
Ageratum Mexicanum, Imp. Dwarf Blue.	
: Drait Dido.	
Ageratum Moxicanum. (See cut.) Imporial	
Dwarf Blue; ht. 34 ft.	5e
Imperial Dwarf White; ht. 34 ft	5e
Fine for bedding or mixed borders.	
Alonsoa Warscewizcii. Scarlet, very free	
blooming; ht 2 ft	5e

ALS.	
Per	υkt.
Alyssum Sweet. White; ht. 34 ft	_
Sweot. Compact, dwarf, white; ht. ¹ 3 ft Woll known fragrant annuals. b.	
Amaranthus Melancholicus Ruber. hh.	
Blood rod; ht. 1 ft	5e
Salicifolius. hli. (Fountain Plant.) Purple,	
crimson and gold; ht. 3 ft	5e
Tricolor. hh. (Joseph's Coat.) Red, green,	
and yellow; ht. 1 ft	5e
The Amaranthus are splendid plants to give	
a tropical effect in mixed borders and	
shrubbery. Plant in sunny places and	٠
poor soil.	
	_
Anagallis. Mixed, various colors; ht. 12 ft.	5c
The "Pimpernel," free blooming, attractive	
plant for borders.	
Argemone. Mixed, white and yellow; ht.	
	5e
The "Mexican Poppy." Very showy.	
Arnebia Cornuta. Yellow spotted with black	
or maroon; ht. 114 ft.	L5e
The "Arabian Primrose." b.	
Aster. American Branching, Flosh pink; ht.	
1½ ft	lΩa
American Branching. Lavonder; ht. 11/2 ft. 1	
American Branching, White; ht. 112 ft	
American Branching, White; ht. 1-2 ft	
Amorican Dranching. Mixed; It. 12 It	rOC

	Betteridge's	-	
	eau or Crown.		
ters,	mixed; ht. 1%	½ ft	 100



Cocardeau Aster.

Comet. Light blue; ht. 1½ ft 10e
Comet. Rose; ht. 1½ ft
Comet. White; ht. 1½ ft 10c
Comet. Mixed; ht. 1½ ft10e
Dwarf Pyramidal Bouquet, mixed, ht. 34 ft 10c
Dwarf Chrysanthemum fl'r'd, mxd; ht. 1 ft. 10e
Giant Emperor. Flower 3 inches in diam-
eter, mixed; ht, 1½ ft 10e
Lady, Rose; ht. 1 ft
Lady, White; ht. 1 ft 15e
Lady, White, passing to rose; ht. 1 ft 15e
Lady, Mixed; ht. 1 ft 10e
Truffaut's Peony-flowcred perfection, mixed,
ht, 1½ ft
Truffaut's Peony-flowered perfection, white;
ht. 1½ ft 10e
Victoria, mixed; ht. 112 ft 10c
Victoria, White; ht. 112 ft 10c



Celosia Cristata, Glasgow Prize.


Per pkt.
Aster. Washington, mixed; ht. 112 ft 10e
Well known useful plants; invaluable for a
display in the garden and also for cut
flowers. The American Branching and
Comet varieties are the favorites among
florists. The Lady Aster is a new and dis-
tinct class with very narrow leaves and re-
markable free flowering qualities, and is
one of the finest for cutting purposes b.
Balsam. hh. Double Rose-flowered, mixed;
ht. 2 ft
Camellia-flowered, (See cut.) Mixed; ht.
2 ft
Dwarf, mixed; ht. 1 ft
Carnation-striped, mixed; ht. 2 ft 10e
Solferino. White, Lilae and Scarlet; ht. 2 ft. 10c
Balsams, or "Touch Me Nots," are among
the finest of our annuals, either for garden
or pot culture. Wo offer none but the
finest strains.
Bartonia Aurea. Yellow; ht. 1 ft 5c



Camellia-flowered Balsam.

Brachycome Iberidifolia. Mixed; ht. 12 ft. 50	
	;
"Swan River Daisies." Free blooming plants,	
with Cinoraria-like flowers. Native of	
Western Australia.	
Browallia Elata. hh. Mixed; ht. 112 ft 100	
Cacalia Coccinea. Scarlet; 12 ft 5c	;
"Flora's Paint Brush," b.	
Calandrinia Umbellata. Vivid crimson,	
Portulaca-like plants, fond of sunshine,	
well suited for rock work; ht. 14 ft 50	;
Calceolaria Hybrida Superba. t. Beauti-	
fully blotched, mottled and striped; ht.	
1½ ft	
The seed we offer has been hybridized by	
the best cultivators, and is the most su-	
perb strain procurable Sow in August	

Per	pkt.
Calendula Officinalis. "Meteor." Yellow,	
striped and bordered orange; ht 112 ft	5e
"Prince of Orange," ht. 34 ft	5e
"Pot Marigolds." Of easy[culture. b.	
Caffiopsis Bicolor. Yellow and brown; ht.	
2 ft	5e
Coronata. Yellow, large flowered; ht. 2 ft	5e
Fine Mixed. All colors; ht. 2 ft	5e
Also called Coreopsis. b. (See Perennials.)	



Candytuft, White.

Candytuft. Carter's Carmine; ht. 1 ft.	10c
Purple, ht. 1 ft	5е
Rocket, white, ht. 1 ft	
White (Sec cut) lit. 34 ft	5e
White, fragrant; ht. 1 ft	
Fine mixed, all colors; ht. 1 ft	
Good for bedding in masses. b.	
Catchfly. Fine mixed; ht. 1 ft 5c	
Celosia Cristata. hh. Empress,	
dwarf, crimson, splendid; ht.	
³ 4 ft	
Glasgow Prize. (See cut on page	
69.) Crimson; ht. 1 ft 15e	
Finest mixed; lt. 34 to 1 ft 10e	3
Pyramidalis. Mixed; ht. 2 ft 5c	
Celosia Cristata is the Cockscomb.	
Celosia Pyramidalis is the feath-	7/2
ered variety.	211
Centaurea Cyanus. Emperor Wil-	CAN'E
liam, sky blue; ht. 2 ft 5e	357
Cyanus. White; ht. 2 ft 5e	THE STATE OF THE S
Cyanus. Red; ht. 2 ft 5c	THE
Cyanus. Dark blue; ht. 2 ft 5c	EZ MA
Cyanus. Mixed; ht. 2 ft 5e	- SAN
Chameleon. Flowers similar in shape	-
to C. Margaritæ, but varying in	′
color, from light yellow, or straw	
color, to pink and yellow, or light rose; ht. 1½ ft. b 15c	
Margaritæ. (See cut.) Large, pure	
Margaritæ. (See cut.) Large, pure white flowers, about 2½ inches in	
diameter, with the edge netals	
beautifully tubed and twisted; ht. 1½ ft. b	
110. 1/2 11. 0 130	

Per	-7
Centaurea Moschata. White; ht. 3 ft	
Moschata. Purple; ht. 3 ft	
Suaveolens. Yellow; ht. 11/2 ft	
The last three mixed; ht. 1½ to 3 ft	
The Cyanus varieties are the well known	
Corn Flowers; b. The Moschata varieties	
and Suaveolens are the old fashioned	
Sweet Sultans; b.	
Centranthus. Mixed, various colors.	
Showy annuals, with valerian-like flowers,	
b; ht. 1 ft	5e
Chrysanthemum Tricolor Album. White;	
ht. 2 ft (See cut.) White	Бe
with crimson ring; lt. 2 ft	5e
Tricolor Double Mixed. Various colors; ht.	Ð.
2 ft	5e
Tricolor W. E. Gladstone. Rich crimson;	00
ht. 2 ft	5e
Coronarium. Double white; ht. 2 ft	5e
Coronarium. Double yellow; ht. 2 ft	56
(See also perennials.) The annual Chrysan-	
themum is rapidly rising in favor, being	
showier than the Margnerite, and of di-	
verse colors. b.	
Cineraria Hybrida. t. Choice mixed:	
ht. 1 ft	50e
(See also perennials.) Valuable winter and	,,,,
spring flowering pot plants for window or	
greenhouse culture.	
Clarkia Elegans. Double rose; ht. 112 ft	=
Pulchella. Purple; ht. 1½ ft	
Pulchella. Purple, double; ht. 1 ¹ 2 ft	
Fine Mixed. All kinds; ht. 1½ ft	



Centaurea Margaritæ.

Per	pkt
Cfintonia Pulchella. Blue, white and yel-	
low; ht. ½ ft	
Pretty for rock work.	
Coslinsia Bicolor. (See cut.) Purple and	
white; ht. 1 ft	5
·	0
Convolvulus Minor, Mixed colors. Dwarf	E
Morning Glory; ht. 1 ft	5
Corn Fiower. (See Centaurea.)	
Cosmos. Pure white; ht 4 ft	5
Pink; (See cut.) ht. 4 ft	50
Purple; ht. 4 ft	5
Fiuo Mixed; ht. 4 ft	
Mammoth Perfection. Mixed; ht. 4 ft	100
New Hybrid. White; ht. 4 ft	10
New Hybrid. Crimson; ht. 4 ft	100
New Hybrid. Light pink; ht. 4 ft	
New Hybrid. Dark pink; ht. 4 ft	10
Improved Yellow; ht. 3 ft	150
Showy flowers of easy cultivation. b.	
Cosmidium Burridgeanum. Maroon and	
yellow; ht. 2 ft	
Resembling Calliopsis. b.	
Datura Huberiana. hh. Doublo mixed; ht.	
3 ft	100
Echium Creticum. "Vipers' Bugloss." Scar-	~~
	10.
let; ht. 3 ft	100
Eschschoitzia Californica. Yellow; ht.	_
1 ft	
"Golden West." Canary yellow and orange;	
ht. 1 ft	100

11to A. Itaniani, and a second	
Per pl	t.
White and carmine; ht. 1 ft 10)e
Orange; ht. 1 ft 5	бe
Orange, double; ht. 1 ft 10)e
White; ht. 1 ft	бe
White, double; ht. 1 ft 10	e)
Rose Cardinal. Rose; ht. 1 ft 10)e
Mandarin. Orange and Mandarin	
red; ht. 1 ft	
Fine mixed, all sorts; ht. 1 ft 5)C



Cosmos, Pink.

The well known "California Poppy." The "Golden West" is a new varioty, producing very large flowers, of a light canary yellow color, with an orango blotch at the base of each petal, forming a maltese eross in the center of the flower.




Lady Albemarlo. Dark crimson; ht. 1¹2 ft 5c Rubiennda Splendens. Red; ht. 1¹2 ft. 5c Amoena. Dark rose, native variety; ht. 1½ft 5c




Chrysanthemum Tricolor Burridgeanum.

Godetia.	The Bride	Crimson	and wh	Per ite:	pkt.
	ft				5e
Finest mix	ed; ht. 11/2 f	`t			5e
Splendid,	profuso blo	oming s	unuals	for	
borders	and groups.				



Larkspur. Dwarf Rocket.

Gypsophila Muralis. Rose; ht. 12 ft	
Elegans. Rosy white; ht. 112 ft	5
Very graceful. b. [See Porennials.]	
Hawkweed. Mixed; ht. 1 ft	5
Helianthus Californieus. Double, ht. 6 ft	5
Globosus Fistulosus. Doublo quilled; ht. 6 ft	5
Nanus. Dwarf, double; ht. 3 ft	5
Ornamontal double varieties of the well-	
known Sunflower, good for backgrounds.	



Leptosyne Stillmani.

T COMPANY'S
Per pkt.
Hibiscus Africanus. Yellow, with dark
center; ht. 2 ft
[See also Perennials.] Ice Plant. [Mesembryanthemum Crystalli-
num.] White, trailer 5c
Kaulfussia Amelloides. Mixed; ht. 1 ft 5e
"Capo Marguerite." b.
Larkspur. Dwarf Rocket. (Sec cut.)
Mixed; ht. 2 ft
Emperor. Rose; ltt. 2½ ft
Tall Stock-flowered, mixed; ht. 2½ ft 5e
\$90
Marigold, French.
Lavatera Trimestris. Red; ht. 2 ft 5e
Leptosiphon Hybridus. Mixed; ht. 13 ft. 5e
Leptosyne Stillmani. (See Cut.) Yollow
ht. 1 ft
A native of the Sierra Nevadas; of bushy eempaet habit, with graceful thinly cut
foliago, and golden yellow blossoms over
11/2 inches in diameter, and fine for eut-
ting purposes. b.

Mignonette.

Limnanthes Douglassii. Yellow; ht 13 ft.	5 e
Sometimes ealled "Yellow Nemophila."	
Linaria Bipartita Splendida. Dark purple;	
ht. 1 ft	5c
"Toad Flax." Small Snapdragon-like flowers; purple, flecked with gold. (See also Perennials.)	
Linum Grandiflorum Rubrum, Searlet; ht.	_
1 ft	5e
"Searlet Flax." Unsurpassed for brilliancy and duration of bloom.	
and duration of bloom.	


I	Per	pkt.
Lobelia Erinus Erecta. Blue; ht. ½ ft		10e
Crystal Palace Compacta. Dark blue;	ht.	
i ₃ ft		10e
"Emperor William." Light blue, compa	et;	10e
Pretty plants for edging or hanging basks		
(See also Percunials.)		



Phlox Drummondii, Double Yellow.

Love Lies Bleeding. Crimson; ht. 2 ft. 5e (Amaranthus Caudatus.)

Lupinus. Mixed annual varieties. b. ht.





Phlox Drummondii, Rose.

Malope Grandiflora Purpurea. Redish purple; ht. 2 ft	5
Marigold. African, Lemon-colored; ht.	5
African, Orange; ht. 2 ft	
African, Mixod; ht. 2 ft	5
French, Dwarf. Orange; ht. 1 ft	5

Per pkt.
Marigold. French, Dwarf Striped; ht. 1 ft 5e
French, Legion of Honor, golden yellow,
marked with velvety brown; ht. 34 ft 5c
French, Tall striped; ht. 2 ft 5c
French, Mixed. (See cut.) ht. 1 ft 5c
Favorite showy plants for mixed borders.
(Sec also Calendula.)
Matthiola Bicornis. Purple; ht. 12 ft 5e
The Night-scented Stock. Fragrant.
Mesembryanthemum Tricolor. Purple
rose and white, trailer
"Dew Plant," for edging, or rockwook.
Mignonette, Sweet. (See cut.) Greenish
white; ht. ½ ft
Large flowering, greenish white; ht. 34 ft 5c
Compact dwarf; ht. ¹ 3 ft 10c
Golden Queen; ht. 1 ft 10c
Machet, fine for pot culture; ht. 1 ft 10e
Miles's hybrid spiral, very large spikes; ht.
1 ft
Parson's White, fine long spikes; ht. 1 ft 10c
The last four kinds are extra fine. b.




Nasturtium, Crimson.

Austurtium, Orinison.	
Nasturtium, Tom Thumb. Chamel-	
con. A new variety producing flowers	
of different colors on the same plant; ht.	
1 ft	10e
Cloth of Gold. Light scarlet, yellow foliage,	
ht. 1 ft	5e
Dark Crimson. (See cut); ht. 1 ft	5e
Empress of India. Dark leaves and crimson	
flowers; ht. 34 ft	10c
Golden King, dark foliage; ht. 1 ft	
King of Tom Thumbs. Dark foliage, searlet	
flowers; ht. 1 ft	
King Theodore. Nearly black; ht. 1 ft	
Ladybird. Orange yellow, red spots; ht. 1 ft.	
Pearl. White; ht. 1 ft	
Ruby King. Light ruby rod: ht. 1 ft	
Scarlet; ht. 1 ft	
Yellow; ht. 1 ft	5c

Per pkt.	Per ph
Nasturtium, Tom Thumb. Finest	Phlox Drummondii. Double Yellow. (See
mixed; ht. 1 ft 5e	cut on page 73.) ht. 1 ft
Lilliput. (See cut.) A new and distinct	Bright Scarlet; ht. 1 ft
class, in every respect smaller than the	Red, with white eye; ht. 1 ft 10
Tom Thumbs. Flowers of various colors;	Rose, striped white. (See cut on page 73)
ht. ½ ft	ht. 1 ft
(For Tall Nasturtiums, see Climbing Plants.)	Pink; ht. 1 ft
Nemophila Insignis. Beautiful sky blue,	Fine mixed; ht. 1 ft
"Baby Blue Eyes;" ht. 12 ft 5e	Large flowering, fine mixed. (See cut.) ht.
Maculata. Large, white with purple blotch;	1 ft
ht. ¹ 2 ft 5e	Very dwarf, Fireball, brilliant scarlet; ht.
Fine mixed; ht. ¹ 2 ft 5e	½ ft 10
"Love Grove." Charming California annuals	Very dwarf, extra fine, mixed; ht. 12 ft 10
for borders.	Cuspidata. "Star Phlox," mixed; ht. 1 ft 10
A 1500	Well known showy plants for bedding.
dellass to the	
	a la la
The state of the s	
Nasturtium, Lilliput.	
Nicotiana Affinis. Ornamental tobacco.	
Large, white and fragrant; ht. 3 ft 10c	
Nigella Damascena. Double, lavender blue;	
ht. 1 ft 5c	
"Love in a Mist" or "Devil in the Bush."	
Singular flowers, the upper petals being	
reflexed to resemble horns. b.	
Nolana. Fine mixed, trailer 5c	
Oxyura Chrysanthemoides. Yellow and	
white; ht. 1 ft 5c	
Pansy. (See list of Perennials.)	
Perilla Nankinensis. hh. Very dark leaves;	
ht. 1½ ft	Tulip Poppy.
10. 1/2 10	
M ·	Platystemon Californicus. Yellow; ht.
STEP STEP STEP	3 ₄ ft
	Poppy. Carnation, double white; ht. 2
2 2 2	to 3 ft 5e
	Carnation, double mixed; ht. 2 to 3 ft 5c
	Danebrog. Scarlet. Blotched white; ht.
	2 ft 5c
	French, or Ranunculus-fld. Mixed; ht. 2 ft. 5c
	Mikado. White and crimson, double, fringed;
	ht. 2 ft 5e
	Peony-flowered, fine mixed; ht. 2 to 3 ft 5c
	Shirley, mixed; a distinct race, fine; ht
	2 ft 10c
	Tulip. (Papaver glaucum.) Scarlet. (See cut.) ht. 1 ¹ 4 ft
	Umbrosum. Double, scarlet crimson; ht.
	1 ¹ 2 ft
A STATE	[See also list of Perennials.]
Phlay Drawmandii Lagar W.	Portulaca. Single. Yellow; ht. ½ ft 5e
Phlox Drummondii, Large Flowering.	White; ht. ¹ 2 ft
Phlox Drummondii. White; ht. 1 ft 10e	Crimson: ht. ½ ft
Double White; ht. 1 ft 15e	Mixed; ht. 12 ft

Per	pkt.
Portulaea. Double, white; ht. 12 ft	10e
Golden; ht. 12 ft	10e
Pink; ht. 12 ft	10e
Searlet; ht. 12 ft	
Mixed, finest quality; ht. 12 ft	
For exhibiting a display of dazzling brilliancy	
the Portulaca is unrivalled. It revels in	
sunshine, and will stand quite a degree of	
drought.	
Ricinus Cambodgensis. Leaves and stems	
	5e
nearly black, very fine; ht. 5 ft	
Sanguineus. Blood red foliage; ht. 6 ft	5e
Ornamental Castor Beans.	
Salpiglossis. hh. Finest tall mixed; ht.	
1½ ft	10c
Flowers are somewhat like Petunias, with	
veined, velvety surface. b.	
Sanvitalia Procumbens. Single yellow,	
trailer	5e
Double yellow, trailer	5e
Profuse blooming trailing plants for beds,	
rock-work, etc. Sometimes called the	
"Trailing Sunflower."	
Saponaria Calabrica. Pink; ht. 12 ft	5e
The Calabrian Pink or "Soapwort."	
Schizanthus Pinnatus. Blue; ht. 11/2 ft	5e
Grahami. Lilac and yellow; ht. 112 ft	5e
Finest mixed; ht. 1½ ft	5e
Of much interest and beauty, the flowers be-	
ing beautifully marked, after the style of	
some orchids.	






Torenia Fournieri.

Giant Perfection.	Dark blue; ht. 2 ft 15c
Giant Perfection.	White; ht. 2 ft 15e
Giant Perfection.	Mixed; lt. 2 ft 10e
Princess Alice.	(Cut and Come Again.)
White; ht. 11/2	ft 10e



Stocks, Dwarf Bouquet.

Senecio, or Jacobea. Double mixed;
ht. 1 ft 10e
"American Groundsel." Showy flow-
ers, succeeding well in any soil. b.
Silene Pendula Compacta. Red; ht.
³ 4 ft 5e
Compacta, double, red; ht. 34 ft 5c
Fine for bedding or edging.
Statice Suworowi. Bright rose, large
spikes, b. ht. 1½ ft 10c
[See also perennials.]
Stocks, Ten Weeks. (See ent.)
Dwarf Bouquet. Finest mixed; ht. 1 ft 10c
Large Flowered. Blood red; ht. 1 ft. 10c
Large Flowered. Light blue; ht. 1 ft 10c
Large Flowered. White; ht. 1 ft 10c
Large Flowered. (See cut.) Finest
mixed, ht. 1 ft



Stocks, Large Flowered.




Zinnia, Mammoth Double.

rer pkt,
Stocks. Wallflower Leaved. Finest mixed;
ht. 1 ft 15e
Wallflower Leaved Snowflake. Pure white;
ht. 1 ft
[For Intermediate, Brompton and other
Stocks, see Perennials.] The Stocks of-
fered above are the finest obtainable. The
seed is saved from pot grown plants, and
may be relied upon to produce nearly all
double flowers. The Princess Alice and
Giant Perfection varieties are the finost
for cutting purposes. b.
Sunflower. See Holianthus.
Sweet Sultan. See Centaurca.
Sweet Peas. See list of climbers.
Tagetes Signata Pumila. Yellow striped
brown, fine for bedding; ht. 34 ft 5e
Torenia Fournieri. t. (See ent on page 75.)
Violet with lilac and yellow; ht. 34 ft 15c
A valuable plant for pots, baskets or borders.
Venus' Looking Glass, Blue; ht. 34 ft 5e
Protty bell-shaped flowers, blooming pro-
fnsely, well adapted for edgings and hang-
ing baskets.
Venus' Navelwort. White; ht. 1 ft 5e

Virginian Stock. Red; ht. 1/2 ft 5e Virginian Stock. White; ht. 1/2 ft.. 5c Virginian Stock. Mixed; ht. 1/2 ft... Viscaria Cœlirosea. "Rose of Heaven," pink; ht. 34 ft..... 5c Elegans Picta. Rose and scarlet; ht. 1 ft..... Oculata. Rose, dark eye; ht. 1 ft. 5c Whitlavia Grandiflora. Violet; ht. ½ ft..... Gloxinioides. White and blue; ht. ½ ft...... 5e Zinnia. (See cut.) Finest double mixed; ht. 2 ft...... 5e Dwarf double, mixed; ht. 1 ft.... Mammoth dbl. mxd (see cut); ht.3 ft 10c Haageana, fl. pl. double yellow; beauty and variety of color. b.

It is now an acknowledged fact the world over, that California-grown seeds are of better quality and retain their vitality longer than those grown in other climates. Therefore, buy your seeds direct from California.



"The growing of seeds demands the nicest skill and the closest followship with plants. It is a business which demands much care and pains, and its promoters must be students. It is one of the most special and difficult of all agricultural operations."—[U. S. Department of Agriculture Year Book.

In this connection let it be distinctly understood that the Germain Frnit Co. are professional seedsmen—growers as well as sellers—of long experience and recognized standing among growers and dealers. When planting their superior California-grown seeds better crops and better returns are the results—a consideration which no soil tiller can afford to ignore.

SEEDS OF EVERLASTING FLOWERS.

These are greatly admired and highly prized for winter bouquets. They should be ent when partially expanded, and hung with the heads downward until thoroughly dry. a.—Annual. p.—Porennial.

Aeroclinium.	a.	Single	white;		pkt. 5e
Pink, ht. 1 ft				 	5e
Mixed; ht. 1 ft		••••••		 	5e



Acroelinium, Double Pink.

Double white,	fifty per cent	double flor	wers;
ht. 1 ft			10e
Double Pink.	(See cut.)	Fifty per	cent
double flowo	rs; ht. 1 ft		10c



Globe Amaranthus.

Ammobium	alatum.	a.	White;	ht.		pkt. 5e
Globe Amar	anthus.	. a.	Purple;	ht.	1 ft	5e
White; ht. 1 f	t		••••••		•••••	5e
Fine Mixed.	(Sec cut);	ht.	1 ft		•••••	5e
Gnaphalium	Leontop	odiu	m. p.	Wh	ite;	
ht. ½ ft	•••••	·•·····		••••		15e
The true "Alp	inc Edelw	eiss.	"			



Helichrysum, Double.

Helichrysum. (Straw Flower.) a. Tall
double pink; ht. 2 ft10e
Tall double white; ht. 2 ft 10e
Tall double mixed (see cut); ht. 2 ft10c
Rhodanthe Maculata. a. Pink; ht. 1 ft 10c
Alba. White; ht. 1 ft10e
Manglesii. Bright rose; ht. 1 ft 10e
Mixed; ht. 1 ft10e
Xeranthemmn. a. Double mixed; ht.
2 ft


ORNAMENTAL GOURDS AND CUCURBITACEAE.

These are usually all Climbing Annuals, with curious grotesque fruits. When dried many of the shells may be utilized for various purposes, as for dippers, drinking utensils, troughs, etc. They grow rapidly in hot weather, and are very useful for screening unsightly objects. hh a.

. Per	pkt.
Abobra Viridiflora. Greenish flowers; a tub-	
erous perennial gourd, with pretty scarlet	
fruits; ht. 6 ft	10e

	Per pkt.
Bryonopsis Laciniosa Erythrocarpa.	Very
ornamental, with pleasing cut foliage,	and
bright colored fruits; ht. 5 ft	10e

			Per pkt.
Cucumber,	Snake.	(Cucumis	flexuosus.
See cut.)	ht. 6 ft		10e
Wild. Very	curious;	ht. 4 ft	10e




Snake Cucumber.

Gourd.	Bottle-shaped.	White flowers;	ht.
10 ft.		·····	10e
Calabash	-shaped; ht. 1	O ft	10e
		t. 10 ft	



Dish Rag. When properly prepared this is very serviceable in many ways; ht. 6 ft.... 10e

	pkt.
Gourd. Egg-shaped "Nest Egg;" (See eut.)	
ht. 10 ft	10c
Gooseberry, smallest; ht. 6 ft	1 0e
Hercules' Club. Fruits 7 to 8 ft. in length;	
ht. 15 ft	
Orange-shaped, (Moek Orange;) ht. 15 ft	10e
Pear-shaped; ht. 10 ft	10c
Pear-shaped; ht. 10 ft	10c



Dipper Gourd.

Serpent. (Triehosanthes Colubrina.) Very
long and eoiled; ht. 10 ft 10c
Sugar Trough. Enormous, holding several
gallous; ht. 15 ft 10c
Momordica Balsamina. "Balsam Apple;"
ht. 6 ft 10e
Charantia. "Balsam Pear;" ht. 5 ft 10c
The Momordieas are very handsome. The
fruits burst when ripe, exposing the bright
orange searlet interior, which resembles a
handsome flower.

Ornamental Gonrds. Finest mixed kinds, 10c



Egg-Shaped Gourd.

SEEDS OF CLIMBING PLANTS.

a. - Annual. p. - Perennial.

1701	pkt.
Adlumia Cirrhosa. p. Pink; ht. 8 ft	10e
The graceful "Allegheny Vine," also ealled	
"Mountain Fringe."	
Ampelopsis Quinquefolia. p. Good fol-	
iage; ht. 50 ft	10 e

	Per pkt.
Veitehii, p. (Japan Ivy;) ht. 50 ft	10e
The well known "Virginia Creeper.	
Antigonon Leptopus. p. Rose	15e
One of the most elegant elimbers know	
Native of Mexico. (Rosa de Montana.)

Per pkt.
Convolvulus Major, a. Blue; ht. 10 ft 5c
Crimson; ht. 10 ft
Pink; ht. 10 ft 5e
Striped; ht. 10 ft
White; lt. 10 ft
Mixed; ht. 10 ft
rare; ht. 8 ft
The woll-known "Morning Glories."
Cypress Vine. Scarlet, lha. (See cut.)
ht. 8 ft. 5c
White, hha. ht. 8 ft
Mixed; ht. 8 ft 5c
(Ipomœa Quamoclit.) Well known climbers,
with handsome delicate foliage.
Dolichos Lablab, hha. Mixed; ht. 8 ft 5c
Lignosus, p. "Australian Pea Vine," rose
and purple, one of the best climbers, for a
hot, dry climate; ht. 15 ft 10c
Eceremocarpus Scaber, p. Orange; ht. 6 ft
Very valuable to cover trellises.
Humulus Japonicus, a. ht. 20 ft
may be sown in open ground in spring,
attaining immense proportions in a short
time.
Imperial Japanese Morning Glory, hla.
Mixed, all colors, very large; ht. 30 ft 10c
Ipomoca, Heavenly Blue, liha. Light blue;
ht. 15 ft 10c
Learii. "Bluc Moon-flower," splendid, p;
ht. 25 ft
Moon-flower," hhp. ht. 15 ft 15c
Kennedya Bimaculata Grandiflora, p. Pur-
ple; ht. 10 ft
Lathyrus Latifolius, p. Mixed, rose and
white; ht. 6 ft 5c
The "Everlasting Pea."
Loasa Aurantiaca, hha. Golden yellow; ht.
6 ft 10c
The "Chilian Nettle" plant, with beautiful
and interesting flowers. Must be handled
with gloves, as the leaves sting.
Lonicera Tartarica, p. (Tartarian Honey-
suckle.) Rose; ht. 6 ft 10c
Mandevillea Suavcoleus, p. White; ht.
15 ft
"Chili Jasmino." Very fragrant.
Maurandia, hhp. White; ht. 8 ft 10c Purplo; ht. 8 ft 10c
Fine mixed; ht. 8 ft
Mina Lobata. (See cut on pago 80.) Red,
yellow and white, ta. ht. 15 ft
Sanguinea. Blood red, ta. ht. 15 ft 10c

flowers. . Very showy, great favorites in this section.

Per	pkt.
Nasturtium, Tall. (See cut.) Chame-	
lcon. A new variety, producing flowers of	
different colors on the same plant; ht. 6 ft	
Dark crimson; lt. 6 ft King Theodore. Dark maroon, dark leaves,	5e
extra fine; lit. 6 ft	5e
Orange; ht. 6 ft	
Pearl. Creamy white; ht. 6 ft	
Searlet: ht. 6 ft	5e
	1
	5
	3
	2×
	· P
DEPOSE	
Nasturtium, Tall Chameleon.	
Vesuvius. Salmon rose, dark leaved, splen-	1
***	10e
	100

${ m P}\epsilon$	er pkt.
Passiflora Cardinalis, hhp. Scarlet; ht	
8 ft	25e
Cœrulea, p. Blue; ht. 8 ft	10e
Edulis. Edible, p. Mauve; ht. 8 ft	10e
Fulgens. Red, hhp. ht. 8 ft	15e
Princeps coccinea. Scarlet, hhp. ht. 6 ft.	25e
Quadrangularis, hhp. (Macrocarpa.) "Large	е
Granadilla;" ht. 10 ft	25e
Trifasciata, hhp. Three angled stem, edible	;
ht. 8 ft	25e
Fine mixed; ht. 6 to 8 ft	. 1 0e
The above collection comprises all the mos	t
beautiful and useful varieties of "Passion	1
Flowers."	



Mina Lobata.

Phaseolus Caracalla. hhp. Lilac, purple	
and white; the "Snail Vine," very beauti-	
ful and interesting; lt. 8 ft	10c
Smilax. p. Bulb; white; very useful for	
festooning, etc.; ht. 6 ft	10c
Sollya Heterophylla. hhp. "Climbing Blue	
Bell." A pretty climber, with charming	
intense blue flowers: ht. 6 ft	150

Special Offer of California-Grown Flower Seeds in Collections.

These are put up in small separate packets, each labeled with the name or color, and all enclosed in a larger envelope labeled with name and number of varieties contained therein.

No. 1-25 fine varieties of California-grown flower seeds, \$1.

Finest mixed; ht. 6 ft...... 5e

- No. 2-12 varieties of California-grewn flower seeds, 50c.
- No. 3-12 beautiful varieties, trailing and climb'g plants, 50c.
- No. 4-6 beautiful varieties, trailing and climbing plants, 25c
- No. 5-! 6 fine varieties of everlasting flewers, 25c.
- No. 6-6 choice varieties of Tom Thumb Nasturtiums, 25c.
- No. 7-6 choice varieties of tall or climbing Nasturtiums, 25c No. 8-4 beautiful varieties of Ornamoutal Gourds, 25c.
- No. 9-5 grand varieties of Passion Flewers, 25c.
- No. 10-5 grand varieties of Tacsonias, 50c.



Lady Penzanee. Standard orango-pink, wings deep pink.

Lottie Eckford. White suffused and edged with lavender.

Lovely. Shell pink, very large, extra fino. Mars. Fiory erimson, deepening with age. Monarch. Deep purplish maroon.

Mrs. Eckford. Delicate primrose yellow.
Mrs. Joseph Chamberlain. Bright rose striped on white ground.

Peach Blossom. Salmon pink, wings soft pink.

Prima Donna. Soft pink, extra fine.
Princess of Wales. White, striped with
mauve.

Ramona. White, striped and splashed with delieate pink.

Scnator. White ground, striped with ehocolate. Stanley. Rich dark maroon, the best dark variety.

Venus. Salmon buff, shadod with pink.

The above varieties 5e per pkt.; 50e per dozen pkts.; 15e per oz.; 35c ¹4 lb.; \$1 lb. The whole collection of 35 varieties, 1 pkt. of each, mailed free for \$1.25.

California Large Flowering Mixed. From 20 named varieties, 5e per pkt.; 10e per oz.; 25e ¹4 lb; 75e lb.

CUPID OR DWARF SWEET PEAS.

While these eannot properly be classed under the heading of Climbers, we have placed them here in order to have our Sweet Peas under one list, and thus render it more convenient for our eustomers in selecting varieties. They grow from 6 to 10 inches high making dwarf compact plants, often spreading over an area of from 12 to 15 inches, and will be found very valuable for bedding purposes. The flowers are fully as large as the ordinary Sweet Peas and produced in great abundance.

Alice Eckford Cupid. Standards ereamy white, suffused with soft pink, wings silvery white, flushed with pink in the eenter. Per pkt. 15c.

Beauty Cupid. Standard rose, shading to white at the edges and lightly striped with carmine at the base, wings rosy earmine. Per pkt. 15e.

Pink Cupid. Standards bright rose pink, wings white or light pink. Per pkt. 10c.

Primrose Cupid. Palo primrose or creamy white. Per pkt. 15c.

White Cupid. Pure white, very fine. Per pkt. 5c.

One pkt. each of the above 5 varieties mailed free for 50c.

To pro
Tacsonia, hhp. Exoniensis. Light red;
ht. 6 ft
Ignea. Fiery red; ht. 6 ft 150
Van Volxemi. Dazzling scarlet; ht 6 ft 15e
Mollissima. Pink; ht. 6 ft
Mixed; ht. 6 ft
Beautiful elimbors, resembling Passifloras in foliage and flowers, eolors varying from pink to erimson. Very ornamental.
Thumbergia Alata. hha. Mixed. White
and yellow; ht 6 ft

	r er In	K
Tropaeolum Lobbianum. Spitfire. a.	Vivid	
scarlet; ht. 6 ft		5e
Finest mixed. a. All colors; ht. 6 ft		5e
Useful climbers, which may be pegged	down	
and used for bedding purposes. May	z also	
be grown in pots for winter flower	ering.	
Colors dazzlingly brilliant.		
Wistaria Sinensis. p. Light blue 50 ft		5e
A charming old fashioned hardy clin		
producing its pale blue flowers in	large	
elusters in early spring.		

Per ukt

PERENNIALS.

Per Pkt.
Alyssum Saxatile. Beautiful yellow; ht.
3 ₄ ft
Fine for borders or rock work. b.
Anchusa Capensis. Azure bluo; ht. 11/2 ft 5e
"Cape Alkanct" free blooming biennial. b.
Anemone Coronaria. (See cut.) Mixed;
ht. ½ ft 10e
The "Windflower." Beautiful early spring
flowering plants.
Antirrhimum Majus. Tall mixed; ht. 2 ft 5e
Dwarf, mixed; ht. 1 ft 5e
Tom Thumb, mixed; ht. 34 ft 5e
"Snapdragons," hardy porennials, flowering
the first year, unsurpassed for bordors. b.
Aquilegia Chrysantha. Yellow; ht. 11/2 ft 10e
Double mixed hybrids, very fine; ht. 1½ ft 10e
Single mixed; ht. 1^{1}_{2} ft 5e
"Columbines." Handsome hardy perennials,
indispensable as decorative border plants. b.
Arabis Alpina. White; ht. 12 ft 5e
"Rock Cress," useful for rockwork.
Asperula Odorata. White; ht. ½ ft 10c
"Woodruff," very fragrant.
Aster. Perennial varieties, finest mixed, "Miehælmas Daisies;" ht. 3 ft
Auricula. Finest English hybrids; ht. ½ ft 25c
From the finest collection. Fine deep
colors, variously margined. Good for

pot culture.

Per pkt.

Begonia. t. Tuberous rooted, single,
splendid mixed; ht. 1½ ft....... 50e



Anemone Coronaria.

Per pkt
Begonia. Rex. Ornamental leaved, finest
mixed; ht. 1 ft
Splendid decorative plants, suitable for pot
culture. The tubers of the first named
variety should be shaken out of the pots
and kept in a dry, warm place during the
winter.
- 1000 Nava
一个
and the second

Bellis Perennis.

Bellis Perennis. fl. pl. (See cut.) Mixed double, finc; ht. \(^{1}4\) ft
Longfellow. Large rose; ht. \(^1\)4 ft
Quilled. Mixed, fiue; ht. \(^1\)4 ft
Snowball, double white; ht. \(^1\)4 ft
Double red; ht. ¹ 4 ft
The popular double English Daisies. Very useful for edgings. Bocconia Japonica. White; ht. 4 ft
nseful for edgings. Bocconia Japonica. White; ht. 4 ft
•
Cordeta, Buff, ht. 6 to 10 ft 15c
Very ornamental, planted as single specimens, or in groups on lawns.
Cactus. Finest mixed; ht. 1/2 to 4 ft 15e
Saved from the best and most distinct species.
Campanula Carpatica. Blue; ht. ½ ft 5c
Pyramidalis. Blue; lit. 3 ft
Fine mixed peronnial; ht. 1 to 3 ft 5c
[Seo also "Canterbury Bells."]
"Bell Flowers." Hardy plants, well suited
for mixed borders.
Canna. New French hybrids, mixed; ht.
4 ft 10e
Handsome plants for lawn decoration and
for back grounds. Soak the seed in tepid
water for twonty-four hours before sow-
iug.
Canterbury Bells. Single blue; ht.
2 ft 5e
Single White; ht. 2 ft 5e
Single Rose; ht. 2 ft 5e
Single mixed; ht. 2 ft 5e
Double White; ht. 2 ft
Double Rose; ht. 2 ft 10c

Per	pkt.
Canterbury Bells. Double Blue; ht. 2 ft	10c
Double Mixed; ht. 2 ft	10e
Calycanthema mixed; ht. 2 ft	
Very handsome border perennials of great	
ntility, and deservedly popular favorites.	
The last two kinds are of great beauty,	
the calyx being of the same color as the	
flower. They are called "Hoso in Hose,"	
or "Cup and Sancer," Cauterbury Bells, b.	
Carnation. Finest German mixed; ht.	
1½ ft	250
Redondo mixed; ht. 1½ ft	15e
Perpetual, or Tree, very fine; ht. 2 ft	
Grenadin; early dwarf, red; ht. ½ ft	
Margnerite mixed. (See cut.) Will commence	100
flowering within four mouths from the	
time of coming up; ht. 1½ ft	
Our collection comprises the most richly	200
scented and beautifully marked varieties, b.	
Centaurea Candidissima. White foliage;	10.
ht. 1 ft	
Gymnocarpa; ht. 1 ft	TOG
beds or borders. Cerastium Tomentosum. White leaves,	
trailor trailor	15.
"Jerusalem Star." Useful for edgings and	
rock work.	
Chrysanthemum Frutescens. White yellow-eye (Paris Daisy:) ht. 2 ft	10e
low-eye (Paris Daisy;) ht. 2 ft	10e
Nanum (Pompone,) mixed; ht. 2 ft	10e
Japonicum (Japanese,) mixed; ht. 3 ft	10e
known "Paris Daisy," or "Marguerite."	
The other kinds are the Chinese and Japan-	
ese varietics, so extensively grown and	
used during the fall month. b.	
Cincraria Maritima Candidissima; ht. 1 ft.	10e
Silvery foliage, very useful for ribbon beds and borders.	
and ourders	
Me ann man	



Marguerite Carnation.

Per pkt.
Clianthus Dampierii. Scarlet with black eenter: ht. 4 ft
Coleus. t. Finest mixed; ht. 2 ft
Convolvulus Mauritanicus. Lavender. Trailer
Corcopsis Lanecolata. (See ent.) Yellow; ht. 2 ft
Cuphea Platyeentra. Scarlet and black; ht. 2 ft
Cyclamen Persienm. hh. bulb. (See cnt.) Fine mixed, white and pink; ht. ¹ 2 ft



Cyclamen Persieum.

Dahlia.	hlı.	Large	flowered	, double	, best
quality	mixe	ed; ht.	5 ft		15e
Caetus.	Mixe	d colors	s; ht. 4:	ſt	15e
Pompone	Sı	nall bor	iquet, mi	xed; ht.	4 ft 15e
Single mi	xed;	ht. 5 f	't		10e
The Caet	as an	d Singl	e Dahlias	are beec	ming
very po		_	,		



Coreopsis Lanceolata.

Per pkt.
Delphinium Cashmerianum. Dark blue
ht. 4 ft
Cardinale. (Searlet Larkspur.) Bright sear-
let; ht. 5 ft 10e
Elatum. Mixed. (Bee Larkspur.) ht. 3 ft 5e
Formosum. Bright blue; ht. 4 ft 10e
Hybridum. Double, extra ehoiee mixed; ht.
3 ft
"Perennial Larkspurs." Fine border plants
of brilliant eolors.
Dianthus Chineusis. Double mixed; ht;
1 ft 10e
Heddewigii. Fine mixed; ht. 1 ft 10e
Heddewigii. Crimson Belle, dark erimson;
ht. 1 ft



Dianthus Diadematus.

Per pkt.	Per pkt.
Dianthus Diadematus. "Double Diadem Pink." (See cut); ht. 1 ft10c	French Honeysuckle. Red and white mixed; ht. 3 ft 5c
Laciniatus. Single mixed; ht. 1 ft	Hedysarum Coronarium. Hardy, profuse blooming. Succeeds well near the seaside. Not to be confounded with the climbing Honeysuckle, as it is quite a distinct species.
Hybridns. Double mixed; ht. 1 ft	
Digitalis Gloxinioides. Fine mixed; ht. 3 ft 5c "Foxgloves," bearing fine spikes of variously spotted and blotched flowers for borders and shrubbery. Dodecatheon Media. Lilac; ht. ½ ft 10c	
"American Cowslip." Fine for rock work, etc.	
	E Vege Services
THE THE PARTY OF T	Fuchsia, Double. Fuchsia Hybrida. hh. Single, finest mixed, ht. 3 ft
Dianthus Laciniatus, Double. Echeveria Metallica. Red; ht. 4 ft 25c "Live-for-Ever." Handsome, succulent plant for edgings, with metalic lustre on leaves.	
Expetion Reniforme. (Viola Hederacea.) Blue; ht. ¹ ₂ ft	
Erythrina Crista Galli. Dark red; ht. 6 ft 25c "Coral Tree." Handsome decorative plant for shrubbery, etc.	
Evening Primrose. Yellow; ht. 3 ft 5c Very showy for mixed borders and shrubbery. Ferns. All species mixed; ht. 12 to 2 ft15c	
Saved from the choicest varieties.	(10,11) - 11 - 1 - 11 - 11
Forget-Me-Not. See Myosotis.	Gaillandia Dorenziana.
The "Burning Bush," very handsome. The seed is slow to germinate.	Gaillardia Picta. Red and yellow, ht. 1½ ft
0	

Per	· pkt
Gaillardia Grandiflora. Splendid mixed; ht. 2 ft	
Grandiflora Maxima. Golden yellow; ht.	
The "Blanket" flower. Very showy border plants, b.	100
Gazania Splendens. Orange; trailer	
Gentiana Acaulis. Intense blue; ht. ¹ 4 ft An Alpine plant of great beauty, fine for borders and rockwork.	100
Geranium. Apple scented. Very fragrant;	150
Double Zonale. Finest mixed; ht. 3 ft	25e
Single Zonale. (See cut.) Finest mixed; ht. 5 to 6 ft	10c
Ivy Leaved. Finest mixed; trailer Tricolor, gold and bronze leaves; ht. 2 ft	15e 25e
(See Pelargonium for show varieties.) Seed saved from best varieties of all the kinds. b.	
"Scarlet Avens." A Chilian plant of great beauty, very useful in mixed borders.	10e



Geranium Zonale.

Per pkt.

Gloxinia Hybrida. t. Finest mixed; ht 1 ft 25e A beautiful greenhouse perennial bulb. Seed saved from the finest erect and drooping varieties.

Gypsophila Paniculata. White; ht. 1½ ft. 5e Very graceful, flowering in panieles, and excellent for eut flowers. b. (See Annuals.)



Heuchern Alba.

Heliotropium. Finest mixed; ht. 6 ft 10c
"Cherry Pie." Deliciously fragrant, also
fine for pot culture. b.
Heuchera Sanguinea. Crimson, ht. 1 ft 15e
Alba. (See eut.) White; ltt. 1 ft 15e
Allied to the Saxifragas, very graceful, val-
uable for cut flowers. b.
Hibiscus Coeeineus. Scarlet; ht. 5 ft 10e
Roseus Grandiflorus. Pink; ht. 4 ft 10e
Well known showy perennial shrubs with
brilliant flowers.
Hollyhock. Finest double German mixed;
ht. 5 ft
Chater's superb double mixed English; ht.
5 ft
Chater's superb doublo white; ht. 5 ft 10e
Chator's superb double white shaded rose;
ht. 5 ft
Chater's superb double white shaded pur-
ple; ht. 5 ft10e
Chater's superb double erimson; ht. 5 ft 10e
Chater's superb double cream shaded pur-
ple; ht. 5 ft
Chater's superb double maroon; ht. 5 ft 10e
Chater's superb doublo pink; ht. 5 ft 10e
Chater's superb double salmen rose; lit 5 ft 10e
Chater's superb double yellow; ht. 5 feot 10e
Favorite hardy perennials. Will flower the
first season if sown early.
Honesty. Purple. A biennial; ht. 1½ ft 10c
Interesting in a dried state, the membran- eons lining of the seed pod making a
handsome ornament to winter bouquets. b.
madomo viminono to minter bonquets. D.

Per pkt.
Hunnemannia Fumariæfolia. Yellow; ht. 2 ft
A showy plant belonging to the Poppy family.
Hyacinthus Candicans; ht. 3 ft 10c
A bulbous plant, throwing up a spike, bearing 20 to 30 Yueea-like flowers, pure, white and fragrant.
Iberis Gibraltarica. White, suffused with
rose; ht. 1 ft
Sempervirens. White; ht. 1 ft 10c
"Perennial Candytuft." Early spring flower- ing plants, good for borders and rock work. b.
Ipomopsis. Fine mixed. Biennial; ht.
3 ft
"Texas Plumes." Showy scarlet and gold
pyramidal blossoms and feathery foliage.
Lantana. Finest mixed; lt. 4 ft 10e
White, rose, and yellow particolored fra-
grant flowers like the Heliotrope in form. b.
46
The state of
THE PARTY OF THE P


Myosotis Alpestris.

Lasiandra Macrantha. Blue; ht. 6 ft. 25c
One of the finost autumn flowering ever-
green shrubs, producing flowers abundantly
3 to 4 inches across of a rich violet blue.
Lavender. Blue; a hardy shrub, well
known and esteemed for its delieious frag-
ranee; ht. 3 ft 5e
Linaria Cymballaria. "Kenilworth Ivy."
White; very pretty for rockwork and hang-
ing baskots; trailer10c
Lobelia Cardinalis. "Cardinal Flower." A
handsome border plant with bronze foli-
age, and brilliant scarlet flowers; ht. 2 ft. 10c
Lupinus, Mixed, all colors, b; ht. 1 to
4 ft 5e
Lychnis Chaleedoniea. Bright searlet; 2 ft. 5e
Haageana Hybrida, finest mixed; ht. 2 ft 10c
"Jerusalom Cross." Favorite hardy plants,
for borders and shrubbery. b.

Per pkt	
Marvel of Peru. "Four o'clocks." Fin-	
est mixed; this well known plant has few	
rivals for beauty, expanding in the after-	
noon and continuing open all night; lt.	
2 ft	,
Matricaria Eximia. "Feverfew." Double	
white, very handsome, showy flowers,	
continuing a long time in bloom, b; lit.	
Mimulus Cardinalis. "Monkey Flower."	
Dark red; ht. 112 ft	
Tigrinus grandiflorus. Finest mixed, spotted	
and tigred varieties; ht. 112 ft 100	3
Brilliant perennials, flowering the first sea-	
son if sown early. Also suitable for pot	
culture.	
Musk Plant. (Minulus Mosehatus.) Yel-	
low, a universal favorito; ht. ½ ft 10c	,
Myosotis Azorica. Dark blue; ht. 1/2 ft 100	,
Alpestris. (See eut.) Light blue; ht. ½ ft 10c	,
Dissitiflora. Brilliant blue, carliest flower-	
ing; ht. ½ ft	
Palustris Semperflorens. Bright blue; ht. 1 ft 10c)
"Forget-Mc-Nots." Very beautiful and much	
prized for spring flowers. b.	
Nierembergia Graeilis. Silvery lavender. Excellent for hanging baskets, edgings,	
etc; lit. 1 ft	•
Oenothera Lamarckiana. Yellow; ht. 4 ft. 50	,
A grand Evening Primrose, with long spikes of vellow flowers.	
Oxalis Rosea. Pink; ht ¹ 4 ft 100	
"Tropaeoloides." Yellow: ht. 4 ft. 100	
"Tropaeoloides." Yellow; ht. ¹ 4 ft 100 "Shamroek," or Wood Sorrel. Delightful	
little plants for edgings, hanging baskots and rock work.	
una rook work.	




Giant Trimardeau Pansy.



71	O	FF1 + 1 - 1	T) .
Bugnot's	Superb	Blotched	d'ansy

	rei pat.
Azure Blue; ht. ½ ft	10 e
Emperor William, ultramarine blue; ht. ½ ft	10e
Faust, or King of the Blacks, coal black; ht. 1/2 ft	10c
Golden yellow, pure; ht. ½ ft	10c
Golden yellow, with dark center; ht. 1/2 ft	10c
Gold margined, brown with gold border; ht. 1/2 ft	10e
Lord Beaeonsfield, large, purple violet shading off	to
lavender: ht. ½ ft	10e



Cassier's Pansy.

Pansy, or Heartsease.
Bugnot's Superb Blotched. (See cut.)
Extra fine; ht. ½ ft50e
Cassier's. (See cut.) Very large flow-
ered, finest mixed; ht. ½ ft 25e
English mixed, extra select, very large
and velvety; ht. ½ ft
German, finest mixed, from the most
celebrated pansy grower in Germany;
ht. ½ ft
Giant Trimardeau. (See cut.) Mixed,
very large and of vigorous growth;
ht. 34 ft
Odier's Five Blotched. (See cut.)
Very fine, with a black blotch on
each petal; ht. ½ ft 25c
Scotch Prize. (See eut.) From extra
selected prize flowers; ht. ½ ft 50c
Above best sorts mixed: ht. ½ ft

Per pkt.



Striped Pansy.

Mahogany eolored; lit. ½ ft 10e
Peacock, royal purple, shot with pea-
eock blue; ht. ½ ft 15e
President Carnot, white, violet blotches;
ht. ½ ft
Snowflake, pure white; ht. ½ ft 10e
Striped and variegated varieties. (See
eut.) ht. ½ ft
Vietoria, blood red; ht. ½ ft 15c
Violet, white margined; ht. ½ ft 10e
White, with black eenter; ht. ½ ft 10e
Above colors mixed; ht. ½ ft10e
Pansies should be earefully cultivated,
and will amply repay liberal treat-
ment. All the above strains are
earefully saved from the choicest
flowers, and are unsurpassed in
color, form and substance.

Per pkt.

Fancy, best and

richest colors mixed; ht. 3 ft 25c
Large flowered, richest colors, mixed;
ht. 3 ft
"Lady Washington Geraniums." Fav-
orite bedding and greenhouse plants,
with brilliant flowers. Seeds saved
only from the finest sorts. b.
Pentstemon. Finest mixed; ht. 2 ft 5e
Hartwegi Grandiflorus. New large
flowered mixed; ht. 2 ft 15e
Fine herbaceous percunials, very
showy in mixed borders. b.
Petunia. Singlo, Inimitable, blotched
and striped, very handsome, ht. 34ft 10e
Single Giants of California, very
large ruffled and fringed, extra fine
mixed; ht. 1 ft 25e

Pelargonium.




Petunia, Fringed.

Picotee Pink. Finest mixed; ht.
1½ ft
Splendid hardy pinks, beautifully
marked on edge of petals. b.
Pink Florist's. From fine show
varieties, mixed; ht. 1 ft 15e
"Pheasant's Eye" Pinks. Very fine,
usually marked with a ring in center,
double and fragrant. b.
Polemonium Cœruleum. Blue; ht.
2½ ft 10e
"Jacob's Ladder." An old-fashioned
English perennial, useful in mixed
borders.
Polyanthus. Finest gold-laced var-
ieties; ht. ½ ft
Choice mixed; ht. ½ ft 10e
Charming early flowering plants, beau-
tifully laced and edged.



	Odier's Blotched Pansy.
	Per pkt.
Single.	(Sec ent.) Large flowered, fringed, superb
mixed	; ht. 1 ft
Single.	Good mixed; ht. 1 ft
Double.	Fringed, superb mixed; ht. 1 ft
Double.	(See cut.) Extra fine, mixed; ht. 1 ft 25e
Very or	namental, free flowering plants, for bedding
in ma	sses or in borders.

Phlox. Perennial. Finest mixed; ht. 2 ft..................... 10c A very showy handsome plant. b.



Scotch Prize Pansy.

. Po	er pkt.
Poppy. (See cut.) Perennial hybrid mixed	;
ht. 4 ft	25e
Papaver Orientale. Dark red; ht. 4 ft	10c
Papaver Bracteatum. Scarlet; ht. 3 ft	10e
Iceland (Papaver nudicaule.) Yellow; h	t.
1 ¹ 4 ft	
Iceland. White; ht. 114 ft	
Iceland. Orange; ht. 114 ft	
Iceland. Mixed; ht. 114 ft	
Very showy plants for mixed borders. Th	
Iceland poppies will bloom the first year	
from seed, if sown early. For other vari	
eties see list of annuals.	



Poppy, Perennial Hybrid Mixed.

Primrose. True English yellow; ht. ½ ft. 15e An old-fashioned garden favorite.

	and Sur	ach attendance	•	
Primula	Sinensis,	t. Fringed	whito; ht.	0-
Fringed re	ed; ht. ½ f	t		25e
Obconica,	ted, fringed t. Light n	l ; ht. ½ ft nauve ; ht.)	½ ft	25e 15e
Fine pot p	lants for w indoor cult	inter and sp	ring flower-	
Pyrethru			ım. Single	

Pyrethrum Rosenm Hybridum. Single
finost mixed; lt. 2 ft
Hybridum. (See cut.) Double mixed (Aster
like flowers.) ht. 2 ft
Parthenifolium Aurcum (Golden Feather.)
ht. ½ ft
Parthenifolium Aureum Selaginoides. Yel-
low fern-like foliage, very fine; ht. ½ ft 10c
The first two varieties are grown for their
flowers, the last two arc well-known edg-
ing plants.

Per pkt.

Ranunculus. Finest mixed; ht. 1 ft...... 10e

Handsome bardy tuberous plants of bailli

Handsome, hardy, tuberous plants of brilli-

ant colors.

Petunia, Double.

Rose Campion. Crimson; ht. 1½ ft 5e
Downy, silvery foliage with crimson flowers.

ing great quantities of double and single

flowers of different colors.



Pyrethrum Hybridum.

Rocket, Sweet. Fine mixed; ht. 1½ ft.. 5e "Dames' Violot." Valuable for borders, free blooming and sweet scented.

Per pkt.
Salvia Nutans. hh. Dark blue: ht 2 ft 10e
Patens. hh. Sky blne; ht. 2 ft
Splendens. hh. Dazzling searlet; ht 3 ft 10c "Flowering Sage." Brilliant flowering plants for borders, backgrounds and centers of beds. b.
Santolina Chamæeyparissns; ht. 2 ft 10e
(Lavender Cotton.) A silvery-leaved plant, useful for edging.
Saxifraga. Fine mixed; ht. ½ ft
Scabiosa. Tall double mixed; ht. 2 ft
Sedum. Fine mixed; ht. ½ ft10c "Stone Crop." Curious plants. For carpet beds. Plant in sandy soil.
Sensitive Plant. Pink; ht. 2 ft
Statice Latifolia; ht. 1 ft
with bright blue flowers, very useful for bonquets.
Solanum Weatherill's Hybrids, mixed. hh;
orange colored berries.
Stevia Serrata. White: ht. 11/2 ft. 10c
A valuable plant for Florists, producing large heads of small, white, fragrant flowers, very graceful and excellent for cutting purposes. b.
Stocks. (Biennial and perennial.)
Intermediate. Finest mixed; ht. 2 ft 10c Intermediate. East Lothian. Crimson, very
fine; ht. 2 ft
fiue; ht. 2 ft
ht. 2 ft 15e
Brompton. Crimson; ht. 2 ft
Brompton. Purple; ht. 2 ft. 15c Brompton. Finest mixed; ht. 2 ft. 15c
Cocardeau, or Giant Cape Winter. Finest
mixed; ht. 2½ ft
(For Ten-Week Stocks, see Annuals.) All these Stocks are very doublo, fragrant and
handsome. The Intermediate varieties are
biennials. The last three species are splen- did decorative border plants. The true
"Gilly Flowers." b. Sweet William. Hunt's Auricula Flow-
ered Perfection. Single mixed: ht. 1 1/4 ft. 10c.
Single. Pure white; ht. 1½ ft
Donble. Finest mixed; ht. 1½ ft
Valerian. Mixed; ht. 2 ft 5c An old fashioned English plant; valuable for mixed borders, b.
Verbaseum Phæniceum. Mixed; ht. 3 ft. 5c Showy plants for mixed borders.
Verbena. Auricula flowered, with white conters; trailer 15c
Blue; trailer 10c



Verbena, Italian Striped.
Per pkt
Verbena. Italian striped. (See cut.) Fine- ly striped and mottled; trailer 10c
ly striped and mottled: trailer 10e
Large white; trailer 10c
Searlet. (See cut.) trailer 10c
Manmoth mixed; trailer 15e
Pink: troilor
Pink; trailer
Fine mixed; trailer
Lemon-scented (Aloysia Citriodora.) Lav-
ender; ht. 8 to 10 ft 15e A well-known favorite bedding plant. The
A well-known favorite bedding plant. The
Lemon verbena is a shripby perennial in
our mild climate. b.
Vinca Rosea. Red; ht. 2 ft 10e
Alba. White, with red eye; ht. 2 ft 10c
Mixed; ht. 2 ft
"Madagascar Periwinkle."
Viola Cornuta, Mixed: ht. 1/2 ft. 100
Unorata, "Sweet Violet" by Left 10.
Odorata. White; ht. \(^1\)4 ft 10c Odorata. "The Czar." Light blno, very large; ht. \(^1\)4 ft 10c Odorata. "Colifornia." Plus, the larget \(^2\)
Odorata, "The Czar," Light blue very
large: ht. 14 ft.
Odorata. "California." Bluo, the largest flow-
ered variety: lit % ft 15.
With the exception of Viola Cornuta, these
favorites are too well known to need com-
ment. Viola Cornuta resembles the Pan-
sies, and is admirably adapted for bedding
sies, and is admirably adapted for bedding
purposes. b.
Wall Flower. Single mixed; ht. 2 ft 5c Blood red; ht. 1 ft 10c
Blood red, nt. 1 It
Belvoir Castle. Dwarf yellow; ht. 34 ft 10c
Harbiuger. Rich blood red; ht. 1 ft 10c
Double German mixed; ht. 2 ft
Well known fragrant plants. b.
Wigandia Caracasana. Violet; ht. 8 to
10 ft 15e
Plants remarkable for the large size of their
leaves; much prized as single specimens
for lawns and sub-tropical gardening.
, , , , , , ,



Verbena, Scarlet.

ORNAMENTAL GRASSES.

Most of these, if cut before they are quite ripe, will be found very useful in the formation of winter bouquets alone, or combined with Everlasting flowers.

CULTURE. — Sow in boxes in February or March, and when large enough, transplant to where they are to remain. Do not mistake the young plants for weeds.

a. - Annual. p. - Perennial. Per pkt. Agrostis Nebulosa, a. Very graceful and fine for vases and bouquets; ht. 1 ft...... 10e Eragrostis Elegans, a. "Love Grass," with beautiful dancing spikelets, good for bouquets; Eulalia Japoniea, p. "Japan Plume" Grass. Very effective in groups; 6 ft. 10e Festuca Glauca, p. Very neat and compact, fine for edgings to ribbon beds and borders; ht. Procumbens, p. Very neat and compact, fine for edgings to ribbon beds and borders; ht. ¹4 ft..... ^{*}10e Isolepis Gracilis, p. Very pretty rush-like grass for hanging baskets and pot culture; ht. 1 ft.... 10e Lasiagrostis Argentea, p. Very graceful and fine for bouquets; ht. 3 ft....... 10e Zea Japonica Fol. Variegata, hha. "Striped Japanese Maize." Vory ornamental; ht. 4 ft...... 5e

CALIFORNIA NATIVE WILD FLOWER SEEDS.

We offer twelve varieties, all of great beauty, some of which are very rare and difficult to obtain.




Dodecatheon Clevelandii.

Per pkt. Antirrhimm Oreuttianum. (Cal. Snapdragon.) White or violet..... 15e Dicentra Chrysantha. (Cal. Bleeding Heart). Lemon yellow 15e Dodecatheon Clevelandii. (Shooting Star. See cut.) Purple bordered with yollow..... 15e Emmenanthe Penduliflora. Very rare and handsome. "Yellow Bells".... 15e Eschscholtzia Californica. (Cal. Poppy.) Yellow 5e Lathyrus Californieus. (Cal. Pea.) Crimson....... 15e Layia Glandulosa. (White Daisy.) 10e Oxynra Chrysanthemoides (Painted Cup.) Yellow and white..... 5e Phacelia Parryi. Brilliant purple 10e Platystemon Californieus. Sulphur yellow...... Romneya Coulterii. (Cal. Mountain Poppy). White with yellow stamens.... 15e Viola Peduneulata. (Cal. Violot.) Yollow..... 15e Tourists' "Souvenir" Collection of Cal-

ifornia Native Flower Seeds, comprising the above 12 varieties\$1.00Eight choice varieties50eFive fine varieties25e

Above collections mailed free on recoipt of price to any part of the world.

Gardening for Pleasure. A guide to the amateur in Fruit, Vegetable, and Flower Garden, with full instructions for the greenhouse, conservatory and window garden. By Peter Henderson. New, enlarged edition, illustrated. Mailed for \$2.10.



Tree and Shrub Seeds.

The importance of Timber Culture is universally recognized. History shows that many countries occupied by some of the greatest nations in ancient times, and which were then fertile and productive, have been rendered sterile and barren, owing to the demudation of their forests, as nearly every one knows.

Trees, especially on hillsides, are absorbent, retentive and retard evaporation, thereby assisting to prevent floods in winter and drought in summer. The supply of fuel is also a vital question for Southern California, and to attain that end, the varieties of Eucalypti and other rapid-growing trees are being largely planted.

The value of Trees for shade and shelter purposes need not be enlarged upon. In raising all kinds of Tree seeds successfully, the process of growth and germination in their natural habitat should be imitated as closely as possible. Thus the cones of Couifers shed their seed, which falls under the tree, generally on light soil, enriched by generations of fallen needles or "tags," at the same time it is sheltered from too much wet by the pyramidal thick foliage of the tree, which also shades the young seedlings from the direct hot sun, and thus protected, under somewhat humid eonditions, germination is sure and rapid. On the contrary, seeds of Deciduous Trees lie exposed on the surface of the ground to the action of rain and frost till spring, when the weather being sufficiently warm, they germinate rapidly. As a rule, all tree and shrub seeds germinate slowly, compared with vegetable or flower seeds.

All hard seeds, as Acacias, Locust, Osage Orange, etc., should be soaked for 24 hours in warm water, say at 120°, before sowing, or where practicable, strew dry leaves or bushes over the beds after sowing and watering, and set fire to them.

Deciduous Tree Seeds should be planted in this section in winter or very early in the spring, as most of these seeds lose their vitality very rapidly. The soil should be well prepared, rich and deep; and the seed should always be sown in drills, and the ground kept thoroughly free from weeds. Evergreen Tree Seeds should be sown in boxes or pans, thoroughly well drained, and should be protected from the sun by being placed under the shelter of a hedge or fence. They are best sown in spring or fall, and should be carefully transplanted when necessary.

As many tree seeds are collected in distant countries, and will sometimes fail to germinate, although they may appear well enough to the eye, we wish it to be distinctly understood that we will not in any way be responsible for their failure; but, at the same time, we will use every endeavor to supply the best.

All tree and shrub seeds quoted in this list at less than 50c per oz. we can supply at 10c per pkt.; those quoted at 50c and upward per oz., we can supply at 15c per pkt.

AUSTRALIAN TREE AND SHRUB SEEDS.

We make a separate eategory of these, as from their value they are worthy of it. The visitor to Australia, at any season, will at once notice that all the indigenous vegetation is evergreen. The writer does not know one deciduous tree or shrub native to that country.

The most valuable are, of eourse, the Eucalypti. These possess great antiseptic properties, and are, no doubt, also of great value in absorbing moisture from the bottom soils, thus preventing malaria. Their value as rapid growing timber is also great, some varieties making excellent fuel, while others are nearly uninflammable, but are useful in earpentry, and for railway ties, platforms, piles, jetties, etc. Others are very ornamental, bearing showy flowers.

Others are very ornamental, bearing showy flow	pentry, and for railway ties, platforms, piles, jetties, etc. wers.
	Acacia Albieans. Flowers whitish yellow. Very compact; ht. 6 ft
anne anne	for hedges. Good for the sea coast; ht. 15 ft
	Dealbata. "Silver Wattle." Very orpa- mental; ht. 15 ft
	Wattle." A medium-sized tree of rapid growth, very useful for windbreaks. It is also very rich in tannin. Wood is valuable for fuel, and for turner's and
	eooper's work; ht. 30 ft
20,000	
Acacia Decurrens.	
Floribunda. Ornamental, with very abundant handsome flowers, valuable for lawns, parks, eemeteries, etc.;	Per lb.
ht. 25 ft 50e Latifolia. A handsome shade tree,	\$5.00
succeeding especially well near the sea coast. Leaves broad, with yellow flowers. Native of South Africa; lt.	
40 ft	5.00
mental shrub, with yellow flowers, growing in heads 2 to 4 together; ht. 8 ft. Per pkt. 15e	
Lophantha (Albizzia Lophantha.) "Cape, or Crested Wattle." One" of	
the most rapid growing trees for first temporary shelter, succeeding	

GOPYRIGHTED

VILMORIN-ANDRIEUXS

Acacia Pyenantha.

3.50

in the most desolate places. ht. 25 ft 15e

Melanoxylon. "Blackwood." In shottered irrigated glens, this tree will reach a height of from 80 to 100 feet, with a trunk several feet in

diameter. The timber is very valu-

		Per lb.
Acacia Mollissima. An abundant blooming tree, very ornamental, suitable for lawns and shrubbery; ht. 25 ft		\$4.00
Ornithophora. "Kangaroo Aeaeia." For hedges and windbreaks, making a closo, impervious hedge; ht. 15 ft		4.00
Pyenantha. "Golden Wattle." (See eut.) Of rapid growth, doing especially well near the sea coast, and containing a large quantity of tanniu; ht. 40 ft		3.00
Suaveolens. A pretty variety of pendulous habit; ht. 8 ft	40e	4.00
Trovissima. Thorny; for hedges. Growth rapid; ht. 10 ft		4.00
Boronia Megastigma. A beautiful little shrub. Flowers copper color, with a powerful violet odor. Very rare. Seed germinates slowly; ht. 3 ft. Pkt. 50c.		
Brachychiton Aeerifolium. "Flame Tree." Of fine, sturdy, pyramidal growth, with large, handsome foliage, producing masses of searlet flowers; ht. 20 ft		3.00
Casuarina Equisetifolia. "Beefwood." Wood vory durable under ground for piles and jetties; ht. 150 ft		
Quadrivalvis. "Coast She Oak." Very valuable for sea coast culture, to provout the inroads of the sea upon sand hills. Of quick growth. Wood valuable for shingles, etc.;		
ht. 60 ft	1.00	
Strieta. "She Oak." Is tougher than the other species. Excellent wood for tool handles; ltt. 30 ft	1.00	
Suberosa. "Ereet Sho Oak." A beautiful shado tree. Valuable for fuel; ht, 60 ft	1.50	
Torulosa. "Forest Oak." Wood very valuable for timber, also for fuel, burning to a elear white ash, and leaving no einders; ht. 75 ft	1.00	
Eucalyptus Amygdalina. "Messmate Gum." Belonging to this variety are the tallest trees in the world. In Gippsland, Australia, are trees over 500 ft. in height. Makes first-elass timber for flooring boards, seautling, etc., and is well suited for avenue	1.00	•
planting. Yields more essential oil than any other variety; ht. 400 ft	1.00	
shingles. Branches spreading, with donse foliage; ht. 100 ft	1.50	
Bieolor. (Black Box.) Timber of great strength and durability. Useful for piles and railroad ties; ht. 150 ft	1.00	
Callosa. Not to be confounded with "Collossea." A searce variety from Western Australia. Timber of good quality, and more easily worked than most of the other kinds. Also good for fuel; ht. 200 ft	1.50	
Calophylla. Ornamental, of rapid growth, with white flowers. Timber also valuable for carpentry above ground; lt. 50 ft	1.25	
Citriodora. (Lemon-seented Gum.) A fine ornamental tree with lemon-seented foliage, supplying also a useful timber. Being a nativo of Queensland it is more tender than most other kinds; ht. 80 ft	2.00	
Cornuta. "Yale Tree." A rapid growing variety, and very hardy. Wood very durable, heavy and elastie, and considered equal to Ash; ht. 100 ft		
Corymbosa. "Blood Wood." Wood of a dark red color, easily worked while fresh, but		
when dry becomes vory hard. Useful for fonce posts and railroad ties, being durable under ground. The numerous gum veius render it of little use for sawing purposes; lt. 200 ft	1.25	
Corynoealyx. "Sugar Gum." Very ornamental, rapid growing, with dark green leaves. Highly valued in this vicinity. Timber very durable and used for railroad ties. One of the best; ht. 120 ft.		15.00
Crebra. (Narrow-loaved Ironbark.) Wood reddish, heavy, olastie, and durable, is ant and teredo proof. Useful for railroad tios, bridges and piles; ht. 100 ft	1.50	
Fieifolia. (Searlet-flowored Fig-Leaved Gum.) Tho most ornamontal of the family. Flowers bright erimson, produced well above the foliage. Oue of the most effective trees in cultivation; ht. 20 ft. Per 100 seeds \$1.50, 20 seeds 35c.		
Fissilis. "Victorian Yellow Gum." A large rapid growing variety. Wood easily split,	1.50	



Eucalyptus Globulus. "Tasmanian Blue Gum." (See eut.) Woll known; one of the	er oz. Fer ib.
most useful of all, and a very rapid grower. Planted largely in all warm countries, on	
account of its malaria-destroying qualities. Remarkably good for fuel, being easily	
sawn and split; lt. 150 ft. Imported seed	50e \$5.00
California saved seed	30e 3.00
Gonioealyx. "N. S. W. Blue Gum." (See eut.) Wood very durable, hard and tough.	
Much used in its native country by wheelwrights. A rapid grower; ht. 200 ft	1.00
Gunnii. "Tasmanian Cider Tree." Probably the hardiest of the genus. Will stand a	
eonsiderable amount of frost. Recommended for all elevated and exposed positions.	
Good for fuel; ht. 80 ft	1.50
Hæmastoma. "White Gum." Good for feneing and rough building material, also makes	
a fair fuel. Grows particularly well on sandy soil; ht. 150 ft	1.50
Hemiphloia. "Common Box." Wood very hard, strong and durable above ground, also	
a first-elass fuel for all purposes; ht. 150 ft	1.50
Leueoxylon. "Vietorian Ironbark." Very hard, strong and durable, excelling Hickory	
in strength. Recommended for underground work in mines, and for railroad ties,	
bridges, etc.; ht. 100 ft	1.50
Longifolia. "Woolly Butt." A largo tree, of great girth, growing well in any soil.	
Timber is durable and makes excellent fuel. The leaves yield a volatile oil; tht. 200 ft	1.50
Maeulata. "Spotted Gum." Wood as strong as English Oak. Extensively employed in	1 50
ship building and wheelwright's work; ht. 100 ft	1.50

97 DESCRIPTIVE CATALOGUE OF SEEDS. Eucalyptus Marginata. "W. A. Jarrah." (See cut.) Impervious to teredo and ants, and much sought after for jetties and piles, and largely exported for railroad ties. The timber is easily worked and takes a beautiful polish. Furniture made from this wood is much admired. Of quick growth and immense size. Suited to dry barren soils; ht. 200 ft \$1.25 Meliodora. "Black Ironbark." Of spreading growth, with a comparatively stout stem, and makes excellent fuel. The young trees are largely used for telegraph poles, and the flowers are much sought by bees. One of the strongest and most durable timbers Obliqua. "Stringy Bark." A quick grower and produces the best wood for flooring, seantling and shingles. Inferior as fuel, but makes the best charcoal for the forge; Obtusifolia. "Yellow Black Butt." A rapid growing variety, very good for fuel. Also Panieulata. "White Ironbark." Wood hard and durable, excellent for railroad ties. Also much used for building and fencing, as it splits well and is lasting undorground: ht. Pilularis. "Black Butt." Of rapid growth. One of the best timber yielding species, Piperita. "Peppermint Gum." Timber valuable for shingles, fence rails, etc. Yields a greater quantity of oil than any other variety, and is of remarkably quick growth; 300 ft...... 1.50

Eucalyptus Marginata.

Eucalyptus Robusta.

· · · · · · · · · · · · · · · · · · ·	Per oz.	Per lh
Eucalyptus Polyanthema. "Australian Beech." The timber is much used for mining		
purposes, and for all nuderground work, being remarkably hard and durable. Also an		
excellent fuel. Flowers good for bees; ht. 150 ft	\$1.50	
Regnans. "Royal Mountain Ash." A very searce variety, growing to a largo size, and	φΣίου	
very hardy. Grows on the high slopes of the Australian Alps, near the snow line.		
Timber durable and excellent for fuel: ht. 200 ft	1.50	
Resinifora. "Forest Mahogany." A superior timber of largo size, prized for its strength	1.00	
and durability. Fine for interior house work; ht. 200 ft	1.00	
Robusta. "Swamp Mahogany." (See cut on page 97.) Thrives best in low grounds,	1.00	
especially near the sea coast. Timber strong and durable, and is much used where		
strength and resistance to strains is required. A remarkably healthy, robust varioty.		
Much used for street planting in this vicinity; ht. 150 ft	1.00	
Rostrata. "Red Gum." Well known and highly esteemed in this section. The timber is	1.00	
unsurpassed for durability, and is used for railroad ties, street pavements, ship build-		
ing, etc.: ht. 200 ft	75.4	DF FO
Saligna. "Weeping Gum." Very ornamental. Leaves and general habit are like the	75e a	φ1.50
"Babylonian Willow." Good for fuel; ht. 75 ft	1.50	
Siderophloia. "Red Ironbark." Wood very hard, light colored and heavy, of great	1.50	
strength and durability, and is used for railroad ties, spokes, shingles, bridges, jetties,		
ote. It is stronger than hickory. As fuel, it gives more heat than any other kind; ht.		
200 ft	1.00	
Sieberiana. "Gum Top." Wood of excellent quality, strong and elastic, and may be	1.00	
used for all purposes where hickory or ash are at present used. It splits easily and is		
soft to work. Also a most excellent finel: ht. 150 ft	1 50	
Stuartiana. "Apple-seented Gum." A medium-sized troe, with drooping branches. Will	1.50	
thrivo on any soil. Wood very dark and handsomo, and takes a good polish. Useful		
for eabinot work, also good for fuel; ht. 100 ft		
Teretieornis. "Gray Gum." A very handsome, large-growing variety. Wood durable	1.50	
and useful for shingles, flooring, etc. Also an excollent fuel; ht. 200 ft		
Viminalis. "Manna Gum." A hardy, rapid growing variety, and well suited for ex-	1.50	
posed situations. On rich soils it grows to a gigantic size. The wood may be used for		
ordinary building purposes, also for fuel. The young bark and leaves yield the Aus-		
tralian Manna — a hard, opaque, sweet substance; ht. 300 ft. Imported seed	7 00	
California saved seed	1.00	
Wigner Anatonia # 4 1 P	75e	7.50



Grevillea Robusta;

Yan Tree." A fine evergreon tree, very useful for shade and shelter purposes. This and the following variety are hardy in the neighborhood of Los Angeles, but in districts experiencing sharp frosts thoy should be sheltered until they are 4 years old, and well established; ht. 40 ft 1.00

Maerophylla. "Moreton Bay Fig," or "Long-leaved Rubber Tree" A magnificent ornamental shade trees, with large, bright, glossy green leaves; 100 ft...... 1.00

Grevillea Hillii. A fine small tree, with ever-green, poplar-like leaves; ht. 15 ft. Per pkt. 15e.....

Linearis. A low growing shrub, flowers bright red, tipped with yellow: ht. 3 ft. Per pkt. 15e

Punieea. An erect shrub, bright searlet flowers, very fine and rare; ht. 5 ft. Per pkt. 15e....

Grevillea Robusta. "Silky Oak or Australian Fern Tree." (See cut on opposite page.)	er oz. I	Per lb.
A well known shade tree, with fern-like foliage and orange flowers, of rapid growth,		
and capable of resisting drought to a remarkable degree; ht 100 ft	50e \$	5.00
Pittosporum Engenioides. A valuable evergreen for lawns, parks, or cemeteries,		
of graceful form, light bright green foliage. Is suitable for tall garden hedges. From		
South Australia; ht. 15 ft	50e	
Nigricans. Dark brown; ht. 10 ft	50e	
Sterculia Heterophylla. (Brachychiton Divorsifolium.) A very ornamontal tree, with		
poplar-like foliage: ht. 40 ft. Per pkt. 15c.		
Telopea Speciossissima. "Waratah, or Australian Tulip." One of the most gorgeous		
and showy shrubs yet introduced. Flowers crimson-scarlet in large heads, which are		
discernible at a great distance; ht. 8 ft. Per pkt. 15c		

CONIFER AND MISCELLANEOUS EVERGREEN TREE AND SHRUB SEEDS.

SHRUB SEEDS.	t	
All seeds quoted at less than 50c per oz., we will supply at 10c per pkt.; those quoted upwards at 15c per pkt.		Oc and
Buxus Sempervirens. "Evergreen Box." A hardy, compact growing evergreen of dwarf habit; ht. 8 ft		\$2.00
Camphora Officinalis. "Camphor Tree." From this tree the gnm camphor of com-		
merco is extracted; ht. 50 ft	30e	3.00
form, foliage bluish green, gracoful and drooping; ht. 100 ft	60e 75e	$6.00 \\ 7.50$
Cryptomeria Elegans. "Fino-leaved Japan Cedar." Foliage glaucons green, resembling a feathery Araucaria, which in winter turns to reddish brown; ht. 50 ft Japonica. "Japan Cedar." A splendid confer for isolated situations on lawns; ht.	1.00	
75 ft	50e	5.00
Cunninghamia Sineusis. A lofty overgreen tree, resembling the Araucaria Excelsa in foliage, but more feathery, and less rigid; ht. 100 ft	2.50	
Cupressus Goveniana. "Goven's Dwarf Cypress." A native variety from the Coast range around Santa Cruz. Very ornamontal; ht. 30 ft	50c	5.00
Guadalnpensis. "Blue Cypress." A rapid growing npright variety, with bluish foliage. Very ornamental for lawns and cemeteries; ht. 40 ft Lawsoniana. "Lawson's Cypress." A native variety found in northern California and Oregon. Wood white, fragrant, and close grained. Generally known as Oregon, or	50e	5.00
White Cedar; ht. 100 ft	50e	5.00
hedges and windbreaks; ht. 50 ft	10c	1.00
Sempervirens. "Italian Cypress." A European variety, very long lived, and the wood of which is almost imperishable; ltt. 70 ft	20e	2.00
Jacaranda Mimosæfolia. "Brazilian Jacaranda." A handsome tree with forn-like foliago, and magnificcut clusters of light blue flowers. Hardy in this vicinity; ht. 25 ft. In pods containing from 30 to 40 seeds; Por pod, 5e		
Janiperus Virgiuiana. "Red Cedar." A woll known American tree; ht. 50 ft	15e	1.00
Libocedrus Decurrons. "California White Cedar." Nativo of this coast from San		
Diego to Oregon. Well adapted for windbreaks; ht. 100 ft		
Magnolia Grandiflora. "Large floworing Magnolia." A nativo of the Sonthern States,	196	1.50
where its presence indicates good soil; ht. 100 ft.	25e	2.50
Pinus Canariensis. "Canary Island Pine." Very robust and healthy, with bright green leaves. Grows nearly as fast as the "Monterey Pine;" ht. 50 ft	50c	5.00
Contorta. "Mugho." or "Twisted Pine." A small tree, with wide, spreading and somewhat twisted branches. Native of Oregon; ht. 30 ft	50e	5.00
with bluish gray leaves a foot in length. Has the largest cone of all Pines, sugar-loaf shaped and edible; ht. 100 ft	40c	4.00

P	er oz.	Per lb.
Piuus Insignis. "Monterey Pine." This well known native variety is of very rapid		
growth, and succeeds well in any kind of soil; ht. 80 ft.		2.50
Maritima. "Seaside Pine." Well adapted for planting near the sea: ht 60 ft Strobus. "Weymouth or White Pine." A stately, straight and valuable tree; ht. 100 ft.		$\frac{1.00}{2.50}$
Sylvestris. "Scotch Fir." The economic value of this tree is well proven. Growing in	200	2.00
the most sterile soils, the humus, or decayed vegetable matter, formed by this tree, will double that from any deciduous variety; ht. 100 ft	15c	1.25
Schinus Molle. "Mexican Pepper Tree." A well-known handsome shade tree, with light feathery foliage, and bright scarlot berries; ht. 50 ft		1.00
Sciadopytis Verticillata. "Japan Umbrella Pino." Curious and remarkable. Leaves	200	2.00
are a dark glossy green, crowded into whorls at the joints of horizontal branches. Very ornamental; ht. 15 ft. Per pkt. 25c.		
Sequoia Gigantea. "California Big Troe." The biggest of all trees, and probably the		
most long lived. Specimens are often found 400 feet high; lt. 300 ft	1.00	10.00
easily split, light and brittle, but very durable. It luxuriates in the cool dampness of		
sea fogs. Ornamental for lawns or parks; ht. 200 ft	40c	4.00
Solanum Erectum. (Betaceum.) "Guatomala Tree Tomato." A handsome evergreen of good form, and bearing yellow fruits the size of an egg, with a pleasant sub-acid flavor; ht 8 ft. Por pkt. 25e	3.00	
Sterculia Platanifolia. "China Parasol Tree." Very ornamental, with large, plane-like leaves. This makes an excellent tree for avenue or park planting; ht. 40 ft		4.00
Thuja Anrea. "Golden Arbor Vita." A dwarf Chinese variety; compact and globular	10	1.00
in shape; top foliage yellowish greon; suitable for lawns, cometeries, etc.; ht. 6 ft		.4.00
tains its golden color the year round. One of the prettiest dwarf evergreens; ht. 4 ft Compacta. "Compact Arbor Vitæ," Handsome dwarf variety, compact, globular form;	1.00	
ht, 5 ft	35c	3.50
Occidentalis. "American Arbor Vitæ," or "White Cedar.", A common and well-known tree. Native of the Atlantic States; ht. 50 ft	. 30e	3.00
Viburnum Tinus, "Laurustinus." One of the finest winter flowering shrubs, bloom-		
ing abundantly during the winter. Also a valuable hedge plant; ht. 8 ft	136	1.50
DECIDUOUS TREE AND SHRUB SEEDS.		
All those varieties quoted at less than 50c per oz., we supply at 10c per pkt.		
All those quoted at 50e and upwards, we supply at 15e per pkt. Calycauthus Floridus. "Carolina Allspiee." Remarkable for the scent of its flowers,		
which resembles that of ripe fruit. Will grow in almost any soil. Flowers brown; ht, 4 ft	30e	3.00
Catalpa Speciosa. "Indian Bean Treo." A rapid-growing tree, good for timber claims. Flowers white and purple; ht. 50 ft	15e	1.00
Ceratonia Siliqua. "St. John's Bread." The Carob, or Locust Tree of Scripture, with yellow flowers and edible saccharine pods, which are very fattening; ht. 30 ft	200	2.00
Gleditschia Triaeanthos. "Three Thorned or Honey Locust." Hardy and of rapid	206	2.00
growth. Will form an impenetrable hedge. Seed should be soaked in boiling water before sowing; ht. 60 ft	10c	50e
Lagerstroemia Indica. "Crape Myrtle." A favorite tree in this vicinity, bearing	100	300
rose-colored flowers in great profusion; ht. 20 ft. Per pkt. 15c.		
Lycium Horridum. (African Box Thorn.) A valuable hedge plant; ht. 6 ft. Per pkt., 25c	75e	
Maclura Aurantiaea. "Osage Orange." A well known hedge plant; ht. 40 ft	10c	75e
Melia Azederaeh Speciosa. "True Texas Umbrella Tree." Of very rapid growth, with long pinnate leaves, and wood of a reddish color, resembling the ash, durable and makes excellent fuel. Thrives in dry soils. Valuable for avenue planting; ht 40 ft	10e	75e
Paulownia Imperialis. "Empress Tree." Very rapid growing when young. It after-	200	100
wards forms a broad, flat head. Flowers violet, trumpet-shaped and fragrant; ht. 30 ft	35e	3.50
Robinia Pseudo-Aeacia. "Yellow or Black Loeust." Well known in this section; valuable	300	
for fuel and timber. One of the best trees with which to plant timber claims; ht. 60 ft	10c	40e
Syringa Vulgaris. "Purplo Lilae." The common variety. One of the best; flowers and young foliage fragrant; ht. 8 ft	20.	2.00
Vulgaris Alba. "White Lilae." One of the best white varieties; ht. 8 ft	30c 30e	$\frac{3.00}{3.00}$
Viburnum Opulus. "Snowball," or "Guelder Rose." An interesting shrub, with eompact heads of snowy white flowers; ht. 15 ft	200	2.00
10. P	200	2,00

Fruit Seeds.

CULTURAL DIRECTIONS.

- Apple, Pear and Quince. The seeds of these varieties may be planted any time during the winter or early spring. Soak the seeds in tepid water for 3 days, and change the water each day, or soak in cold water for 8 or 9 days, then sow lightly in drills 2 feet apart.
- Cherry, Plum, Peach, Almond, Etc. The cultural directions given for the Walnut, so far as germinating the seed is concerned, may be followed; should, however, the quantity be small, the pits may be placed in layers in boxes placed on the ground in a sunny exposure. Sprinkle over each layer a coating of sand. Layers may be 4 to 6 deep. Keep constantly moist, but not soaking. As the young plants appear above ground, they should be carefully removed and planted in nursery rows 3 feet apart. A cloudy day is most suitable for this work.
- Walnut. The culture of the Walnut is the same as for all stone fruits. The seed may be planted in beds, during winter or spring, covering about 1 inch deep, and kept moist, but not wet, until they germinate, which will be in about 3 or 4 weeks, according to the temperature.
 - As soon as they crack and show the sprout, they should be transplanted to the nursery rows, $4\frac{1}{2}$ to 5 feet apart, and 6 inches apart in the row. They will grow the first year without irrigation 6 to 12 inches, and with irrigation 6 inches to 4 feet; the second year from 4 to 8 feet without irrigation, and about the same with it. They make a better tree to plant where irrigation is not practiced.
 - If ordered by mail 10c per pound additional will be charged to cover postage. Prices subject to fluctuation. Quotations for large quantities given on application.

Γ	r oz.	r er 10.
Almond, Hard-shelled. (Prunus Amygdalus Communis.) Per 100 lbs. market price		20e
Apple. (Pyrus Malus.) Useful as a grafting stock	10c	50e
Apple, French Crab. A superior stock	10e	75e
Apricot. (Prunus Armeniaca.) Price on application.		
Cherry, Mazzard (Cerasus Communis.) A hardy stock	10c	40e
Loquat. (Eriobotyra Japonica.) Seed supplied in season	10c	40e
Peach. (Prunus Amygdalus Persica.) From budded stock. Price on application.		
Peach, Seedling. (Prunus Amygdalus Persica.) Price on application.		
Pear. (Pyrus Communis.) Used as a stock	['] 20e	\$2.00
Plum, Myrobolan. (Prunus Communis.) A splendid stock on which to graft other varieties	10c	60e
Quince. (Cydonia Communis.) Quinces generally produce the same variety from seed,		
but occasionally vary. The stock is much used for budding and grafting the Pear	25e	2.50
Walnut, Soft-shelled. (Var. of Juglans Regia.) A superior variety. 100 lbs. \$12.50		20 e
Fresh Orange Seed. Taken from ripe fruit, thoroughly washed and cleansed from		
pulp. One pound of orange seed contains about 1500 seed		75e

SMALL FRUIT SEEDS.

Pe	r pkt.	Per oz.
Currant. Black	10e	50e
Red	10e	40c
Large mixed	10e	40c
Gooseberry. Largo English mixed.	10e	75c
Guava, Strawberry. (Psidium Guaiava.) Sow in boxes and transplant when 2 inches		
high to pots: Per lb. \$3.50	10c	35e
Raspberry. Finest sorts mixed	10e	40c
Strawberry. Large mixed	10c	50c
Red Alpine. This is the European wild strawberry	10c	75e

Gardening for Profit, a guide to the successful cultivation of the market and family garden. By Peter Henderson, illustrated with numerous new engravings. Mailed for \$2.10.

Palm and Other Decorative Plant Seeds.

As many of the seeds of this class of plants are not reliable unless fresh, and as the varieties reach us very irregularly from the collectors, we trust our customers will not feel disappointed if they do not receive all of the varieties they may order; we, however, promise to book such varieties which we cannot supply, and forward promptly upon arrival. As it is impossible to test the vitality or genuineness of this class of seed, we cannot hold ourselves in any way responsible for the results of crops. As many varieties of Palms take a long time to germinate, we advise patience and careful attention to attain successful results.

PALM SEEDS.

Palms are among the finest and handsomest of all plants. In a young state they do not show their distinctive characters.

distinctive characters.	Per	Per
Areca. A genus of elegant pinnate-leaved Palms, which are widely distributed over the earth, some of the species being found in the East Indies, while others occur in the West; they exist also in the Islands of the Mauritius and its dependencies, in the Island of Madagasear, in New Zealand and in Australia.	Seeds.	
Bauerii (Seaforthia Robusta.) Not very hardy in this climate, except under glass. Native of Norfolk Island	25e 8	\$2.00
Lutoseens. (See cut page 104.) An extremely boantiful plant, with pinnate arching leaves; will not stand frost. Native of Maseareen Islands	25e	2.00
Rubra. The leaves are pinnato and arching, in a young state bright red, changing with age to dark green. Native of the East Indies; not hardy out of doors	25e	2.00
Chamaerops. The various species of Chamaerops are found scatteded through Northern Asia, Northern Africa, North America, and the south of Europe. Leaves fan-shaped; fruit a berry and one seeded.		
Canariensis. A handsome palm worthy of eultivation, either for lawn or for pot eulture. Exeolsa. "Hardy Fan Palm." This palm grows to the height of from 20 to 30 feet; leaves fan-shaped; trunk enclosed by a dense mass of rough fibers. Native of the East Indies. Per oz., 25e; per lb., \$2.00	25e	2.00
Humilis. "Dwarf Fan Palm." Au extremely handsome plant. Native of Southern Europo. Per oz., 30e; per lb. \$2.50.		
Cocos. An elegant genus of a noble order, many species of which grow to majestic proportions. Australis. "Brazilian Palm." One of the hardiest of all palms, hardier than even the Date Palm; withstanding, unprotected, a cold at which oranges and lemons are injured		
or destroyed Bonnetii. A beautiful palm for decorative purposes; graceful in appearance. Thrifty Campestris. A hardy, handsome variety well suited for open air planting; is one of the most desirable of pinnate-leaved palms	40e 40e 40e	3.00 3.00
Plumosa. This species attains considerable size, rising upon a stout, straight col- umn-like stem some 40 or more feet. Fruit drooping; bunches of waxy flowers, which are succeeded by quantities of orange-colored nuts, enclosed in an edible pulp, in size about as large as a chestnut. Leaves are pinnate. Native of Brazil; does well out of doors in this climate	30e	2.50
Weddelliana. This is perhaps the most elegant palm we have in enlitivation. The stom is slender, and elothed with a quantity of black, netted fibres; leaves are from 1 to 4 ft. in length, or more, and beautifully arched. For table decoration there is no palm to eompare with it. Native of South America.	50e	4.00
Corypha Australis. (Livistona Australis.) Native of Australia; hardy	25e	2.00
Erythea Armata. (Brahea Glauca.) "Blue Palm." One of the most elegant Fan Palms, from the islands off Lower California. Leaves glaucous blue. Hardy Edulis. (Brahea Edulis.) A rapid growing variety from the Guadaloupe Islands. Fan	25e	2.00
shaped leaves, bright green. Hardy	25e	2.00

	Per 0 Seeds.	Per 100
Kentia Belmoreana. This fine palm is a valuable addition to our collections; its leaves		
are pinnate, dark green, and so beautifully crisp as to gain for it the name of "Curly		
Palm." It is very elegant and graceful in habit, a native of Lord Howe's Island,		
where it attains a height of 40 feot	40e	3.00
Canterburyana. This is a truly handsome species, native of Lord Howe's Island, with		
pinnate leaves, and a very robust habit. It is ealled in its native country the "Umbrella		
Palm.'' It is an exceedingly ornamental plant, and well adapted for decorative purposes	50e 🛂	5.00
Forsteriana. In its native country this plant is known as the "Thatch Palm," on account		
of its leaves being used for thatching houses. It is a robust-growing species, often at-		
taining a height of from 40 to 50 feet. Leaves pinnate, and very deep green: native		
of Lord Howe's Island	50e ∑	4.00



Phœnix Canariensis.

Latania Borbonica. Native of the Isle of Bourbon. Leaves large, fan-shaped, armed edges, and enveloped at the base in a net work of brown, fibrous tissues. It is a beautiful lawn plant, and when grown in large tubs or pots, this palm is the one bost suited and most largely used for the decoration of hotel verandas; hardy. Oz. 25c; lb. \$2.50.

Oreodoxa Regia. "Royal Palm." Nativo of Cuba. This noble plant attains a height of 60 feet. Leaves pinnate. Is largely grown for house decoration, but can searcely be considered hardy out of doors here......


15e 75e

Phoenix Canariensis. (See cut.) An elegant and most hardy variety of the Date Palm, much used around Los Angeles for lawns. Very handsome and durable......

10e 50e

·	Per 10 Seeds	Per . 100
Phoenix Dactylifera. The Date Palm; is an erect, handsome palm. Native of Northern		
Africa and Tropical Asia, where the palm attains a height of 80 feet. Lives to a great		
age, and yields the Date Fruit of commerce. Hardy. Per oz., 10e; per lb., 50c.		
Reclinata. A very fine, large-growing species. Leaves pinnate. Largely used in Nice,		
Cannes and in the south of Franco for avenues, also the best for that purpose here, as		
it will stand severe frosts. A native of the Cape of Good Hope. Hardy	20e	1.50
Rupicola. This is one of the most exquisitely graceful palms and in elegance takes a		
similar place to that of Cocos Weddolliana. It is of acaulescent habit, with wide-		
spreading, arching, pinnate leaves; a most valuable acquisition. Native of East India.		
Hardy	20c	1.50
Tonuis. This is a very hardy, elegant and desirable variety of Date Palm, with long,		
bright sea green leaves; much used for lawn planting	20e	1.50
Ptychosperma Alexandra. "The Alexandra Palm." This is an extremely handsome		
Palm, although a somewhat slendor-stemmed species. Leaves pinnate and beautifully		
arched, light green. Native of Australia, where it attains a height of a 100 feet. This		
variety will not stand much frost, but is vory ornamontal for pot culture	25e	2.00







Areca Lutescens.

20e 1.50

Washingtonia Filifera. (See ent.) Well known California Fan Palm, which also goes under the names of Pritchardia Filamentosa and Brahea Filamentosa. Very hardy. Per oz., 10c; per lb., \$1.00.

Robusta. A robust Fan Palm, similar to W. Filifera, but with smoother, and darker green leaves, without threads. Por oz., 25c; per lb., \$2.50.

Practical Florieulture, a guide to the successful cultivation of florists' plants for the amateur and professional florist. By Peter Henderson. New and enlarged edition. Every grower of flowers should have a copy of this splendid book. Mailed for \$1.60.

Gardening for Profit, a guide to the suecessful cultivation of the market and family garden. By Peter Henderson, illustrated by numerous new engravings. Mailed for \$2.10.

SEEDS OF DECORATIVE PLANTS. Per Per 10 Seeds. 100 Agaves. Six fine varieties, viz., Descrti, Lechequilla, Palmeri, Schottii, Shawii, Virginica, each per pkt. 15c. The collection of six varieties for 75c. Dracacna Amabilis. The ground color of the leaf is glossy green, becoming beautifully 25c \$1.50 marked and suffused with pink and creamy white..... Australis (Cordyline.) A palm-like tree growing to a considerable height; the stem is stout, leaves from 2 to 3 feet in length, oblong, lanceolate and bright green; splendid for avenues, native of New Zealand. Per pkt. 25c.; oz. \$1.00. Draco. Yields the dragon's blood resin: the stem of this species is stout at the base; leaves are closely set, 18 inches in length and 2 broad, thick and fleshy, dark green, and ending in a long, thin unarmed point. Native of South America; hardy. 1000 75c sceds, \$5.00 Indivisa. (Cordyline Indivisa.) Sometimes called Dracena Stricta. graceful palm-like tree, suitable for decoration either in or out of doors. Fine for avenues. Native of New Zealand. Oz., 40c; lb., \$4.00. 25c 40c Latifolia Major, per 1000 seeds, \$3.00 25c Veitchii. A beautiful variety, per 1000 seeds, \$2.00



Musa Ensete.

Musa Ensete. "Abyssinian Banana." (See cut.) Native of the mountain regions of Abyssinia. This magnificent plant attains a height of 30 feet, the leaves occasionally reaching the length of 20 with a width of 3 feet. This plant produces no suckors, and requires several years to come into flower and seed, then it dies off like the Sago Palm, the Caryota Palm and others which flower but once without reproduction from the root	
the length of 20 with a width of 3 feet. This plant produces no suckors, and requires several years to come into flower and seed, then it dies off like the Sago Palm, the Caryota Palm and others which flower but once without reproduction from the root	
several years to come into flower and seed, then it dies off like the Sago Palm, the Caryota Palm and others which flower but once without reproduction from the root 15c 1.0c Phormium Tenax. "New Zealand Flax." Ornamental and useful. The leaves may be	
Caryota Palm and others which flower but once without reproduction from the root 15c 1.00 Phormium Tenax. "New Zealand Flax." Ornamental and useful. The leaves may be	
Phormium Tenax. "New Zealand Flax." Ornamental and useful. The leaves may be	_
Phormium Tenax. "New Zealand Flax." Ornamental and useful. The leaves may be	U
Tenax Variegata. A variegated variety of the abovo. Very ornamental 10c 50)c
Yuccas. Six fine varieties, viz: Alba Marginata, Brevifolia, Clistocarpa, Elata, Truncata and Whippleyi, each per pkt., 15c. The collection of 6 varieties for 75c.	
Yucca Quadricolor. A large and magnificent kind. The upper surface creamy yollow, in the center tinged with crimson and orange-yellow, and broadly bordered with dark shining green. Nativo of Mexico. Hardy	íe.



Introductory Remarks.

Plants are a necessary and natural adjunct of seeds; indeed, the latter is a complement of the former. They serve an economic as well as an ornamental purpose,—economic in the sense of time saved to planters in their growing by means of budding, grafting, or seeds, thus gaining on nature's ways by man's intervention, thereby securing new varieties and a better quality of plant as well as of product. Our fine assortment is on a par in quality with our superior grown seeds: both are the product of California soil. Unlike the eastern grown plants, ours are grown with but slight protection, without artificial heat, and in many eases in the open; hence are vigorous, hardy, and free from injurious insects and disease. As a consequence will give better results than the sensitive and tender hot house grown stocks produced in the East. Bear in mind we sell no cheap plants badly grown in a haphazard manner; nor do we substitute. Every specimen in our establishment is accurately and plainly labeled. All we ask is a trial order, feeling assured that we can furnish patrons superior values.

Concerning Transportation Charges.

All plants sent by express at the expense of the purchaser, unless specially ordered otherwise; or, where in our judgment, the expressage would be too eostly. We carnestly request our customers to always have their plants sent by express (except, perhaps, in the case of heavy balled shrubs or trees, or where express charges are very high), as our system of light packing makes the charges comparatively low, and they almost invariably arrive in perfect order when thus sent. In the case of small plants we will send by mail if desired, but larger and finer plants can be sent better by express than by mail, which will more than repay the expressage. Our packing and labeling is carefully attended to, and we charge for the same only to cover cost of material. All goods are delivered at railway or express office free of charge.

Important Notice.

Pay only special rate on boxed plants, which is one-third less than ordinary merchandise rate. The express companies are glad to bill out all our boxes at this new rate, unless there is no special rate to the shipping point; but even then there is a special discount allowed of 20 per cent. See that no mistake is made at your end of the line. Goods do not need to be prepaid to seenre either reduction. When prepaid, express companies give special low rates on plants, roots and bulbs, at eight cents per pound for three to ten pound packages to any point in the United States.

Choice Specialties in Plants and Bulbs.

Abutilon. "Souvenir de Bonn." A distinct novelty and the most wondorfully variegated Abutilon yet introduced, foliage is large, of a deep green color, not mottled as in all other variegated forms, but each leaf is edged with a broad white margin, much like the Silver-leaved Geranium. The flowers are quite large, pink, striped with crimson. The plant is a strong, robust grower, and makes a beautiful



Agapanthus Umbellatus.

Anthericum vittatum variegatum. (Sce cut) Elegant house plant from the Cape of Good Hope, has foliage of a bright grassy-green color, beautifully striped and margined with creamy-white. In variegation and habit it closely resembles Pandanus Voitchii, but is of more rapid growth and easy of cultivation. It has a hardy constitution, not as against cold, but against the dry atmosphere and gas of the parlor, which makes it a valuable plant for the window or conservatory. Filled in hanging baskets, jardinieres, or rustic designs, it makes a handsome ornament. Each 25c to 75c.

Antigonon leptopus. "Rosa de Montana." A nativo of Mexico, is a magnificent climber for the greenhouse, rivaling the Bougainvillea in the color and abundance of its flowers. The chief attraction of the flowers is afforded by the sepals which are half an inch long, of a bright rose color. As the flowers are produced in such great profusion, the plant in its season of flowering, presents a brilliant and extremely showy appearance. It is described by the discoverer as one of the most beautiful climbers he ever beheld. If planted in the garden it should be given a warm, sunny situation. Each 25c to 50c.

specimen in a short time, and is equally desirable as a bedding or pot plant. Strong plants; each 25c to 50c.

Agapanthus umbellatus. "Blue African Lily." (See Cut.) A royal plant and flower in every sense of the word. Each crown produces an abundance of dark green, waxy amaryllis like leaves which last for years, and throws up flower stalks 2 or 3 feet tall, crowned with immense numbels of from 30 to 100 exquisite long tubed Lily-like flowers of a lovely skyblue color, which remain unfaded for weeks. It may be confined to a good sized pot, but if not divided will finally fill a tub as shown in the cut, and produce 30 to 40 stalks of flowers at one time. One of the grandest of pot plants. It should be given an abundance of water in summer, while growing and flowering, taking care however, not to let any remain in a stagnant state about the roots. Fine plants; each 25e to 50e



Anthericum.

Araucaria excelsa. "Norfolk Island Pine." (See cut next pago.) The handsomest tree grown in California, presenting a most striking, beautiful and symmetrical appearance. Its deep green feathery foliage, arranged in whorls around a perfectly straight spire-like stem, forms a plant of rare grace and beauty. It is now extensively used in Europe as a decorative plant for the table. Our stock is strong and of fine form. Plants 112 feet, each \$1.50; 2 feet, \$2.00; 3 feet, \$3.50.

Aristolochia elegans. An elegant summer climber of rapid and dense growth. It bears even on small plants, handsome flowers of a rich dark purple color ornamented throughout with irregular markings of creamy-white, center of flower deep yellow. The flowers are followed by seed vessels of beautiful and interesting appearance, when fully oponed to release the seed they are like minature parachutes. Each 25e to 50e.



Araucaria Excelsa.

Asparagus Plumosus. A beautiful climbing plant with dark green, graceful foliage, surpassing Maiden Hair fern in grace, delicacy of texture and richness of color. The fronds are 12 to 15 inches in length, flat in form and taper to a point from a width of 12 inches. It is one of the handsomest of all foliage plants. Commonly named Asparagus fern. Each 25e to \$1.50.

Asparagus Sprengeri. (Sec cut.) This is one of the most distinct of all the indoor species of Asparagus, the cut conveys a faint idea of its exquisite beauty and it is simply impossible to overpraise it. It is not at all like the other species offered. plumo-like growths, of a fresh light or apple-green hue, are thrown up in a free manner to a length of 3, 4, or even 8 or 10 feet, drooping gracefully and naturally from pot or hanging basket. It remains fresh all the year round, and in winter adds the charm of numerous red berries. For all indoor decorative purposes it is invaluable. In water it will remain quite fresh for 6 weeks after cutting, and we have had it remain fresh on the walls perfectly dry for two weeks. Everybody should grow it. Each 35c to \$3.50.

Asparagus Tenuissimus. A very useful pot plant for window culture. Trained on strings or trellis

like smilax, it will attain a great length. The foliage is very filmy and delicate of texture. Splendid for bouquets, retaining its freshness for days without wilting or changing color. Each 15e to 25e.

ASPIDISTRA.

Lurida. Nativo of Chiua, remarkable for producing its flowers under the surface of the earth. The leaves of this variety are long, broad, shinning dark green. A splendid house plant. There is absolutely no other that will stand more ill-treatment, such as dust, dry air, want of light etc. Each 35c to \$1.00.

Elatior variegata. The foliage of this variety—green with broad stripes of white—contrasts finely with ornamental foliaged plants. For the production of well marked plants, the pots in which they are grown should be small, and the soil liberally mixed with sand. Each 50c to \$2.00.

BEGONIAS.

All the species of begonia are interesting and beautiful ornaments for the conservatory or window and well adapted to amateur cultivation, thoir culture being very simple in any rich soil if allowed an abundant supply of water. Caro should be taken to keep the foliage of the Rex varieties free from dust. Occasionally the plants may be showered, but should not be exposed to the sun until the leaves are perfectly dry.


REX VARIETIES.

Each 25e to 50e.

Clementina. The stom and upper surface of the leaf are a beautiful bronze green, decorated with large silver spots; under side a bronze red, forming a pretty contrast. This plant bears handling well and its leaves are not easily hurt by water.

Countess Louise Erdody. A handsome variety of the Rox type, having a peculiar spiral twisted leaf, a metallic luster and silvery center.

Enfant de Nancy. Strong, vigorous grower, with hick heavy leaves distinctly marked with a broad, silvery zone; edge reddish bronze.



Asparagus Sprengeri.

Lesoudsii. This is the largest leaved of any of the Rex family. It is a cross between B. Diadema and a Rex variety, but retains the Rex character.

Louise Closson. One of the richest and most beautiful of the Rex family, with large and very handsome foliage. The coloring is simply magnificent, center of leaf deep bronze, with broad band of silvery rose, edged with bronze and spotted rose.

Magnifica. One of the finest and largest leaved of the Rex family. The leaf is silvery, with beautiful markings; no pen description can do it justice.

Queen Victoria. Solid silvery leaf of erepe-like texture, reddish veins, embroidered margin and fluted reddish edge. One of the largest leaved.

R. George. This is one of the strongest growing of the Rex elass. Very large, beautifully lobed, rich, glossy silver leaves, with distinct palmate center of bronze green. The edge of the leaf is metallic green, distinctly spotted silver.



Begonia Argentea Guttata.



Begonia, Tuberous Rooted.



Rex Begonia.

FLOWERING VARIETIES.

Each 25e to 50e.

Argentea Guttata. (See eut.) This variety is an introduction of M. Lemoine, and is a cross between Olbia and Alba Pieta. This beautiful sort has the silvery blotches of Alba Pieta, and the grace and beauty of growth of Olbia. It has purple-bronze leaves, oblong in shape, with silvery markings, and is in every way a most beautiful Begonia. It produces white flowers in bunches on ends of growth stems. It is splendid for house culture.

Manicata Aurea. Its heavy, waxy leaves are boldly blotched and marbled with a rich goldeneream, with a clear pink etching in the mature leaves. Easily raised and strong grower.

Metallica Velutina. Different from all others. Foliage dark, velvety, bronze-green above, under side reddish brown; a beautiful pot plant.

Nivea. (New.) This grand variety is an advance in flowering begonias. It is a constant bloomer, of dwarf, bushy habit and a vigorous grower, with large, dark green leavos, and is constantly covored with large clusters of rosy-pink flowers.

Otto Hacker. One of the best bloomers of those splendid decorative plants. Stiff, upright habit, with large, dark green leaves; great drooping elusters of eoral flowers produced in bunches of 25 or more.

Rubra. One of the finest shrubby begonias in eultivation; has dark, glossy green leaves; searlet flowers produced in abundance; stout, npright habit.

Thurstoni. A beautiful, stately plant, with remarkably handsome foliage. The under side of the leaves is a rieh, purplish-red, the veinings are very prominont, while the face, or upper side, is a bronzygreen, with a peculiar glossy luster over all. Flowers rosy white, in large clusters.

Vernon. Foliage rich, glossy green, with red edge; flowers at first opening are deep red, changing to elear rose in the fully open flower. Blooms when quite small, thrives everywhere and is very popular. Will stand bedding in full sunshine.

TUBEROUS ROOTED.

(See ent on page 109.) Gorgeous blooming plants, with many colored flowers from 3 to 4 inches in diameter. They are summer bloomers, commencing to flower early and continuing in full bloom until frost, rivaling the geraniums in depth and intensity of color. They grow best if planted in partial shade in a soil composed of leaf mold, sand, and a small portion of well rotted cow manure. They also make splendid specimens when grown in pots. When through flowering they should be dried off and shaken free from earth and packed in charcoal dust or dry leaf mold and kept in a warm room until Fobruary or March, when they may be started again. Strong bulbs that will bloom this season:

Single, large flowering varieties, each 15e, por dozen \$1.25. Double, large flowering varieties, each 25c, per dozen \$2.50.

BOUGAINVILLEAS.

A magnificent family of half hardy plants, comprising some of the most showy climbers in enlitivation. Their beauty lies in the showy magenta-colored bracts which envelop the small greenish flowers. They all require a warm summy situation to produce the best results, and if planted in good rich soil and given plenty of water during dry weather, we know of no climbing plant that will give better satisfaction as to persistent flowering and general effectiveness.

Strong young plants, each 25e; larger plants, each 35e.

Glabra. Color a rich shade of light purplo, though the color varies in different soils. A free bloomer and rapid grower.

Glabra Sanderiana. The most prolific flowering sort in cultivation. It blooms when only a few inches high, and it may be said that it is searcely ever out of flower. The bracts are a rich purple color, rather smaller than the other two kinds mentioned here, but what it lacks in size it more than makes up in quantity.

Spectabilis. A very rapid grower, which produces very large bracts of a glowing earmine-purple color. The bracts are larger than those of any other variety, foliago large and covered with hairs. This variety under favorable conditions will climb to a height of 40 feet.

BRYOPHYLLUM CALYCINUM.

A beantiful and strange plant, with thick, heavy leaves which, if cut and laid on moist soil or sand, little plants will grow from the notehes all around the leaf. They grow very quickly to a considerable size and make a healthy and beautiful looking plant. When in bloom it presents successively two distinct aspects; first, when the ealyx develops itself—membraneous, inflated, smooth as silk, cylindrical, round at either end, of a pea-green color, streaked with red, increasing in size, until it becomes 2 inches in length. Second, the flowers, borne upon slight pedicels, droop directly downwards, and are swayed by every breath of air like so many Chinese lanterns. It is impossible to describe the levely tint of the leaves, which are also very prettily scalled. A plant everyone can grow. Each 25c.

CANNAS. LARGE FLOWERING HYBRIDS.

No class of plants have made greater improvement in the past few years, as to size and texture of flowers, freedom of bloom and diversity of foliage, than the Canna. This combination of brilliant flowers and tropical foliage easily places them in the lead of all other bedding plants. With no other plant can such gorgeous results be obtained with so little outlay of time and expense. They commence to bloom soon after planting ont, and are ablaze with magnificent color until winter sets in. The dwarf varieties may be grown successively in pots or tubs, making showy plants for the porch during summer, and before frost they may be removed to the conservatory or window garden where they will continue flowering all winter.

Mrs. Kate Gray. "New Giant variety." A magnificent hybrid which originated at the nursery of Capt. F. Edward Gray, Alhambra, Cal., being the result of a cross between the orchid flowered canna Italia and Mad. Crozy. The color is a rich shado of orange searlet overlaid with gold, a superb coloring which, in open sunlight, is simply dazzling. The form is perfect, the petals being very broad and overlapping and measuring 2½ to 3 inches across, while the individual flowers are 6 to 7 inches in diameter. The texture of the flowers is all that could be desired, they partake of the nature of the pollen parent or Crozy race in this respect, and withstand our hottest summer sun without wilting. The foliage is a bright glossy green, equal to a Musa in size and substance, and forms an elegant contrast to the glorious heads of bloom. The height of the plant is 6 to 7 feet, the growth is huxuriant but very compact, the massive foliage and the enermous spikes of bloom gives the plant a noble tropical appearance. It is the only

Canna of its kind in existence and the forerunner of a new giant race which must eventually supplant all other kinds, as it combines in a greatly exaggerated degree the best qualities of both the parent races. Strong roots, each 50c; per doz. \$5.00.

GENERAL LIST OF UP-TO-DATE VARIETIES.

Each 25c; per dozen \$2.50; 15 varieties \$3.00.

America. The grandest of all the eannas, of the type of Austria and Italia. Flowers of immenso size and of a rich, shade of orange salmon, feathered and splashed with scarlet. Foliage reddish bronze.

Depute Ravarin. A crimson variety with very large flowers, borne in large trusses well above the foliage; it is one of the best erimsons out, and perfect in every respect.

Furst von Hohenlohe. A very fine yellow, faintly dotted with searlet on the lower petals; at a distance the effect is nearly yellow.

J. D. Eisle. Color an intense shade of vermilion scarlet; a magnificent variety, unquestionably one of the best of recent introductions.


Joseph Combet. Brilliant cardinal crimson, flowers enormous, potals broad and overlapping. One of the best all around varieties of its color.

Menelek. A grand sort, in color a bright Nasturtium red; flowers immense in size, trusses the largest of any we know of. This is one of the very best of Crozy's introductions and on its advent in France three years ago it sold for 20 france each.

Mme. Favarichon. Extra large flowers, color a rich shade of satiny carmine with an orange sheen. A lustrous shade and the best of its color in cultivation.

Leon Pepin Lehalleur. Flowers deep earmine red, trusses large and borne well above the ample foliage. A fine sort.

Mme. Leon Leclere. Brilliant searlet, tipped and margined with golden yellow after the style of Queen Charlotte, but much finer than that variety in every respect.



Mine d'Or. A reproduction of the well known Mad. Crozy in every particular save color, and that a grand one, boing a clear bright canary yollow without any scarlet markings.

M'lle. Berat. This variety is the nearest approach to pink yet offered and is one of the most taking colors in all the newer varioties of cannas, always very popular.

R. Pearson. The most unique eanna in the set and distinct from anything else in cultivation. Color a bright golden yellow densely dotted with light red spots. Extra.

Secretaire Chabanne. Deep salmon colored flowers, very large; potals broad and evenly arranged, the best of its color.

Sam. Trelease. The grandest scarlet yet introduced, petals broad and overlapping and opening out perfectly flat; truss erect, borne on long stems. Its vivid color makes it a fine sort for massing or single specimens.

Sunray. A distinct and novol sort, flowers very large with broad massive petals; peculiarly striped and splashed with searlet on a golden yellow ground.

OLDER VARIETIES.

Each 15c; per doz. \$1.50; 4 varieties 50c.

Austria. A counterpart of Italia in every respect save color, being a rich light yellow, faintly dotted with searlet spots in the throat; at a distance the effect is clear yellow.

Exploreteur Crampbel. A deep rich shade of red spotted with erimson; both flower and truss are large, the combination of colors is at once odd and striking.

Florence Vaughan. Yellow spotted carmine. This variety possesses all the points necessary to a first-class Canna. Color, habit and growth are all perfect.

Italia. A deep golden-yellow, the center of each petal being splashed with brilliant searlet. In point of beauty this canna equals the finest orchids.

CARNATIONS.

Each 10e; per doz., \$1.00.

We have an immense stock of these popular favorites, and in addition to the two superb varieties mentioned below we can supply all the various colors, as Scarlet, Yellow, Crimson, Striped, etc. In ordering please state colors prefered.

Los Angeles. Pure snow white of perfect form, rich clove fragrance and enormous size. It is a free and healthy grower and altogether the largest and finest white in cultivation.

Corbett. (See cnt.) A fine companion to the above, in color a delightful shade of pure salmon pink, exquisitely perfumed. Flowers very large—plants free in growth and flowering qualities.

Ageratum Princess Pauline. A very beautiful ageratum, distinct from any other in cultivation, tho body of the flower is pure white, while the numorous anthers are a pure shade of sky blue, the contrast between the two colors is a very telling one.



Corbett Carnation.

The plant is very dwarf in habit and like all other ageratums is an excellent bedding or border plant. 10c each. \$1.00 per dozen.

CHRYSANTHEMUMS.

Each 10e; per doz., \$1.00.

The merits of this well-known and favorite flower are justly appreciated. Being hardy, requiring only a minimum amount of care and attention, and nover failing to flower under the most adverse circumstances, they should be planted in overy garden. The only care is to propagate them by division or cuttings every year. For outdoor culture, we would recommend division of the root, for pot culture, propagation by cuttings. During spring and up to July, the tops should be frequently pinched in order to induce a dwarf bushy growth. Do not pinch the tops after July. As soon as the flower buds have formed, nip out all side buds, and leave none but 1 or 2 of the terminals. These will be very large, and will well-repay the trouble by their increased size and beauty. The Chrysanthemum is a gross-feeding plant, and though it will succeed in any soil, onjoys plenty of good, well-rotted manure, which enlarges the flowers, and gives the foliage a dark green appearance. After the flower buds have formed, a weekly watering with liquid manure will greatly improve both flowers and foliage.

Creole. A deep rich purplish-crimson, petals long and erowded, but not in any way coarse. A very striking shade of color.

Ed. Molyneux. Rich crimson on the upper surface of the petals, the reverse a deep bronze, a magnificent sort and always greatly admired.

Good Gracious. An enormous flower of bright peach color, composed of long narrow petals, which whorl up into a massive ball.

Glory of the Pacific. One of the best early pink varieties, maturing about October 10th; it is the ideal of a fine Chrysauthomum.

Helen Bloodgood. Deep silvery rose, a very pleasing shade and largely grown by florists. As good pinks are rather searce this sort is especially desirable.

H. F. Spaulding. Flowers very large and incurving; color a bright shade of bronzy yellow, occasionally marked with red, very fine.

Ivory. Snow white, very large and pure in color, grown by the thousands East where it is considered one of the best for market purposes.

Geo. W. Childs. Deep velvety crimson, a vast improvement on all other reds, does not fade as so many of its color do.

Mrs. Henry Robinson. The best early white and a valuable addition; reaches maturity about October 20th.

Mrs. O. P. Bassett. Identical with Mrs. Robinson save in color which is a bright clear yellow, foliage very heavy, stems stiff and erect.

Mrs. Geo. Ils. Pure white, petals long and drooping, very large and fine.

Major Bonnaffon. The yellows, flowers extra large, beautifully incurved, perfect in form and finish.

Marie Louise. An enormous white variety with long reflexed petals, blooms average 6 to 7 inches in diameter and are about as deep. A variety which when well grown is of unsurpassed beauty.

Niveus. Pure white, petals long and pointed, flowers massive and perfect in outline, extra good.

Philadelphia. Beautiful straw yellow turning lighter with age. Very large and the best yellow grown.

President Smith. Bright pink, of a pure even shade, the center petals incurving, the outer ones reflexed; a handsome flower of the largest size.

Queen. An extra fine pure white, perfect and quite distinct in form from anything else in the list.

R. J. Gause. An extra large spreading flower; color, orange red.

Rose Yoshike. A very pleasing shade of pink, somewhat after the color of President Smith; flowers very large of reflexed form.

Viviand Morel. When well grown, this variety is simply superb, the flowers are very large, petals long and narrow, twisting and interlacing into a huge ball of bright pink, very fine.

W. G. Newitt. The latest variety to bloom we have, can be had in perfection at Christmas or even later; if wanted late in the season, afford it slight protection as frost injures the bloom. Color a pure white slightly shaded with cream towards the center; flowers very large, an indispensable late sort.

Yellow Prince. A Japanese importation, flower similar to Good Gracious, color a rich buff yellow, very distinct and desirable.

Mrs. Rieman. A grand golden yellow incurved, one of the latest to bloom of its color; stem, form and finish are all perfect, nothing finer.

King of Chrysanthemums. An enormous flower with broad spreading petals, center ones incurving outer ones reflexed, color crimson, reverso of petals buff.

DAHLIAS.

Few flowers can be grown with as little care and produce such grand results as Dahlias; for beyond well staking, tying up and frequent waterings they require practically no attention. The new Caetus varieties are the rivals of the Chrysanthemums in grace and beauty, and are undoubtedly the coming flower; the petals are flattened and pointed and often twisted at the ends, and are less formal and set than the old fashioned double Dahlias. The single Caetus are a new and elegant class, remarkable for their light, graceful appearance, and are now great favorites in Enrope for cutting purposes. Single Dahlias though not a new class have been greatly improved and present some very striking and beautiful forms and colors and combinations of colors. They are of exquisite grace and beauty, very free flowering, and for a display in the garden or for cutting purposes are unsurpassed. The following are all grown from a collection imported from Europe last year, and contain many of the best nevelties, and is without doubt the finest collection of Caetus and Single Dahlias offered in this country. Roots supplied from January to April. As the stock of many of these varieties is very limited we advise intending purchasers to order early. Should we be sold out of the variety ordered, we will substitute the nearest variety to it if so requested by eustomer when ordering.

CACTUS DAHLIAS.

Beatrice. A very fine variety, true cactus shape, produces flowers on long stems well above the foliage, color pale rose with lighter shade at point of petals, quite distinct. Each 50c.

Bertha Mawley. Cochineal color, very free flowering; blooms stand npright upon stiff, wiry stems; thrown well above the foliage. Each 25e.

Chancellor Swayne. Volvety bluish-plum color, erect habit. Each 25c.

Charles Woodbridge. Bright crimson, one of the finest shaped cactus dahlias ever sent out. Each 75c.

Crawley Gem. Rich erimson searlot, small flowers. Each 25e.

Cycle. A beautiful carmine color, quite distinct and good form. Each 25c.

Daffodil. Pale primrose yellow, true cactus shape. Each 35c.

Delicata. Light salmon at base of petals, gradually shading off to a lovely delicate pink. Each 25c.

Earl of Pembroke. Bright plum color, deeper and more velvety towards the center, florets 3 inches in length, beautifully and regularly arranged porenpine-like; a fine large flower. Each 50c.

Ernest Glasse. Very free flowering, purplish magenta, flowers well above the foliage. Each 35e.

F. C. Pawle. Rich erimson, shaded rose at the tips of the petals. Each 50c.

Fusilier. A grand flower, very deep salmon or coral pink, the back of the petals having a tint of lilae. Each 25c.

Harmony. Reddish bronze, rather more yellow towards the center, medium size. Each 25c.

Harry Stredwick. Rich fiery crimson maroon, true cactus shape, flowers well above the foliage. Each 25c.

Island Queen. Quite distinct, charming light manve color, true cactus shape, medium size, extrafine. Each 60c.

J. L. Frewer. Bright vermilion, medium size. Each 25c.

Keynes White. True cactus type, medium size and one of the finest white cactus dahlias yet produced. Each 75e.

Mayor Haskins. Bright glowing erimson, a large bold flower. Each 35c.

Mary Service. Quite distinct, fine cactus shape, pinkish heliotrope at the ends of the petals, passing towards the base to a beautiful yellowish-brown, extra fine. Each 75c.

Matchless. Rich velvety maroon, free flowering. Each 25c.

Miss A. Nightingale. Erect flowers, on long stems, clear yellow ground, flaked and heavily edged with scarlet, a very attractive sort. Each 35c.


Miss Finch. Rich earmine rose, shaded crimson, very free flowering, medium size, of good form. Each 50c.

Miss Webster. Purest white, of fine habit. Each 50e.

Miss Violet Morgan. Base of petals fawn or orange, shaded toward the edge with delicate pink, small flowers. Each 35c.

Mrs. Barnes. Pale primrose, gradually shading towards the tips of the petals to pale rosy pink. Each 30c.

Mrs. Francis Fell. White tinted rose, fine. Each 25c.



Cactus Dahlia.

Mrs. Scrase Dickens. Rich golden yellow, fine large flowers, good habit and the best yellow cactus dahlia offered. Each 75c.

Purple King. Flowers on erect wiry stems, free flowering and very lasting when cut, distinct foliage. Rich imperial purple. Each 35c.

Purple Prince. Almost black, good habit. Each 35c.

SINGLE CACTUS DAHLIAS.

Bruce. Pale lemon color, a beautiful flower. Each 25c.

Burns. Splashed crimson on buff ground. Each 25c.

Earl of Ravenswood. An attractive variety, old gold color. Each 25c.

Lochiel. Quite distinct, florets nicely twisted and reflexed, einnabar red. Each 35c.

Pirate. A beautiful flower, dark crimson, shading to purple at the tips. Each 35c.

Sir Walter. Petals well twisted, rosy pink, resembling a pink Cosmos, very fine. Each 30c.

SINGLE DAHLIAS.

Alba Perfecta. Pure white, fine. Each 20c.

Amos Perry. Deep velvety maroon. Each 20c.

Annie Hughes. Clear yellow ring surrounding disc, shading to peach color on the margin of the flower; quite distinct. Each 25c.

Aurora. Rich yellow suffused with orange, very fine. Each 25c.

Cadet. Pure white with well defined margin of bright orange scarlet. Each 25c.

Cleopatra. Rich, deep velvety crimson, medium size and nicely recurved. Each 20c.

Demon. Rich blackish maroon, fine shape and the best dark single dahlia yet sent out. Each 30c.

Donna Casilda. Coppor-orange, with dark maroon ring shading to tips of petals to bright rose. Each 25c.

Duchess of Marlboro. White center of petals, edged with deep crimson, varies, flowers of a deep maroon often appearing on the same plant, very striking and effective. Each 30c.

Eclipse. Rosy mauve and salmon, with broad crimson ring around disc. Each 25c.

Emmie. Blush white, with margin of bright lake color. Each 20c.

Evelyn. Clear white center, outer margin of flower shaded delicate pinkish manve. Each 20c.

Florrie Fisher. Deep manyo, with distinct white ring around the disc, beautifully refloxed, a fine large flower. Each 20c.

Formosa. Rich dazzling crimson, fine form. Each 20e.

Gulielma. White, with side margins of golden buff. Each 20c.

Harry Braten. Deep rose, splashed and striped with dark velvety maroon. Each 25e.

Hugo. Rich searlet, shaded purple and tipped magenta. Each 20c.

James Scobie. Yellow striped and flaked with scarlet, very fine. Each 30e.

Jeanette. White with clear margins of bright searlet crimson. Each 25c.

Kitty. White, deeply suffused with rosy manve. Each 25c.

Lady Montefiore. Rich deep yellow, shaded to margin of petals to a clear rosy peach. Each 20c.

Lady Whitehead. Rich rose purple, with yellow ring round disc. Each 20c.

Marion Hood. White, shading to rosy pink. Each 20c.

Maude Millet. White center, onter half of petals rosy pink, fine form. Each 20c.

Miss Glasscock. Soft clear lavender, margined pale mauve, very fine. Each 25c.

Miss Morland. Rich crimson scarlet, fine shaped flowers. Each 20c.

Miss Ramsbottom. Lovely pink shaded cerise. Each 20e

Mrs. Jongkindt Coninck. White, shaded with palo mauve, petals well recurved. Each 20c.

Naomi Tighe. Rich sulphur yellow, with orange ring, small recurved flower of good form. Each 20e.

Northern Star. Bright red, margined with rich golden yellow, small, well-formed flowers, strong and distinct. Each 20c.

Sunningdale White. Very fine white, good form. Each 20c.

Sunningdale Yellow. Fine deep goldon yellow. Each 25c.

The Bride. Pure white, medium size, good form, the best white. Each 25c.

Victoria. White, with side margins of velvety crimson, Very striking. Each 25c.

CYCAS REVOLUTA.

A splendid decorative plant, without a rival for indoor and outdoor use. Its noble and majestic habit is most impressive; very hardy, resisting alike the gas, cold and dust to which decorative



Cycas Revoluta.

plants must frequently be exposed. Any good garden soil will suit it. Pots should be well drained and water applied sparingly during the winter. Each \$1.50 to \$20.

DRACAENA. (Cordyline.)

Draemas rank among the most beautiful and useful of the ornamental foliaged and fine leaved plants. In a large or small state they are alike elegant and attractive. All are admirably adapted for decorative purposes, excellent for jardinieres, baskets, window gardens or the conservatory,

Amabilis. A strong growing variety that quickly forms large specimens, prettily variegated green, white and pale violet, turning to rose. Each 75c to \$2.50.

Braziliensis. A sturdy quick-growing Dracena with broad green leaves, and stout stem and leaf stalks. As a decorative plant it has few superiors. A fine house plant. Each 75c to \$1.00.

Godseffiana. Undoubtedly one of the most striking now ornamental foliage plants of recent introduction. The plant is of an entirely different habit from all other Dracenas; it is free branching and throws out many suckers from the base so as to form beautiful, compact, graceful specimens in a very short time. Its foliage is broadly lanceolate, 5 to 6 inches long, and 2 to 3 inches wide; of a strong leathery texture; rich dark green color, densely marked with irregular dots and spots of a creamy-white, not nulike an

Aucuba Japonica, of which the markings in the foliage strikingly remind one. It is a plant which will undoubtedly be used extensively for decorative purposes when it becomes more plentiful, as it is very hardy as a house plant, equaling, if not surpassing in this respect, the Aspidistra and Ficus. Each \$1.00 to \$5.00.

Sanderiana. An entirely distinct species, with thick textured, narrow leaves, which are closely set on slender, npright stems, variegated, with silvery white and green bands alternating, and of various widths, the whole surface of the plant being covered with a silvery sheen of bloom. It is altogether different from anything heretofore known in the way of Dracenas. Each 75c to \$2.50.

Terminalis. (See cut.) A splendid plant for house and window decoration, with bright tropical looking foliage of rich crimson color; beautifully marked with white and pink in well developed plants. Each 25c to \$1.00.



Draciena Terminalis.

Indivisa. Probably, all things considered, the very best plant for the centers of vases, hanging baskets, etc. It is very graceful, and is not injured by sun or wind in the most exposed situations. We have a large stock of this most popular vase plant in splendid shape, from small plants up to extra large specimens for the largest vases, and can offer it at low prices. Each 25c to \$2.50.

FERNS.

No collection of plants is complete without ferns. Their popularity has greatly increased during the past few years, and now they are indispensable in all choice floral decorations, and are especially valued for room and table decoration. Where there is shade and moisture most of the varieties

succeed well when planted out of doors. Good drainage must be provided, as stagnant water is fatal to success. The plants we offer are in 4, 5 and 6 inch pots, and well established.

Adiantum Capillus Veneris. "Common Maiden Hair." Each 25c to 50c.

Adiantum Cuneatum. One of the most beautiful of all the Maiden Hair Ferns, and the one most popular and most generally grown by florists for decorations. It is a superb pot fern. Each 35c to \$1.00.

Adiantum Pubescens. A peculiar and beautiful fern, having a very soft, appearance from the brown pubescence which covers the stems. Fine for baskets and fern-dishes. Each 35c to \$1.00.

Adiantum Williamsii. A very handsome tall growing variety with large fronds. Each 50c to \$2.00.

Asplenium Bulbiferum. "Bulb-bearing Fern." An exceedingly beautiful and interesting variety. Has the very singular property of bearing little buds on its surface, from which the young plants are formed. It is not an uncommon thing to see 15 or 20 of those young plants all perfectly developed, from 1 to 2 inches high, on a single frond. Each 50c to \$1.00.

Cibotium Schiedei. This is undoubtedly the fluest of all the tree ferns for use in decorative purposes, and though appearing very soft, is in fact very hardy, as has been demonstrated by the leading decorators, succeeding admirably as a house plant, which is not the case with any other tree fern. It possesses a grace and delicate appearance that is found in no other plant. It is a variety that is always scarce and difficult to obtain. Fine plants in 6-inch pots, each \$3.50.

Cyrtomium Falcatum. "The Holly Fern." So called on account of the similarity of its foliage to that of holly — bright, glossy green. This is a tiptop house plant, easily grown. It has also been called the Leather fern on account of its easy culture. Each 35e to \$1.00.

Divallia Stricta. One of the finest ferns in cultivation whether growing as a decorative plant in the room or planted out; the fronds arc of strong texture and a beautiful shade of green. Each 50c to \$1.00.

Lomaria Gibba. A strong-growing hardy fern, well-grown specimens of which are very desirable as decorative plants. Makes very symmetrical, fine specimens, and is exceedingly valuable for tablo decorations, or where other decorative plants are desirable. Each 50c to \$1.00.

Lygodium Scandens. The beautiful Japanese elimbing fern; as easy to grow as ivy or smilax. Each 35c to 75c.

Microlepia Hirta Cristata. We consider this one of the finest ferns in cultivation to grow into specimen plants, and while it is of such a delicate, graceful appearance, that would lead one to think that it was useless as a honse-fern, it is, nevertheless, one of the best for this purpose. Each 35c to \$1.00.



FERNS.

Nephrolepis Cordata Compacta. In our estimation this variety is the finest of all the sword ferns; it is of free, strong growing, compact habit, attaining when fully grown a height of about 2 feet. The fronds, which are of a dark green color, are very rich, of upright growth, with just sufficient arch in them to make them graceful. Splendid for jardinieres. Each 50c to \$1.50.

Nephrolepis Exaltata. The true Sword fern. In well grown specimens the fronds attain a length of 6 or 7 feet, but only 1 to 3 inches wide, and like plumes arching over in every direction in a most graceful manner. Will grow either in deep shade or full sun, and no other plant is more absolutely sure to grow finely and please everyone. Each 35c to \$1.00.

Nephrolepis Davaleoides Furcans. A beautiful and distinct variety, with numerous arching fronds; makes fine specimen plants in a very short time, crested at the ends. Each 50c to \$1.00.

Nephrolepis Exaltata Bostoniensis. Known as the Boston Fern. This is decidedly the favorite for growing in hanging baskets, wall-pockets and tall jardinieres. Its long broad arching fronds show to grand offect. Each 50c to \$2.50.

Nephrolepis Phillipense. A compact dense growing variety of dwarf habit, with pretty upright fronds. One of the best for house culture or window gardening. Each 35c to 75c.

Polypodium Aureum. A noble sort with large glaucous fronds which are of a bluish tint, deeply cloft and borne on stout brown stems, drooping over the pot and forming a majestic object. Of easy growth. Each 50c to \$1.00.

Pteris Argyraea. A very showy strong growing fern, variegated foliage; fronds large, light green, with a broad band of silvery white down the center of caeh; vory distinct. Each 50c to \$2.00.

Pteris Biaurita Argentea. This is a compact form of P. Argyræa, which it resembles in every way except that it is more miniature in growth and the fronds heavier, thicker, and of more substance, making it valuable for general use, as it withstands dry atmosphere much better than others of this type. Each 35c to 75c.

Pteris Cretica Albo-Lineata. An old but very hardy and useful dwarf species, with a whitish stripe in the fronds. A grand sort. Each 35c to \$1.00.

Pteris Serrulata Cristata. A beautiful crested fern, fine for baskots, fern-dishes and for cutting. Vory easy to grow. Each 35c to \$1.00.

Pteris Serrulata Voluta. This desirable fern is one of the most distinct varioties of Pteris Serrulata yet introduced, the volute or curled appearance of the pinne being very noticeable, not only in the mature plants, but also in the young state. Its elegant appearance being also further enhanced by the tips of the incurved pinne being prettily crested. Each 35c to 75c.

Pteris Tremula. One of the finest ferns for house decoration, growing very rapidly and throwing up large, handsome fronds; makes magnificent specimens; easily grown and very popular. Each 35c to 2.00.

Pteris Tremula Smithiana. A crosted form of P. Tremula, especially adapted to grow into 5 or 6 inch pots, in which shape it is very dosirable, being of bold, attractive and graceful appearance. Each 50e to \$1.50.

FICUS ELASTICA.

(Rubber Plant.)

This is certainly one of the best plants grown for decorative purposes. It succeeds well with ordinary treatment. Its glossy, thick dark-green leaves seem formed especially to resist the dust



Figus Elastica.

and gas to which plants in dwelling houses are exposed. Its large foliage and creet form are much admired. Each \$1.00 to \$5.00.

FUCHSIAS.

One of the finest flowers for garden decoration that we possess, which also succeeds well as a greenhouse or window plant. When planted in the open ground the only procaution to be observed is to plant them in a somewhat shaded location and thoroughly enrich the soil with well decomposed manure, and, during dry weather, water freely and give occasionally a little liquid manure.

. Wo describe a few of our leading varieties of Fuchsias, which we consider to be the best.

Arabella. (Single.) White tube and sepals, vory large and long, well reflexed, corolla rich rosy pink.

Avalanche. Flowers very donble, large and fine, tube and sepals bright carmine, eorolla dark violet plum.

Black Prince. (Single.) Large, spreading eorolla of elear pink, sepals waxy earmine, beautiful habit and a very free bloomer.

Mrs. E. G. Hill. Flowers large, double, eorolla ereamy white, dark red sepals, well reflexed, of good habit and growth.

Phenomenal. The tube and sepals of a rich, reddish erimson color, enormous corolla, very full, of a beautiful azure violet color, the most gigantic double Fuehsia yet sent out.

Speciosa. Tube and sepals flesh color, shaded rose, with rosy carmine corolla. A remarkably free flowering and hardy variety.

Storm King. (See eut.) A gem, with dwarf habit, earmine sepals, with white eorolla. A magnificent large double variety.

Tower of London. Rieh velvet blue corolla, searlet schals, well recurved.

Wave of Life. Beautiful golden colored loaves, rich searlet tube and sepals, with bright violet blue corolla.

Price of above from 15c to 50e each.

LOTUS PELYORENSIS.

(Coral Gom.)

This charming basket plant, comparatively unknown in this country, is of rapid growth and trailing habit, admirably adapted to growing in hanging baskets and vases. Without its flowers it might almost be described as a silvery asparagus, but when covered with is bright coral red flowers, measuring 2 inchos in length, it is really beauti-



Fuchsia, Storm King.

ful. It is of the easiest possible management and seems to thrive in almost any situation and under the most adverse circumstances. A valuable addition to this class of trailing plants. Each 25c to \$1.00.

MUSA ENSETE.

(Abyssinian Banana.)

(See cut on page 105.) For producing a tropical effect on the lawn, terrace or flower garden, this plant cannot be excelled—it is also very useful as a house decorative plant—we have some fine large specimens. For full description see page 105. Each \$1.00 to \$5.00

PALMS.

This family is fitly called "Princes of the Vegetable Kingdom." Their beautiful characteristics, grandeur and graceful beauty places them at the head of all decorative plants. For descriptions, see Palm Seed List, pages 102-104.

Areca Lutescens. (See cut p. 104.) In 4-in. pots \$1.00; 6-in. pots \$2.50; 8-in. pots \$4.00 to \$6.00.

Caryota Urens. "Himalayan Palm," in 5-in. pots 50c.

Chamaerops Excelsa. "Hardy Fan Palm," in 5-in. pots 50c, according to size, up to \$5.00. Humilis. "Dwarf Fan Palm," in 5-in pots 50c, according to size, up to \$5.00.

Cocos Plumosus. In 4-in. pots \$1.00; 5-in. pots \$2.50, according to size, up to \$5.00. Weddelliana (see cut) $2^{1}2$ -in. pots 50c, according to size, up to \$2.50.

Corypha Australis. \$4.00.

Erythea Armata. (Brahea Glauca.) "Blue Palm," in 6-in pots \$1.00, according to size, up to \$5.00. Edulis in 6-in. pots 75c, according to size, up to \$2.50.

Kentia Belmoreana. According to size, 50e to \$10.00. Forsteriana in 3-in. pots 60e, large plants \$2.50 to \$10.00.

Latania Borbonica. Chinese Fan Palm in 3-in. pots 75c; 4-in. pots \$1.00; large plants \$1.50 to \$7.50.

Livistona Rotundifolia. A very pretty Palm, especially suited for table decoration. The foliage is small and gracefully recurved, forming an almost globular plant. In 4-in. pots \$1.00; 5-in pots \$2.00.

Phoenix Canariensis. (See cut, p. 103.) In 6-in. pots 75c, according to size, up to \$5.00. Dactylifera in 6-in. pots 35c, according to size up



Cocos Weddelliana.


to \$2.50. Reclinata in 6-in. pots \$1.00; 8 and 10-in pots \$2.50 to \$3.00; extra large specimens in tubs \$6.00. Rupicola in 6-in pots \$1.50. Tenuis in 6-in pots \$1.00; 7 and 8-in pots \$1.50 and \$2.00.

Ptychosperma Alexandrae. Leaves feather-shaped, boantifully arched, quite red when young, but light green (with a silver tinge underneath) when older—makes a very ornamontal pot plant. In 4-in. pots 50c; 5-in. pots \$1.00 to \$1.50.

Raphis Flabelliformis. In 6-in pots \$1.50; 7-in. pots \$2.50; 10-in, pots \$5.00.

Seaforthia Elegans. In 3-in. pots 25e; 5-in. pots 75c, according to size, up to \$2.00.

Washingtonia Filifera. In 5-in. pots \$20.00 per 100; each 25c; in cans or boxes, extra large, 2 to 3 ft. high 75c to \$1.50. Robusta in cans or boxes, extra large, 2 to 3 ft. high \$1 to \$2.



(Screw Pine.)

One of the most noble, beautiful and useful decorative plants that can be grown. For majesty of form and gracefully arranged foliago it is almost without an equal, while its vigorous constitution enables it to stand more neglect, without sorious injury, than almost any other plant we know of. Whether in the window garden, the conter of a vase, or hanging basket, or among the piazza plants in summer, it fills a place for which it seems especially adapted. The sharply serrated edges of the leaves are bright red and the body of the leaf green, glistening in the sunlight and rendering it unusually attractive. A plant which will delight everybody. Each 50c

Pandanus Veitchii. (See cut.) Is even more attractive than the foregoing. The leaves are light green, beautifully

Pandanus Veitchii.

marked with broad stripes and bands of pure white and most gracefully curved. No collection of decorative plants should be without this magnificent variety. Each 75c to \$2.50.

ROSES.

This, the "Queen of Flowers," is so generally known and grown, that but little space need be occupied in describing the mode of planting, etc., all that is necessary being a good, deep, rich soil, liberal manuring and good cultivation. The roses we offer are all grown out of doors, are well furnished with roots, and range in height from 1 to 3 feet. They are well established in 4-inch, 6-inch, 8-inch and 10-inch pots. Prices respectively 25c, 50c, 75c and \$1.00 each; \$2.50, \$5.00, \$7.50 and \$10.00 per dozen, except where specially marked. We give the leading varieties, but can also supply many other kinds not herein montioned.

TEA ROSES AND THEIR HYBRIDS.

Bon Silene. Brilliant carmine rose, a well known variety, beautiful in bud.

Bougere. Deep rosy bronze, large and full.

Catherine Mermet. Fine fleshy rose color, large, full, and of perfect form, a splendid fall bloomer.

Comtesse Riza du Parc. Salmon rose, tinted with copper, large and globular, distinct.

Cornelia Cook. Large, fine buds, creamy-white.

Doctor Grill. Coppery yellow, suffused with rose.

Duchess de Brabant. Rosy flesh, globular form, flowering in clusters.

Elise Sauvage. Pale yellow, with orange center, large, double and globular.

Etoile de Lyon. Sulphur yellow, deepor in eentor, large, double and of good form.

General de Tartas. Dark roso color, large and double.

Homer. Bright rose, with frequent markings of white.

Isabella Sprunt. Sulphur yollow, very beautiful in the bud.

Jules Finger. Rosy pink, shaded with salmon; large, double and finely formed.

La France. Beautiful lilac rose, with silvery luster, and perhaps the sweetest fragrance of all roses. Universally admired and popular.

Madame de Watteville. The "Tulip" Rose. Salmon white, each petal bordered with bright rose, like a Tulip, large and double, a fine rose.

Madame Falcot. Apricot yellow, fuller and lighter in color than Safrano, charming in bud.

Madame Jos. Schwartz. White, tinted with bright rose, exquisite in coloring, a grand rose.

Madame Lambard. Salmon pink, shaded with rose, large, double and globular; good.

Madame Margottin. Dark eitron yellow, with deep center; large, globular and free blooming.

Madame Welche. Pale yellow, with orange center, distinct.

Meteor. Rich velvety crimson, large buds and flowers borne on long stems; strong grower and free bloomer.

Marie Van Houtte. Canary yellow, tipped with rose; finely formed, good.

Niphetos. Beautiful clear white, with long pointed buds, free growing and vigorous.

Papa Gontier. Dark earmine crimson, with long buds; exceedingly free flowering.

Perle des Jardins. Boautiful rich yellow, of large size and perfect form.

Rainbow. Deep pink, striped and splashed with crimson; base of petals, rich amber; large, very fragrant and free flowering.

Safrano. Bright apricot in bud, changing to buff.

Sombreuil. White, shaded salmon; large, double and vigorous; fine.

Souvenir de Wootton. Bright crimson and very fragrant, especially good.

Souvenir d'un Ami. Delicate rose, shaded salmon; large, double and exquisitely fragrant; a vigorous grower and free bloomer.

Sunset. Deep apricot, beautifully shaded with salmon, very fine; a sport from Perle des Jardins, and of the same habit.

The Bride. Pure white, shaded lomon, large and full; a sport from Catherine Mermet, of the same habit.

The Queen. Pure snow-white, very sweet, fine buds; a vigorous, healthy grower, and a continuous bloomer.

HYBRID PERPETUAL ROSES.

American Beauty. Rosy erimson, shaded scarlet, very double and fragrant.

Baroness Rothschild. Pale delicate rose shaded with white, large and globular.

Captain Christy. Delicate flesh color, deeper in centre, large and effective, a good full bloomer,

Dinsmore. Rich searlet crimson, large double and an incessant bloomer.

Duchess of Albany. Similar to La France, but a rich, deep, even pink throughout. This rose is in reality a Hybrid Tea, though usually elassed with the Hybrid Perpetuals.

Empereur de Maroc. Deep velvety maroon, distinct and beautiful.

General Jacqueminot. Brilliant velvety crimson, beautiful in bud, probably the most popular red rose.

John Hopper. Bright rose, with crimson eentre; large, full and good.

La Reine. Rose, tinted with lilac, large, full and fine; very fragrant.

Madame Charles Wood. Vivid erimson, flushed with searlet, large, very double, and a continuous bloomer.

Magna Charta. Bright pink, very large, full and of good form; habit ereet, with magnificent foliage.

Mrs. John Laing. Clear bright pink, exquisitely shaded, buds long and pointed.

Paul Neyron. Dark rose, immense flower, fine form and habit. One of the best.

Prince Camille de Rohan. Crimson maroon, shaded with blood red, very rich and velvety; distinct.

Ulrich Brunner. Rich glowing scarlet crimson, of exquisite shape, a strong vigorous grower.

CLIMBING ROSES.

Banksian. White. Very sweet, blooming in elusters, violet seented; a good pillar rose.

Banksian. Yellow. Small, but very beautiful, well adapted for training up on verandas.

Celine Forestier. Pale yellow, a free bloomer, large and double.

Climbing La France. Silvery rose, changing to pink.

Climbing Niphetos. Pure white, large and globular.

Climbing Perle des Jardins. Very deep yellow, buds largo and highly fragrant.

Cloth of Gold. Yellow, large and very double, of vory robust and vigorous growth, succeeds well in this elimate.

Gloire de Dijon. Fawn tinted with salmon and rose.

Gloire de Margottin. Dazzling red, large, very full and delieiously fragrant.

Gold of Ophir. Salmon and fawn, shaded with copper, of vigorous growth.

Lamarque. White, well known, constant flowering. The best white elimbing rose.

Marechal Niel. Beautiful, deep yellow, full and globular; magnificent.

Reine Marie Henriette. Cherry-red, large full flowers, a great acquisition as a climbing or pillar rose.

Reve d'Or. Deop yellow, large and full.

Solfaterre. Sulphur yellow, largo and fine; vigorous.

W. A. Richardson. Growth very vigorous, flowers full, color splendid orange-yellow, beautiful in bud.

POLYANTHA ROSES.

Clothilde Soupert. Medium size, very double and beautifully imbricated, produced in clustors, liable to vary, producing often red and white flowers on same plant.

Mademoiselle Cecile Brunner. A very beautiful and valuable rose; the flowers are very full and regular, perfectly double and fragrant; eoler elear rosy-pink, passing to white.

Mignenette. One of the most lovely miniature roses; the flowers are full and regular, perfectly double, borne in clusters, and deliciously perfumed; color clear pink, changing to white, tinged with pale rose. A vigorous grower, and constant and profuse bloomer.

Perle d'Or. Charming and very distinct; color coppery gold, changing to fawn and salmon; flat, rayed form; very double, and finely perfumed.

VIOLETS.

Strong pot-grown plants, 50e per dozen.

California. A grand single violet now grown in great quantities all over the country for cut flower purposes, flowers vory large and fragrant, stoms often a foot long.

Czar. The old dark purple single Russian violet, vory fragrant and a free bloomer.

Farquahar. A very dark double violet, at least 2 or 3 shades darker than Marie Louise, very fragrant and, for a double violet, produced on very long stems. It is considered one of the best commercial sorts.

Marie Louise. Large double blue, flowers very large, intensely fragrant, and very free, later in bloom than single sorts.

Princess of Wales. A magnificent new single, the largest violet in cultivation. The flowers open out flat similar to a pansy and are deliciously fragrant and extra long stemmed. This sterling novelty originated with Millet, the celebrated French violet specialist about 4 years ago; it is regarded as one of the finest of his productions.

Swanley White. This variety is the eounterpart of Marie Louise in overy respect save color, it being pure white, very fragrant.

CAMPANULA ELEGANS. A handsome new Campanula, native of Siberia and regarded as one of the finest in existance; it forms tufts 24 to 30 inches high and produces many long spikes of large bell shaped drooping flowers of a beautiful purplishblue. It belongs to the same family as the Canterbury Bells but greatly exceeds them in point of beauty, it is useful for cut flowers or for bedding purposes. Each 20¢; per dozen, \$2.00.

HARDY ORNAMENTAL TREES AND SHRUBS.

MARUT URNAMILITAL TREES AND SHRUDS.		
Abbreviations; e evergreen. d deciduous, s shrub, t tree.	77.	.1.
Abutilon. 6 different varieties\$	Price ea O 15 to S	
Acacia, "Wattle." For full descriptions see Australian Tree Seed List.	Price	Price
	each. p	er doz.
Dealbata, et	0.15 - 4	$\begin{array}{c} 31 \ 50 \\ 1 \ 25 \end{array}$
Melanoxylon, et	15	$\frac{1}{1} \frac{25}{25}$
Mollissima, et	15	1 50
Pyenantha, et	15	1 50
•	Price en	
Achania Malvavisens, es. Bright Scarlet	15 to	$\frac{50}{25}$
Brachychiton Acerifolium, et. "Flame Tree." (See Australian Tree Seed list for descrip.)	25	-1/
Extra large plants	1 50	
Camellias, es. We have a splendid collection of these showy flowers	50 to	1 50
Clianthus Puniceus, es. "Glory Pea." Bright Searlet	50 to 35 to	$\begin{array}{c} 75 \\ 1 00 \end{array}$
Coprosma Baueriana Variegata, es. Beautiful foliage	25 to	50
Deeringia Amherstii Variegata, es. Leaves white and green, very pretty	35	.,0
Deutzia Crenata, fl. pl., ds. Double white	35	
Gracilis, ds. Very graceful and pretty; pure white	35	1 00
Diosma Ericoides, es. "Breath of Heaven." White, with seented foliage	50 75 to	$\frac{1}{1} \frac{00}{25}$
Dracacna Draco, es. "Dragon's Blood Tree" Euonymus Japonica, es. "Spindle Tree,"	25 to	50
Aurea Variegata, es	25 to	50
Fabiana Imbricata, es. White, heath-like flowers	50	
Grevillea Robusta	25 to	50
	Price L each, plan	arge ts each.
Heliotropium, es. President Garfield. Bright mauve purple, large trusses 10		50e
Queen of the Violots. Purplish violet, large	e to 25e	50e
Hibiscus, es. Brilliantissimus. Scarlot, with black ring	e to 35e	75e
Cooporii. Beautifully variegated foliage	e to 35e	75e 75e
Minatus. Semi-double, red	e to 35e	75e
Hydrangea Otaksa, ds. Flesh eolor	e to 35e	50e
Paniculata Grandiflora, ds. White	e to 35e	50e
When Home 3a White		
Thos. Hogg, ds. White		50e
	Large pla	nts
Jacaranda Mimosofolia, et. Blue, a magnificent tree	Large pla each 75 to	nts 1 00
Jacaranda Mimosœfolia, et. Blue, a magnificent treeSmall plants, each 25e Lantana Hybrida, ds. Six difforent kinds	Large pla each 75 to 30 15 to 5	nts 1 00 30 25
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to	1 00 \$0 25 1 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to	nts 1 00 30 25
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00 25 to	1 00 \$0 25 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00	1 00 \$0 25 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnifieent tree	Large pla each 75 to 30 15 to 1 00 to 1 00 25 to 25	1 00 \$0 25 1 50 2 00 75 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00 25 to 25	1 00 80 25 1 50 2 00 75 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00 25 to 25 Price ea 80 75 to	1 00 \$0 25 1 50 2 00 75 50 50 sch \$1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00 25 to 25 Price each 75 to 75 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 \$1 50 1 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 30 15 to 3 1 00 to 1 00 25 to 25 Price ea 30 75 to 75 to 15 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 \$1 50 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large pla each 75 to 30 15 to 3 1 00 to 1 00 25 to 25 Price each 75 to 75 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 \$1 50 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 30 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 75 to 15 to 50 25 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 1 50 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 30 15 to 30 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 75 to 15 to 50 25 to 10 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 1 50 75 75 75 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 30 15 to 30 15 to 1 00 to 25 to 25 Price ea 75 to 75 to 15 to 50 25 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 1 50 75 75 75 15 75 2 00 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 30 15 to 30 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 75 to 15 to 50 25 to 10 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 1 50 75 75 75 15 75 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 30 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 10 to 25 to 15 to 50 to 1 00 to 25 to 50 to 1 00 to 25 to	1 00 80 25 1 50 2 00 75 50 50 1 50 75 75 75 15 75 2 00 1 50 2 00 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 50 15 to 51 00 to 1 00 25 to 25 To 25 to 15 to 50 to 1 00 to 25	1 00 80 25 1 50 2 00 75 50 50 1 50 75 75 15 75 2 00 1 50 2 00 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 50 15 to 51 00 to 25 to 25 25 Price each 75 to 50 75 to 50 25 to 25 to 50 to 15 to 50 25 to 25 to 25 to 50 to 1 00 to 25 to 25 to 1 00 to 25 to 25 to 1 00 to 25 to 25 to 1 00 to 1	1 00 80 25 1 50 2 00 75 50 50 1 50 75 75 1 50 2 00 75 75 1 50 2 00 75 75 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large pla each 75 to 50 15 to 51 00 to 1 00 25 to 25 To 25 to 15 to 50 to 1 00 to 25	1 00 80 25 1 50 2 00 75 50 50 \$1 50 75 75 1 50 2 00 75 75 1 50 2 00 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 1 00 to 25 to 50 to 1 00 to 50 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 75 75 150 2 00 2 00 75 75 150 2 00 75 75 75 150 2 00 2 00
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 1 00 to 25 to 50 to 25 to 50 to 1 00 to 25 to 50 to 25 to 50 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 75 75 75 1 50 2 00 75 75 1 50 2 00 75 75 1 50 2 00 75 75 75 75 1 50 2 00 7 7 5 7 7 5 1 5 0 2 00 7 7 5 7 7 5 7 7 5 1 5 0 2 00 7 7 5 7 7 5 7 7 5 1 5 0 2 00 7 7 5 7 7 7 5 7 7 7 5 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 1 00 to 25 to 50 to 1 00 to 50 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 75 75 75 1 50 2 00 2 00 75 75 1 50 2 00 75 75 1 50 2 00 1 50 2 00 1 50 2 00 1 50 2 00 1 50 2 00 1 50 2 00 1 50 1 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 1 00 to 25 to 50 to 25 to 50 to 1 00 to 25 to 50 to 25 to 50 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 75 75 75 1 50 2 00 75 75 1 50 2 00 75 75 1 50 2 00 75 75 75 1 50 2 00 75 75 75 75 75 75 1 50 2 00 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 1 00 to 25 to 50 to 25 to 50 to 1 00 to 25 to 50 to 25 to 50 to	1 00 \$0 25 1 50 2 00 75 50 \$1 50 75 75 75 1 50 2 00 75 75 1 50 2 00 75 75 1 50 2 00 75 75 75 1 50 2 00 75 75 75 75 75 75 1 50 2 00 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	Large planeach 75 to 75 to 1 00 to 1 00 25 to 25 Price each 75 to 15 to 50 25 to 100 to 25 to 50 to 1 00 to 25 to	1 00 \$\(\beta \) 25 1 50 2 00 50 \$\(\beta \) 50 50 50 1 50 2 00 75 75 15 75 1 50 75 75 1 50 75 75 1 50 75 50 75 75 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 to 25 to	1 00 \$\(\beta \) 25 1 50 2 00 50 \$\(\beta \) 50 50 50 50 50 50 50 50 50 50 50 50 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 625 to 25	1 00 \$0 25 1 50 2 00 75 75 15 75 1 50 75 75 1 50 75 75 1 50 75 75 1 50 75 75 1 50 75 50 75 75 1 50 50 50 50 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	Large planeach 75 to 15 to 1 00 to 1 00 25 to 25 Price ea 75 to 15 to 50 25 to 15 to 50 to 25 to	1 00 \$\(\beta \) 25 1 50 2 00 50 \$\(\beta \) 50 50 50 50 50 50 50 50 50 50 50 50 50

CONIFERAE.

For extended descriptions see our Tree Seed List, pp. 99-100.					
Araucaria Bidwellii. "Bunya Bunya." Plants 2 ft in height					50
15-in. in height					50 00
3 to 4 ft. high	/*>			4	00
3 to 4 ft, high	- 1	50			50 50
Libani. "Cedar of Lebanon." Plants 1½ ft. high		50		1	50 00
Cryptomeria Elegans		35		3	50
Japonica. "Japan Cedar."		$\frac{50}{50}$			75 75
Lawsoniana. "Lawson's Cypress." Plants 2 ft. high		., 0		7	50
Macroearpa. "Monterey Cypress." Extra large plants in tubs or boxes				1	50
Sempervirens. "Italian Cypress." Per 1000 \$9.00; per 100 \$1.00		25	to		50
Pinus Insignis. "Monterey Pine." In 4-in. pots; plants 1 ft. highPer doz. \$1.00					
Sequoia Gigantea. "California Big Tree." Plants 2 to 3 ft. high	1	00	to	2	$\begin{array}{c} 75 \\ 00 \end{array}$
Sempervirens. "California Redwood." 2 ft. in 5-in. pots				1	50 50
Thuja Orientalis. "Chinese Arbor Vite."		50		1	50
Aurea Compacta		75	to	2	00
HARDY CLIMBING PLANTS.					
Abbreviations — c, Evergreen; d, Decidnous.		Prle	e ea	ch.	
Akebia Quinnata, c. Flowers violet-brown, with a Cinnamon fragrance	\$0	35		\$1	00
Ampelopsis Quinquefolia, d. "Virginia Creeper." A very rapid grower		$\frac{25}{25}$			50 50
Aristolochia Elegans, e. Flowers purple, marked white, with yellow eye		25			50 50
Bignonia. "Trumpet Vine." Six different varieties		25			50
Cobaea Seandens, e. A rapid climber, with purple, bell-shaped flowers and good foliage Small plants, per doz. \$1.00		15			25
Dolichos Lignosus, e. "Australian Pea Viuc." Rosy pink Hardenbergia Alba, e. "Australian Lilae." White		$\frac{15}{25}$			25
Hedera Helix, e. "English Ivy."		$\frac{25}{15}$			$\frac{50}{25}$
Hibernica, c. "Irish Ivy." Hoya Carnosa, e. "Wax Plant."		$rac{25}{25}$	to		50 50
Variegata, e. "Variegated Wax Plant."		50		1	50
Mexicana Grandiflora alba, c. "True White Moonflower"		15			$\frac{15}{25}$
Jasminum fruticans, c. "Jasmine." Yellow		35			35 ⁻ 50
Officinale, c. "Jasmine." White					25
Lonicera Sinousis, e. "Chineso Honcysuckle." White and red, very fragrant		$rac{50}{25}$			75 50
Japonica Aurea Roticulata. Golden netted Honeysuekle. White and yellow		$\frac{15}{25}$			35 50
Heckroth, c. Pink	:	25			50
Mandevilléa Suaveolens, e. "Chili Jasmine." White, very fragrant, beautiful		25 25			50 50
Phaseolus Caracalla. "Snail Flower," e. Lilac, purple and yellow, splendid		25 25			50 50
Plumbago Capensis, e. "Leadwort." Light blue		15			25
Alba, c. "Leadwort." White		25 25			50 50
Zeylanica, c. New white		50		2	00
Tricolor, c. White, foliago beautifully mottled with white and pink		75 75		$\frac{1}{1}$	50
Senecio Scandens, e. "German Ivy." Yellow, fine for hanging baskets					15
work, festooning, etc.		10			15
In 3-in potsper 100 \$7.50 Solanum Wendlandi, e. A splendid elimber, with gorgeous light blue flowers				:	50
Sollya Hetorophylla, e. Beautiful small bright blue flowers, in clusters		50		1	75
elimbers. Requires a sheltered, warm situation		50		1 5	
Tacsonia Buchananii, e. Deop rose color. Flowers similar to Passiou flowers but larger Tecoma Jasminoides, e. White and purplo	2	25 25			50 75
Radicans, d. Red. (Syn. Bignonia Radicans)		25 t	0		75
early spring, well known					50

CACTI.

The most Wonderful Family of Plants in Existence.

NOTE.—All varieties of Cacti and Succulents offered in this list are priced mail or express charges free, to any part of the United States.

The Caetus family contains many of the most singular and grotesque, as well as the most beautiful productions of the vegetable world.

The flowers of many of the species are most gorgeous, of others the most delicate and beautiful known to botanists. Of distinctive and striking forms, there is no end in this strange family.

Nearly all the species require but little eare, will endure any amount of ill treatment and will thrive and blossom where other plants starve. The plants themselves are a bright green during summer and winter, while their individuality is so marked and their manner of growth so curious and unique that no one who has ever cultivated them can fail to appreciate and admire.

As a house plant they have no superiors, grouped with bright colored stones in the form of a rockery or oven massed artificially in a large flower pot or fernery base they make a most handsome and unique parlor ornament. They may also be grown successfully out of doors, forming most beautiful and grotesque objects.

Cacti for Indoor Rockeries.

The following article was written by Mr. Elias A. Long of Buffalo, N. Y., in "Popular Gardening":

"In order to enjoy the greatest possible share of pleasure, with the least possible inconvenience in growing a fair collection of Caetuses, the writer has adopted for house use a method which ho has not be-



Cactus Rockery for the Window.

fore now seen employed in Caetus houses. It is to set a dozen or more plants in a mass in one large pot or other receptacle for earth, the surface of which is treated as a miniaturo rockery, and with the ceuter considerably higher than the edge. Recently, in thus disposing of a fine collection, an ordinary fernery base, bought at a local seed store, was used for holding earth. This was planted as shown in the engraving, and up to the present time it has developed into the most handsome and unique parlor ornamont we think we have ever seon. It is the admiration of all our friends, not only because of the charming effect ereated by the various forms and eolors of the plants themselves, but because in one or anothor of these it is rarely without a flower. The addition of the rockery feature affords advantages in several ways. First, by the selection of pleasing colors of stone, as marble and granite, red and gray, and other kinds, as they may be had in fragments from the stone eutter's yard, and then of a few seashore pebbles, etc., a handsome contrast in color with the Caetuses is produced. The stones also enable one to build up the soil (this we prefer to have eonsist of one-half sand) mound-like, in a way that is eondueive to providing the dryness of soil which all Caetuses enjoy.'

With regard to the culture of Caeti, it is found that, generally speaking, they ought to be watered sparingly


while dormant and freely when in bloom, and grown in a light sandy soil, always bearing in mind that whorever planted the drainage must be perfect, for if the soil be allowed to get in a stagnant, saturated condition, the strongest plants will soon die.

When potting, cut off all dead, dried roots close to the stems, and select pots slightly larger than the diameter of the plant; or, just large enough to hold the roots correctly spread out. The soil should be in a semi-dry condition so that it may be easily worked in amongst the roots. A small stick may be used to advantage in pressing the soil firmly around the plant, leaving sufficient space between the soil and rim of pot to facilitate watering.

Under the heading of each genera we give brief instructions as to the character of soil found most suitable to successful culture.

ANHALONIUM.

This interesting family are spineless and entirely distinct from any other cactus in appearance. They thrive best in very gravelly soil, require but little water and enjoy plenty of sunshine. No collection is complete without them.



Anhalonium Fissurata.

Fissurata. (See cut.) Commonly called "Living Rock," owing to its resemblance to some curiously carved specimens of stone, is decidedly a most wonderful plant. Its habitat is among dry rocks in a region where but little rain falls. Still it thrives well under pot culture and makes a most interesting and unique addition to any Cactus collection. It blooms in September and October, and has a very beautiful and variegated flower, imbedded in a white silky wool areolæ. The lower part of the plant is top-shaped, the uppor part which you see in the illustration scarcely projects from the ground, and is from 2 to 4 inches in diameter when growing wild; but under cultivation it is double the usual size. Each 50c to \$1.


Prismaticum. "Seven Stars." This rare plant is found on the top of arid, barren, rocky mountains at great altitudes in Mexico, where it is too hot and dry in the summer for other vegetation and too cold in winter for even animal life. It will live and thrive in all extremes of temperature. In potting, gravelly soil should be used, so as to insure good drainage, as too much water is the only thing that will injure the plant. It will grow and bloom in any sitting room, without being watered, for a long time. Each 50c to \$1.00.

Williamsii. Commonly called "Dumpling," or "Turnip" Cactus. It is devoid of spines, and has a long root. The flowers are pale rose in color. This variety is entirely distinct from the two species just described. Each 25c to \$1.00.

ASTROPHYTUM MYRIOSTIGMA.

(Bishop's Hood. See cut.)

All Cacti commend themselves to our eonsidoration by reason of their curious forms and suggestiveness of particular objects. Thus we have the "Old Man Cactus," the "Turks Head," the "Fish Hook," etc. Of this group, not one is so strikingly individual and typical as the "Bishops Hood," representing as it does to the smallest detail a veritable Bishops Hood carved out of simple stone. This feature is so pronounced that it is readily sought after by all plant lovers, and particularly the admirers of strange plants of the desert. The flowers of this species are produced near the summit of the stem, generally several together; open early in the day, expanding on each succeeding day for nearly a week. Plants will also continue bearing flowers from June to September. The past season we sold our stock entirely out and booked orders for arrival. We now have a large stock of fine specimens which we offer at very reasonable rates. Each \$1.00 to \$3.00.



Astrophytnin Myriostigma.

CEREUS.

An extensive genus, the species of which are romarkable for their singularity of form and for the beauty of their flowers. Few classos present greater contrasts. Some are round, some angular, some smooth and others fluted. Some are climbers or creepers while others grow like huge trees, attaining a height of 60 feet, with a diameter of 2 or 3 feet. The night blooming section is very interesting and boautiful. The flowers vary in size from 6 to 14 inches in diameter, according to the species; C. MacDonaldi being the largest, measuring 14 to 16 inches.

The soil for Cereus should consist of two thirds good garden leam, one-third coarse sand and if for strong growing kinds a little old cow manure mixed in, will make a good safe compost.

Colubrinus. Quick strong grower of statoly proportions, flowers white, of delicious fragrance, blooming at night, also bears fruit almost the color and size of an orange. Each 25c to 50c.

Emoryi. One of the finest California Cereusos; the long transparent golden yellow spines boing so distinct from any other Cereus known that they brighten up a collection wonderfully, placed in the sun they glisten like gold. Each 50c to \$1.00.

Flagelliformis. Commonly called "Rats Tail Cactus," fine trailing variety with rosy colored flowers. Each 25e to 50e; cuttings 15e.

Grandiflora. "Queen of Night" or "Night Blooming Cereus." Strong growing plant with deliliciously fragrant flowers, creamy white inside and reddish brown outside, of immense size. Each 25c to \$2.00, according to size; cuttings 15e.



Cereus MacDonaldi.

MacDonaldi. (See cut.) Handsome slender stemmed species, flowers creamy white and yellow, of immenso size, a bouquet in itself. Each 25c to \$2.00; enttings 15c.

Nycticalus. A fine, strong night bloomer, something like Grandiflora, the flowers are almost yellow and borne very freely. Each 25c to \$1.00; euttings 15c.

Serpentinus. In appearance something like Colubrinus with the exception of the spines which are soft and silky. This variety is well adapted for training on trellises. A quick grower and good bloomer. Each 35c to \$1.00; cuttings 20c.

Speciosissimus. One of the very best bloomers. Flowers from 6 to 8 inches in diameter, color a beautiful combination of scarlet and purplish crimson, will keep for days when cut and placed in water. Each 50c to \$2.00; cuttings 15c.

Triangularis. Easily distinguished by its triangular stems, has white flowers followed by bright searlet fruit, a rapid grower, each 25e to \$1.50; cuttings 15 cents.

We have healthy grafted plants of the following; Flagelliformis Cristata, each \$1.00 to \$3.00. Formosus Monstrosus, each \$1.00 to \$3.00. Peruvianus Monstrosus, oach \$1.00 to \$3.00.

ECHINOCACTUS.

The "Hedgeliog Cactus." A large genus and most beautiful of the order, the grotesque appearance of the plants, crowned as they are at times with their large flowers, renders them objects of much attention among Cactus admirers. The soil we prefer for their culture is a mixture of rich loam, thoroughly decomposed cow manure and coarse sand in equal proportions. This must be well drained by mixing small lumps of charcoal and broken pots with the earth, and by placing a layer of the same material at the bottom of the pot.

Bicolor. Flowers between 2 and 3 inches long, petals bright rosy purple, spines all the colors of the rainbow, a most beautiful little plant. Each 35c to \$1.00.


Brevihamatus. Color very dark green, flowers yellow, spines shaded from pure white to brown, a handsome variety. Each 50c to \$1.00.

Capricornis. (See cut.) A most interesting variety, even handsomer and more distinct than the "Bishop's Hood," being a better bloomer; has fine markings of white spots all over its surface, which gives it a clean, neat appearance; the flowers are yellow, of good size, freely produced. Each 50c to \$1.50.

Cornigereus. This is a beautifully formed plant with very broad, flat, blood-red spines, curved sharply at the end. It has pretty purple flowers. No collection should be without it. Each 50c to \$1.

Cylindraceus. A native of our California deserts, with long interlacing spinos, bright yellow, crimson and blood red in color. One of the most beautiful of the genus. Each \$1.00 to \$3.00.

Grusoni. A very handsome variety, with bright golden colored transparent spines, which closely eover the plant, giving it a bright, clean, distinct appearance; has beautiful red and yellow flowers. Each \$2.00 to \$5.00.



Echinocactus Capricornis.

Horizonthalonius. A handsome species of a beautiful gray color, quite distinct. The flowers are funnel shaped, purplish-pink, the sepals being tipped with a darker shade of purple, which have a pretty effect when open in the sunlight. Each 50c to \$1.50.

Setispinus. The best bloomer, lovely, fragrant, canary yellow flowers with red center, followed by red berries. Each 25c to 50c.

Sinuatus. Yellow flowers 2 or 3 inches long, a most excellent bloomer. Each 25c to 50c.

Texensis. Has handsome fringed flowers of various shades of pink, followed by large red seed pods. Each 25c to 50c.

Veridescens. Flowers greenish, 1½ inches long, the spines beautiful when wet, color red. Each 25c to 50c.

ECHINOCEREUS.

This class of Cacti, with its gorgeous flowering stems, appeals strongly to Cactus lovers. Though not so vivid in spine-coloring as Echinocactus or Mamillaria, still this deficiency is more than offset in the superior size, color, and texture of its flowers. No more magnificent sight is possible than a field of E. Candicans, (the "Rainbow Cactus") in full flower. Imagine from 6 to 8 blossoms 4 to 5 inches across, to each plant - what a brilliant blaze of color! From a horticultural point of view, the Echinocerens can be commended, because several of the most ornamental and free flowering species are hardy in dry situations, and will succeed in a cool frame house; hence are desirable for amateur planters who have no facilities for growing the tropical sorts. Another important and valuable quality is the length of time the flowers last, in which respect they are quite different from the majority of their allies. Some will expand every day for a week and in a few exceptional cases the flowers will continue opening at intervals for 12 or 14 days. The soil best suited for thom is 23 rich loam and 13 coarse sand.

Berlandieri. A fine dwarf baskot plant, bearing large clusters of fragrant purple colored flowers. Each 25c to 50c.

Candicans. The "Rainbow Cactus." A beautiful plant, flowers magenta, white, orange and green, measuring 3 to 4 inches in diameter, and the spines ranging in color from creamy white to the deepest red. Each 50c to \$1.00

Dasyacanthus. A distinct variety densely covored with grey and reddish spines, has very showy flowers of large size, color red and bright yellow. Each 50c to \$1.50.

Emoryi. A very handsome California variety with bright golden spines densely covering the plant Flowers yellow. Each 50c to \$1.00.

Ennecanthus. One of the best bloomers. The flowers are 3 inches long, reddish-purple in color and borne freely. Plant grows in clusters. Each 25c to 50c. Clusters, 75 to \$1.50.

Fendleri. Distinct in form, long dark spines turning upwards, very large flowers in color dark rose to shining crimson. An excellent plant for rockeries and similar situations, being very hardy. Each 50c to \$1.00.

Pectinatus. Pure white spines, large pink flowers 4 inches in diameter, one of the very best plants for blooming, fragrant. Each 25c to 50c.

ECHINOPSIS.

This large flowering hardy genns is the most useful for growing in city gardens, being of a strong robust constitution, thriving equally well planted along side geraniums in the flower border or in pots as window Cacti.

They produce many young plants from the base and side which can easily be rooted in sand and soon form nice blooming specimens. Any rich sandy garden soil will grow them well.

Eyriesii. (See ent.) White flowers 6 to 8 inches long like a enred funnel and 4 to 5 inches broad. The delicious fragrance possessed by the flowers is very pleasing and most powerful. Each 25c to 50c.



Echinopsis Eyriesii.

Mulleri. A beantiful variety whose satiny rose colored flowers will remain open for a week, very fragrant. Each 25c to 50e.

Multiplex. Flowers of immense size, 6 to 8 inches across the month when fully expanded, color a delicate rose, deeper towards the apex. Each 25c to 50c.

Oxygona. Very large flowers from well grown plants have measured 8 inches long by 4 inches in diameter. In color the outer part of tube is curiously marked with green and red, the petals being white, stained with red on the margins. Each 25c to \$1.00.

EPIPHYLLUM.

("Crab" or "Lobster Cactus.")

The varieties of this beautiful gonus are numerous and are largely cultivated for their showy flowers, E. Truncatum and its varieties are the kinds usually enltivated in our green-houses and are among the most highly colored and beautiful of our winter flowering plants. They are often grafted on Coreus grandiflora but do best perhaps on Peroskia. A large symmetrical head is easily formed and with proper attention will make a plant worthy of a situation in any green-house. The Epiphyllum is one of the best of sitting room plants, and may be had in bloom from November to March with good management. Strong grafted plants, blooming size. Each 50c to \$2.50.

MAMILLARIA.

These beautiful gems of the Cactus family are natives of Mexico principally. In their native habitat they grow in rich loam and therefore require a better soil than the different kinds of Cereus and Echinocactus which grow among calcareous rocks in the mould formed by the decomposition of vegetable matter in the fissures.

By attending to these particulars the Mamillarias may be easily grown in any situation where they can be kept free from frost. When kept in a room they should be allowed as much air as possible and the dust which lodges among their spines should be frequently blown off with a small pair of bellows or the breath. Care should be taken when selecting the soil, to guard against such as has been lately manured, at least none should be added, loam from good rotted turf with ¹3 sand is best.

Applanata, A fine plant bearing bright red berries, very attractive. Each 25c to 50c.

Decipiens. Has lovely, large yellow flowers, which last for several days. Each 25c to 50c.

Elegans. A very handsome, short, white spined variety, has bright colored flowers, followed by a circle of red berries or seed pods, excellent as a pot plant. Each \$1.00.

Fulvispina. Magnificent plants, the spines are ivory white in color at the base, turning to dark purple towards the point, and are regularly curved towards the top of the plant. Flowers pink, very large and freely produced. Each 50c to \$1.00.

Goodrichii. A beautiful California variety, color gray, forms fine large clusters, flowers yollowish, petals with red midrib, a very good kind, producing quantities of flowers and fruit. Each 25c to 50c.

Grahammi. A very neat and striking plant, with pretty rose colored flowers. Each 50c to \$1.00.


Meiacantha. Flowers white with a reddish stripe through the center, followed by beautiful fruit. Each 25c to 50c.

Pusilla. Bright silvery spines, flowers white with red stripe, very small species, flowering when 1 inch high. Each 15c to 50c.



Pilocereus Senilis.

Micromeris. (See cut.) Called by some the "Button" or "Mushroom Cactus." On account of its small, neat, delicate appearance. The flowers are followed by bright carmine berries, which remain on it all winter. Each 35c to 75c.



Mamillaria Micromeris.

Minima. A very small, neat plant, with starlike white flowers, blooms continuously throughout the summer. It is of rapid growth, soon forming large clusters of heads. Each 25c; clusters \$1.00.

Pectinata. A strikingly showy plant, with beautiful sulphur yellow flowers, 2 to 3 inches in diameter whon open. Each 25c to 50c.

Stella Aurata. (Golden Star.) When in good condition the entire plant is covered with star-like rosettes of yellow spines; flowers small and white. Grafted on Cereus grandiflorus stock it makes a beautiful head. Each 25c to 50c; grafted plants \$1,00 to \$1,50.

PILOCEREUS.

The well known Old Man Caetus, P. Scnilis is a native of Mexico. It attains a height of from 20 to 25 feet, with a diameter of 9 or 10 inches, and its fluted character gives it somewhat the appearance of an architectural column. The stem is divided into 30 or 40 narrow furrows, with corresponding ridges, which are furnished at very short distances with tufts of white spines, surrounded by numerous long flexible white hairs, resembling the gray hairs of an old man's head, hence has arisen not only the common name of the plant, but also its scientific appellation. Whon young the stems are fleshy and succulent but when they get old their tissue becomes filled with an extraordinary quantity of small sand like grains, composed of oxalate of lime, not less than from 60 to 80 per cent having been found in individual stems. This genus requires the same culture as other Cacti and is increased in the same manner.

Senilis. "Old Man Cactus." (See cut.) In potting this general favorite a little old lime rubbish should be added to the soil. Each 75c to \$5.00.

OPUNTIA.

There are upwards of 150 species of the Opuntia or Prickly Pear. Some species grow erect and tree-like, while others are procumbent or creep on the ground, and nearly all have spines. The upright growers sometimes reach a height of 10 feet or more. The Opuntia Tuna, for instance, have been introduced into Southern Europe, Africa and other places where they are cultivated for the sake of obtaining Cochineal. The fruit is pear shaped, 2 or 3 inches long, bright carmine in color when ripe, is edible and has a pleasant sub-acid flavor, being considered cooling and refreshing. Large orchards of these varieties were planted by the Mission Fathers throughout Southern California which still stand and yield their crop for the market as of yore.

There are many very beautiful varieties of the flat leaved Opuntia, several of which we will describe in the following list, they will be found to be highly decorative and interesting.

The best soil for Opuntias is 23 loam, 13 coarse sand and old lime rubbish such as can be procured from some torn down wall or building and a little well rotted cow manure, all being thoroughly mixed together. Like all of the Cacti family they must be given perfect drainage to attain a successful growth.

Basilaris. A pretty variety, forming fan shaped leaves, originating from a common base resembling somewhat an open cabbage head, minutely pubescent, the color being almost purple. It blooms during the summer, the flowers are a beautiful shade of purple. Each 25e to \$1.00.

Basilaris, Heart Shaped. A beautiful variety of the above mentioned, having heart-shaped leaves of splendid color. Is generally sold under the name "With All My Heart." Each 50c.

Cylindrica. An upright cylindrical stemmed variety with spindle-shaped tubercles, looks like a Cereus. The flowers are red, 2-in. in diamoter. Each 25c to \$1.00.

Cylindrica Cristata. A contorted monstrosity of the above, rare and interesting. Each 75c to \$1.50.

Clavata. A dwarf variety with large spines and pretty flowers. Fine for small indoor rockeries. Each 25e to 50e.

Frutescens. "Tree Cactus." A beautiful slender sort, forming fine specimens. It blooms freely and bears an immense number of red fruit, which gives the plant a most attractive appearance. Each 15c to \$1.00.

Lurida. This plant is of branching habit, with slender stems and short spines. Each 25c to \$1.50.

Microdasys. This is without doubt the handsomest of all the Opuntia family. Its flowers are golden yellow and the branches which are of a bright lively green are thickly spotted with tufts of beautiful golden yellow, in appearance looking like soft plush. No collection should be without this distinct and striking sort. Each 25c to \$1.50. Monacantha Variegata. (See cut.) This is another beauty, largely grown as a house plant. The flat stems are dark green in color, liberally marbled and splashed with pure white. The young growth is prettily margined with pink. It has but few spines and bears bright orange colored flowers. Each 50c to \$1.50.



Opuntia Monacantha Variegata.

Senilis. An interesting variety, completely covered with long white hairs; often named, though not correctly, "Old Man Cactus." Each 25c to \$1.00.

Tuna. Our Mission fruiting variety, the well known prickly pear. A very strong grower. We supply only cuttings, which root very easily. Each 25c to 50c.

PHYLLOCACTUS.

This magnificent specie is unexcelled for the quantity, size and beauty of their flowers which comprise all the richest tints of color. They are distinguished by their curious flat, broad, leaf-like branches, the flowers are produced from the notches or indentures along the edge of the branches. When well grown they form attractive and striking decorative plants for the house. All the species, are readily increased by cuttings which should be allowed to dry a day or two after being taken off, then place in sand, and water sparingly until rooted when they may be placed in small pots of rich sandy soil.

The soil best suited for large specimens is light, turfy loam, leaf-mould, well-rotted cow manure and sand about equal proportions and well mixed. In potting only use a size that will comfortably hold the roots of the plant and be cortain that the drainage is perfect, as stagnant water around the roots is fatal to success.

PHYLLOCACTUS - Continued.




Phyllocactus Ackermanni.

Ackermanni. (Sce cut.) A most profuse bloomer named the "King Cactus," has flowers measuring as much as 7 inches across, of a rich scarlet color, with broad very sharp pointed, and slighly waved petals. Its stems are round at the base, which bear little tufts of short spines and its flat branches or leaves are from 2 to 21/2 inches broad and waved or deeply dented along the margin. Each 75c to \$2.50.

Albus Superbus. (See cut.) A bold erect strong-growing

variety, bearing large white flowers in abundance. One of the most desirable house plants. Each 75c to \$2.00.

Anguliger. A most remarkable and distinct sort, with deoply and sharply lobed flat leaves, notched like the teeth of a saw. The flowers which are large and fragrant have brownish sepals and pure white petals. It is a good bloomer and rare species. Each 75c to \$1.50.



Phyllocactus Albus Superbus.

Conway's Giant. A strong grower of splendid appearance, fine decorative plant for the house. Its enormous flowers are deep scarlet shading to purple. Each 75c to \$2.50.

Crenatus. This specie grows to a height of about 2 feet. Is a very free bloomer, the flowers are of mammoth size, color creamy white shading to rose, valuable for cutting and placing in water. Each 50c to \$1.50.

Latifrons. "The Queen Cactus" This is considered when well grown to be the grandest eactus known. The foliage is fine, being long, broad and of bright green. The flowers are exquisite, delicionsly fragrant, pure white and of immense size, 6 to 8 inches in diameter. During the summer it should be given plenty of water and shaded slightly from the sun. Each 25c to \$3.00.

Hookeri. The branches and stems are flat and deeply crenated. They grow from 2 to 3 feet high and bear white, delightfully fragrant flowers on the margins of the stems. Each 75c to \$1.50.

Phyllanthus. Often erroncously called the night blooming Cerens, bears large creamy white flowers, 9 to 12 inches in length, opening at night and exhaling a peculiar odor. Each 75e to \$1.50.

Phyllanthoides. Resembling the latter, has much smaller flowers, the petals being colored rose and white in irregular streaks. It is a very beautiful species and one of the most floriferous of the family. Each 75c to \$2.50.

Wrayi. A very handsome stout branched specie bearing immense flowers, 6 to 8 inches in diameter, color creamy white shaded with gold, fragrant when first expanded. Each 75c to \$2.50.

PELECYPHORA.

A native of Mexico. Very rare. It is nearly allied to the Mamillarias but in place of the spines of that genus it bears 2 rows of flat horny scales which overlap like the tiles on a roof. It derives its name "Hatchet Caetus" from some fancied resemblance of these scales or tubercles to a hatchet. It bears near the summit of the stem, pretty, white and rose colored flowers 1 to 1½ inches in diameter. The most suitable soil for this variety is same as for Mamillarias.

Aselliformis. "Hatchet Cactus." Each \$1.00 to \$2.00.

PERESKIA.

This genns is entirely different in appearance from any other of the Cactus family. Most interesting and distinct, will thrive in any good soil.

Aculeata. Indigenous in the West Indies where it is commonly known as the Barbadoes Gooseberry or Blad Apple. It grows about 15 feet high, the stem armed with bundles of straight spines, and having trailing branches bearing oblong, elliptical leaves, not unlike that of the orange, and clusters of beautiful yellow, edible and pleasant tasting fruit which is used in making preserves in the same manner as the gooseberry. This specie is an excellent stock to graft Epiphyllums on. Each 25e to \$1.00.

Bleo. Of shrubby form, with rather soft, fleshy leaves 5 or 6 inches long of an elliptical form, sharp pointed at the top and tapering to the base. It bears handsome, large rose-colored flowers, remaining perfect for a long time. The leaves are eaten as a salad in Panama. It makes a good grafting stock for Epiphyllums. Each 35c to \$1.00.

Subulata. A fine strong growing variety, of very ornamental appearance. Each 50c.

RHIPSALIS.

Very curious succulent plants which are natives of South America and the West Indies. As the Opuntias may be said to be all leaves, and the different kinds of tree Cerens all stems, so the Rhipsalis may be said to be all branches, spreading in all directions. The flowers of this genus differ from those of Cacti generally, in being usually small but produced in great abundance. They are propagated by cuttings and require the same soil and treatment as other Cactaceous plants.

Cassytha. Long fleshy whip-like branches and white berries, resembling the Mistletoe in form color and substance. Each 25c to 50c.

Funalis. A free flowering, easily grown, strong.

upright plant, with thin round stems. Flowers white, produced in spring. Each 25c to 50c.

Mesembryanthemoides. A trailing variety, the plant bearing small cylindrical branches covored with tufts of fine hair. Flowers yellowish-white, fruit a small white berry; rare. Each 50c to \$1.

Saglionis. Sometimes called "Golden Paint Brush" on account of its numerous small brush-like flowers having the appearance of being tipped with gold. A very neat and interesting variety. Each 25c to 50c.

Salicornoides. "Coral Cactus." Of peculiar growth, has leafless knotty branches. Flowers yellow, becoming red with age. Each 25c to 75c.

Agaves, Aloes, Gasterias, Haworthias and Other Succulents.

AGAVE VICTORIA. (See cut.)

"Queen Victoria Century Plant." A handsome plant, of close compact growth. The leaves curve gracefully inward and are curiously marked with narrow, pure white, zigzag stripes. Each 50c to \$2.50.



Agave Victoria

ALOE PICTA. (See cut.)

A remarkably handsome plant with broad, thick, and charmingly recurved leaves. The color is green, spotted and mottled all ovor with white and green of a still lighter shade. Bears large spike of yellow-orange and green flowers. Each 50c to \$2.50.



Aloe Picta.

ALOE VARIEGATA. (See cut.)

"Partridge-Breast." A most beautifully formed plant, splendid ornament in the window, garden or among a cactus collection. Leaves spirally arranged, face concave, back keeled, bright green, copiously striped with light grey on both sides. It bears magnificent flower spikes freely, color red and yellow. Each 50c to \$1.00.




Aloe Variegata.

COTYLEDON EDULIS.

Commonly named "Indian Lettuce" or "Finger Tips." A native variety with long, round, green leaves, and pretty pink flowers. Each 15c to 25c.

DASYLIRION GRACILE. (See cut.)


Highly ornamental plant, of fast growth. Will stand any amount of heat, as well as several degrees of frost. The flowers are quite interesting. Each 25c to \$1.00.



Dasylirion Gracile.

EUPHORBIA SPLENDENS.

"Crown of Thorns" (See cut.) A very curious and remarkable window plant. It is a strong-growing creeper or elimbing plant that can be trained over any desired form, as shown in the illustration; and when full of its bright searlet flowers, which almost cover the deep, glossy, green leaves, it is an object of rare and striking beauty. Easily grown, and always attracts attention. Each 25e to \$1.00.



Euphorbia Splendens.

ECHEVERIA.

The Echevorias are succulent plants, all more or less ornamental, particularly so when in flower. They are all free growing plants suitable for rockerios, edgings or massing; where carpet bedding is done the Echeverias are indispensable.

Hoveyii. (Opal Echoveria.) Exceedingly beautiful with leaves of a bluish opal tint, white, bluish green and pink striped. It sports, giving leaves of different shapes, changing and mixing its colors variously; pretty yellow flowers. Each 25c to 75c.

Metallica. Large foliage, beautiful pearly lavender-pink in color, contrasting finely with the tall spikes of waxen red flowers. Each 25c to 50c.

Secunda Glauca. (See cut.) A fine border plant with handsome glaucous green leaves and bright red flowers. Each 15c; per doz. 75c.

GASTERIA. (See cut.)

A somewhat extensive genus of succulent plants from the Capo of Good Hope, allied to the Aloe, which they closely resemble and requiring the same treatment. The leaves are mostly tongue-shaped, all beautifully marked with raised white spots, flowers searlet, lined and tipped with green.

Four beautiful varieties, each 25 to 50c.



Gasteria.

HAWORTHIA.

Handsome little Agave-like plants of perfect form, dark green in color and beautifully marked with raised white spots on the surfree of their leaves. Some have round semi-transparent or translucent leaves which are most interesting. Each 25c to 50c.

MESEMBRYANTHEMUM TIGRINUM.

"Tiger's Jaw." Is a very rare plant. Leaves thick, fleshy, edged with soft spines and resembling the open jaws of some animals. Very large and beautiful yellow flowers. A great curiosity. Each, 35c to \$1.00.

ROCHEA FALCATA.

An interesting plant with large thick, fleshy leaves of a light frosted green. Flowers brilliant scarlet; a splendid house plant. Each 25c to 50c.




Echeveria Secunda Glauca.

STAPELIAS.

This is a genus of very curious plants, with pretty star-like flowers proceeding from the base. These are very singular as well as showy, and would be highly prized were it not for their offensive odor, nevertheless they are interesting plants, and the odor is of short duration.

Stapelia variegata. (Sec cut.) Bears beautiful flowers, color buff yellow, with maroon markings resembling golden stars. Each 15c to 50c.



Stapelia Variegata.

Grandiflora. A rare variety of stronger growth than the above. The flowers are star-shaped, in color rich maroon red, completely covered with reddish hairs; blooms in large clusters. Each 35c to \$1.00.

Cylindrica. An interesting variety. Stem round and delicately marked by imbricated fissures; flowers yellow. Each 35c to \$1.00.

SANSEVIERA ZEALANICA. (See cut.)

A beautiful plant, splendidly adapted for house decoration, as it stands drouth and dust with impunity. The leaves grow to a length of 3 to 4 feet, and are beautifully striped crosswise, with

broad, white variegations on a dark, green ground. It is a rare and beautiful plant, which should be abundantly grown for positions out of reach of sunlight, where other plants will not thrive. It has a singular beauty for decorative purposes which other plants do not possess, and is useful for both winter and summer. For vases or baskets



Sanseviera Zealanica.

it makes a fine center piece, and it grows splendidly out of doors during the summer months. Strong, healthy plants. Each 25c to \$1.00.

Special Collections of Cacti.

The home of many if not quite all varieties of Caeti native to the United States is in the arid and mountainous regions of Southern California, Arizona, New Mexico and Western Texas. Conditions of soil and elimate being naturally favorable, the species from other countries,—old Mexico and South and Central America, flourish and are of easy growth. Owing to these advantages, we are enabled to offer only first-class plants. In order to stimulate a keener interest and a wider appreciation of these denisons of the desert we have made up a couple of collections of our selection. as follows:



THE SUNSET COLLECTION.

Of our own selection, and sent prepaid by mail or express to any portion of the United States and Canada upon receipt of price:

No. 1. 6 plants correctly named and labeled for \$1.00 No. 2. 12 plants correctly named and labeled for \$1.75

No. 3. 18 plants correctly named and labeled for \$2.50

No. 4. 24 plants correctly named and labeled for \$3.25 No. 5. 36 plants correctly named and labeled for \$4.50

THE OLD MISSION COLLECTION.

Composed of larger and higher priced varieties:

No. 1. 6 plants correctly named and laboled for \$1.50

No. 2. 12 plants correctly named and labeled for \$2.50 No. 3. 18 plants correctly named and labeled for \$3.50

No. 4. 24 plants correctly named and labeled for \$4.50 No. 5. 36 plants correctly named and labeled for \$6.50

Mixed collections of Cacti and Succulonts supplied at the same rates.

Note.—Our facilities for collecting and propagating Cacti are unsurpassed, and the preceding list comprises but the leading standard sorts. We are prepared to supply on short notice any and all varieties not mentioned. Write us briefly what you want, giving specific as well as the common name, and we will quote you price and particulars.

Agricultural and Horticultural Requisites.

INSECT, BLIGHT AND VERMIN DESTROYERS.

Buhach. (Porsian Powder.) It is resinous, impalpable and non-poisonous, and kills all sorts of insects and worms by filling up the pores and acting on the skin. Apply when everything is dry, as the moisture destroys its properties. Per lb. 50c. (Special price given for large quantities.)

Fir Tree Oil. This insect destroyer has proved to be one of the most reliable for red spider, green fly, mealy bug, scale, ants, thrip, onion fly, caterpillar, slugs, blight, araucaria scale, etc. Per pint tin 80c; quart \$1.50; gallon \$5.50.

Flour of Sulphur. Amorican. Prevents and cures mildow on roses, grapes, etc. Apply with a gnn or bellows while the leaves are damp. Price por lb. 5c; 100 lbs. \$2.50.

Flour of Sulphur. Imported, Fronch. Of greater strength than the preceeding. Price per lb. 10c; per 100 lbs. \$4.50.


Hammond's Slug Shot. An inpalpable powder, containing ingredients that will destroy the cut worm, potato bug, chinch bug, rose bug, rose slug, curculio, and all lice, worms or caterpillars. Price per lb. 10c; per 100 lbs. \$7.50.

Tobacco Dust. Kills green and black fly, etc. To be dusted or blown on while the foliage is moist. Price per lb. 15c.

Tobacco Soap. Makes an excellent wash for plants and trees infested with green fly, lice and eggs of insects. Dissolve 2 ounces in a gallon of water. In ½ lb. tins 25c.

Whale Oll Soap. Makes an excellent wash for troes and plants, kills insects and their oggs on the bark. Per lb. 15c; 2 lbs. 25c. Larger quantities, price on application.

INSECTICIDE APPLIANCES.



Woodason Spraying Bellows.

Bellows. Woodason Liquid Spraying. (See cut.) For the destruction of insects, etc., in houses, gardens, orchards or fields, throwing a spray as fine as smoke, reaching insects under the leaf, and overy part of the bush, grape vine, etc. Price, size 8×22 in. \$2.00; small size \$1.25.

Woodason Patent Double Cone. (Sce cut.) Worth their weight in gold; 3½ feet long; blows sulphur, to-bacco dust, slug shot, etc. By placing a cork in the end of the tube, the powder escapes through a slot uear the end in an upright or any direction desired, thereby being the best article for killing insects under the leaf, especially in gooseberry and

thick growing plants, having no crook to hitch to the thickest shrub. Price \$3.00.

Woodason Single Cone. (See cut.) Recommended for sulphuring chicken houses, green houses; also for insect powder, tobacco dust, slug shot, etc., iu gardens. Price \$2.00; small size \$1.00.

Powder Guns. For applying insect powder, etc. Small size ______each 10c Jumbo. Large size ______each 25c

SPRAY PUMPS, ETC.

Climax Spray Pumps. These are made entirely of iron and brass, all parts that have to bear any strain being malleable iron. They are supported by three removable gas pipe legs, and can be taken apart and packed in a box for shipping. We recommend these as being the most practical, easy working, and best all round pumps for orehard spraying, etc.

Climax Spray Pump No. 1. Has 2 discharge orifices and is supplied with 2 lengths of ½-inch discharge hose, each 8 feet in length, 20 inches suction hose and 4 nozzles. A single hose can be used at a time if desired, by unscrewing the other hose and attaching a cut-off which is supplied with the pump. Price complete \$12.50.



Climax Pump No. 2.

Climax Spray Pnmp No. 2. (See cut.) Can be attached to any kind of vessel or tank in a few minutes by means of brass connections, or the suction hose can be dropped into a barrel, trough or eistern, with equal success. It has 1 discharge orifice, 16 feet discharge, and 4 feet suction hose, 2 nozzles and the necessary connections. Price complete \$17.50.

Climax Spray Pump No. 3. Has 2 discharge orifices, 2 lengths of 34-inch discharge hose, each 16½ feet long, 2 feet suction hose, agitator, cut off, and 4 nozzles. This pump can be used in all cases where a spray or solid stream is desired, and is capable of throwing a spray nearly as fino as mist, 20 feet in the air, or a solid stream 50 feet. If desired the legs can be removed and the pump firmly bolted to the top of a barrel. This is one of the most powerful and easy working pumps on the market, and one of the most valuable for large orange orchards, etc. Price complete \$22.50.

Extra Nozzles for the above pumps \$1.50 oach.


"Daisy" Pump. A cheap effective pump for spraying chicken houses, and for use in small gardens. Made of lacquered tin. Prico \$1.25.

Myers' Bucket Brass Spray Pump. (See cut.) Constructed of brass, not affected by the poisonous arsonites used in different formulas for spraying fruit trees, vines, shrubbery, poultry houses, otc. The cylindor air chamber and all the working parts are brass, has rubber ball valves and is equipped with the Myers' combination spray nozzle, and will throw a spray as fine as mist or as coarse as required. It will throw a solid stream 50 feet and is of unusual value for washing windows, etc. For spraying it is arranged so it discharges a fino jet in the bottom of the bucket to keep the solution thoroughly mixed and agitated, a feature peculiar to this pump. Price with clasp to attach to side of bucket \$3.00; with malleable foot rest \$3.50.


An 8-foot Pipe Extension is necessary with the above pump, to spray large trees. Price 50c.

Faultless Sprayer. (See cut.) The best constructed sprayer of its class ever offored, and will throw a spray as fine as mist. For durability and strength it has no equal. The air chamber is brought to a tapering point, giving great force to the spray, and is fastened to the tank in the most substantial manner, being soldered to the top of the reservoir and also supported by a broad strap of metal passing over the point of the tube. Price, made of tin 85c; made of brass \$1.50.

Double-Tube Lightning Insect Exterminator. This exterminator is made with double tubes, throwing two large sprays as fine as mist, at one time. The capacity of the reservoir is 1 quart and the filling hole is made funnel-shaped, so it is very easy to fill. Price \$1.25.



Myers' Bucket Brass Spray Pump.



Syringes. Brass. Of the best make and of various sizes and patterns, fittled with roses for cjecting water in one stream, or in a fine or coarse spray. From \$2.50 to \$6.00.

GARDEN HOSE AND ATTACHMENTS.

Rubber Hose. ½ inch diameter. Per	Hose Nozzles. Brass. Each 50e and 75e	
foot, 6e to 10c. 34 inch diameter. Per foot 8 to 18e. 1 inch diameter. Por foot	Reducers. Each Rubber washers. Per doz Reels or Trucks, on wheels, wooden. Each Reels or Trucks, on wheels, iron. Each	.1(1.5(

LAWN MOWERS.


Lawn Mower. "Royal Ball Bearing." (See eut.) The axles of the revolving eutter, like the axles of a bicyclo, work in "ball-bearing" enps, which reduces the frietion greatly and makes the machine much easier running. It has high driving wheels; self-sharpening knives, and is mado of the best material throughout. We recommend this machine as being the best and easiest working mower on the market. A 24-in. machine ents the grass just as easily as a 16-in. mower of the old style. 16, 18, 20 and 24-in. Per inch 70e. "Koystone." Open or solid wiper. Has rear cut floating construction, self-sharpening knives, ad-

"Koystono." Open or solid wipor. Has rear cut floating construction, self-snarpening knives, adjustable handle, incased gear, self-working and adjustable pawl, noiseless ratchet, and is made in the most superior manner. 10, 12, 14, 16 and 18-in. Per inch 65c.

"New Departure." Made by the same reliable firm that manufacture the "Keystone," and other standard mowers, but is of cheaper material. 10, 12, 14 and 16-in. Per inch 45c.

"Pennsylvania." A standard mower, one of the best known and most popular machines upon the market. Similar in appearance to the Koystone and made of the very best material. 10, 12, 14, 16 and 18-in. Per inch 60a. 16 and 18-in. Por inch 60e.

Attachments for eatening the mown grass, to fit 12 and 14-in. Lawn Mowers. Each 50e. To fit 16 and 18-in. Lawn Mowers. Each 75e.



Royal Ball Bearing Lawn Mower.

LAWN SPRINKLERS.



Crown. (See ent.) The most simple and complete lawn sprinkler ever offered. No friction; will not elog; eannot wear out. It is very simple, consisting of a small eireular box only, with an aperture in the top, and being made of one piece of metal is very durable. Price 35c.

A combination sprinkler; can be adjusted to throw a eircular spray for the lawn, or a coarse or fine spray in one direction. Price \$1.00.

Dandy. Fitted with spike to go into the ground, nickel plated. Price 75e.


Propeller. With spike, rotary. Price 50e.

"PLANET JR." LABOR SAVING GARDEN TOOLS.

FOR HAND USE.

These are the most perfect garden tools made, and have long been the most popular. They are known the world over, and beyond question are the most complete in equipment and most practical and labor saving in the field that have yet been invented. Our special "Planet Jr." catalogue, fully illustrated and describing the sorts of work accomplished, free on application.

Attachments and parts of the different tools catalogued can be supplied if required.			
The "Planet Jr." No. 16. Single Wheel Hoe. Cultivator, Rake and Plow com-	Price.		
bined\$	6.00		
The "Planet Jr." No. 10 Double Wheel Hoe. (See cut.) Cultivator, Rake and			
Plow combined	7.25		



The "Planet Jr." No. 10 Double Wheel Hoe.

The "Planet Jr." No. 1 Combined Drill. Wheel Hoe, Cultivator, Rake and Plow 1	10.50
The "Planet Jr." No. 2 Seed Drill.	7.75
The "Planet Jr." No. 3 Hill and Drill Seeder.	11.00
The "Planet Jr." No. 4 Combined Hill and Drill Seeder. Wheel Hoe, Cul-	
tivator, Rake and Plow	12.00
The "Planet Jr." No. 21 Combined Hill and Drill Seeder and Fertil-	
izer Drill	19.00
FINE - 44 TM - 4 TM AA CO TM TO	6.00
The "Firefly" Garden Plow.	2.50
" PLANET JR." HORSE IMPLEMENTS.	
"PLANET JR." HORSE IMPLEMENTS. The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	.0.50
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel 1	7.00
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	7.00 0.50
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	.7.00 .0.50 .4.00
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	.7.00 .0.50 .4.00 1.00
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	.7.00 0.50 .4.00 1.00
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	1.00 0.50 4.00 1.00 0.00

For full description of the above and for other "Planet Jr." tools, write for our special "Planet Jr." Catalogue, fully illustrated. Mailed free upon application.

MISCELLANEOUS TOOLS AND GARDEN REQUISITES.	Each.
Corn Planter. Batcheller	\$2.50
Corn Planter. Eclipse	1.50
Dibbers. (Sec cut.) Germain's New Steel, pointed, round, all steel, crooked handles	.50 .75
Dibbers. Germain's New Steel, dagger shaped, tapering, all steel, D handles, $8\times2\%$ inch	.10
Forks, Digging. Short, D handle, 4-pronged 1.25	
Forks. Digging. Long straight handle, 4-pronged 1.00	
Forks. Hay, or Pitch, 2-pronged	
Forks. Hand Weeding. Best Stech	
Forks. Hand Weeding, (See cut.) cast iron .25c	
Forks. Mannre, 4-pronged	
	Each.
Garden Lines. Best braided	
Garden Lines. Small, thin, yellow	1.00
Grafting Wax. Trowbridge's 40c.	2.00
Grafting Wax. Bees' Wax. (Subject to fluctuation)	
Prices for large quantities on application,	•
Grass Hooks, or Sickles.	.50
Hand Cultivator. "The Osborne." This tool will cultivate both sides of a row of vegetables at the same time. It consists of 3 shovels, 1 being moveable, so as to	
work the two shovels on both sides of the row, the other, or center one, can be inserted and	
used when working between the row	1.50
Hand Cultivator. "Terre Haute." This is a light adjustable tool, with six cultivating	
teeth, so disposed as to divide from the middle, thus enabling the operator to cultivate both	1.50
Hoes. Draw "Acme Plow." This hoe is composed of 1 5-in. blade and 2 cultivating teeth,	1.50
on the reverse side, all east in 1 solid piece	.75
Hoes. Draw. Bishop's Cast Steel	.50
Hoes. Draw. Planters'. Very useful, sharp cutting6-in. 30c; 7-in. 40c; 9-in. 55c; 10-in.	.60
Hoes. Draw. Prong, or Potato Hooks. 6-pronged	.60
Hoes. Push. Scuille, or Dutch. A very useful garden tool for keeping down weeds	. 10
7-in, 50e; S-in.	.60 .60
Hoe and Rake Combined. According to size	
Tate O C C C C C C C C C C C C C C C C C C	\$1.00
Labels. Wooden Pot, 5-inch, plain 25 Labels. Wooden Pot, 6-inch, plain 30	$\frac{1.25}{1.75}$
Labels. Wooden Pot, 4-inch, painted25	1.50
Labels. Wooden Pot, 5-inch, painted	$\frac{1.75}{2.00}$
Labels. Wooden Tree, 3½-inch, notched or pierced, plain	1.00
Labels. Wooden Tree, 3½-inch, notched or pierced, painted	$\frac{1.25}{5.00}$
Labels. Wooden Garden, 8 inches long by 1 inch wide, painted	7.00
Labels. Wooden Garden, 12 inches long by 1 inches wide, plain	$\frac{6.50}{9.00}$
	Each.
Lubricators. Filled with oil, with patent cap. For lawn mowers, etc	$\frac{.25}{1.00}$
Manure Hooks. Fine steel and well finished	1.00
Moss. Sphagnum, per bale of about 30 pounds	$\frac{2.00}{.15}$
Pick Axes. All steel, with handles	1.00
Potato Hooks. Six pronged	$\frac{.60}{3.00}$
Rakes. Garden, cast steel, 10 teeth, 40c; 12 teeth 50c; 14 teeth, 60c; 16 teeth	.70
Rakes. Lawn, "Ohio Boy," galvanized; the teeth run right through the frame, forming 24 teeth on one side and 12 looped teeth on the other	.65
Rakes. Lawn, wooden frame, 24 wire teeth	.75
Rakes. Lawn, wooden, 20 teeth	$.50 \\ .25$
Rollers. Garden, one section, 12×24 inches, 200 lbs	15.00
Rollers. Garden, two sections, 20×24 inches, 250 lbs	30.00

Sacking Twine. In bundles of 12 poundsper lb. 30c	Each.
	\$1.75
Seythe Stones. Talacre. Imported. Finest Scotch	.25
Scythe Stones. Domestic.	.15
Seed Drill. "Acme." (See cut.) This cheap garden seed drill, will sow beet, cabbage, carrot,	
radish, turnip, and all other such seeds with perfect regularity. It is impossible for it to sow	
anything but accurately, and is so simply constructed, it cannot get out of order. In	
one day it will cover twelve times the ground that could possibly be done by hand	1.00
Seed Sower. Cahoon's Broadcast. A useful labor saving invention	3.50
Shovels. Short, D handles	1.25
Shovels. Long Handled	1.75
Spades. Boys' or Ladies, 'small	.50
Spades. Best makes, full size, D handles	1.75
Spades. Long handled \$1.00 to	1.75
SEED	
Transplanting Trowel.	1
	A
	2/1
Acme Seed Drill. Disston's Garden Trowel. Scollay's Sp.	rinkler.
Carrier It Ion Carllest - Dulham (Carrett) In I'm 11 c d 1	
Sprinkler. Scollay's Rubber. (See cut.) Indispensible for floral work and window gar-	
dening, also very useful for dampening clothes or sprinkling in any way. In three sizes: large \$1.00; medium, 75c; small	CO
	.60
Thermonieters. We carry a full line of Household, Greenhouse, and Dairy Thermometers.	
Prices on application.	
Transplanters. The Avery. Just the thing for gardeners, it marks out a new cra for	
transplanting, doing it better and quicker, saving plants and time enough to many times pay	
its cost. Plants removed by it do not wilt. Price, small single-hand size, each 60c; large	
two-hand size	2.50
Transplanters. Widney's. Well known here. Invaluable for Blue Gums, Cypress, etc.,	
11 ₂ inches in diameter, \$1.50; 2 inches \$1.75; 3 inches	2.00
	AF.
	F
Excelsior Weeder. Hazeltine Weeder. Noyes'	Wooder
Excelsion Weeter. Moyes	Weeder.
Thomas Confront "Dood Look"	00
Traps, Gopher. "Dead Loek"	.20
Traps, Gopher. "Star"	.20
Traps, Mole. Olmsteds.' Sure death to moles	2.00
Trowels, Garden. American. 6-inch, tinned	.40 $.15$
Trowels, Garden. American. 6-inch, gilded	.60
ALOTTORS ORLUCIES AMONGAR, UTINON, SINCU	.00

		Each
Trovels	, Garden. English, shank and blade solid steel, 6-inch	.60
	Transplanting. (See eut.)	.50
	ger. For trimming edges of lawns, with handle	.60
	g Pots. French model, galvanized iron, with long spouts, 6 qts; \$2;25, 8qts	2.50
Weeders	. Hand, "Excelsior," (See eut); Useful for weeding seed beds, stirring the soil, etc.	.10
	. Hand, Hazeltine. (See eut); one of the best, solid steel, good size, and durable	.25
Weeders	. Hand, Noyes' (See cut); well known, a standard article	.25
	HORTICULTURAL CUTLERY.	
Knives.	Asparagus, American, V edge, bevelled\$.50
Knives.	Asparagus, English, saw edge	1.25
Knives.	Budding, English and German imported90c to	2.00
Knives.	Corn, 18-in. blades, kris-shaped	.50
Knives.	Flower Gatherers, a bar on the blade, holds the stem of the flower after cutting	1.50
Knives.	Potato. Humphreys' concave and curved.	.25
	Pruning, German imported. (Henckel's)	1.75
Some P	runing, Brown's 16-in	.60
Saws. I	Tuning, Blowit 8 10-111	. 10
	A A	8
4		A
		A
1		
0	OTA LA	7
	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears Pruning Shears. Hedge S	shears.
A Section 1	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
and the state of t	Lopping Shears. Pruning Shears. Hedge S	Shears.
Control of the Contro	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
Control of the Contro	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
Control of the Contro	Lopping Shears. Pruning Shears. Hedge S	Shears.
	Lopping Shears. Pruning Shears. Hedge S	Shears.
Control of the contro	Lee's Telegraph Tree Pruner. Pruning Shears. Hedge S Border She	
Saws. P		
	Lee's Telegraph Tree Pruner. Border She	ars75
	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles	ars75 1.00 3.00
Saws. " Shears. Shears.	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See eut.) 9-in., long handles, with 1 wheel	ars75 1.00 3'.00 3'.50
Saws. "Shears. Shears.	Lee's Telegraph Tree Pruner. Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See cut.) 9-in., long handles, with 1 wheel Border or Edging, 9-in., long handles, with 2 wheels	ars75 1.00 3.00 3.50 4.00
Saws. "Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See eut.) 9-in., long handles, with 1 wheel Border or Edging, 9-in., long handles, with 2 wheels Hedge. (See cut.) "Sheffield," 8-in	ars75 1.00 3.00 3.50 4.00 2.00
Saws. "Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in. Keen Kutter," 15-in. Border or Edging, 9-in, long handles. Border or Edging. (See cut.) 9-in., long handles, with 1 wheel. Border or Edging, 9-in, long handles, with 2 wheels. Hedge. (See cut.) "Sheffield," 8-in. Hedge, "Sheffield," 9-in.	ars75 1.00 3'.00 3.50 4.00 2.00 2.25
Saws. "Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in. Keen Kutter," 15-in. Border or Edging, 9-in, long handles. Border or Edging. (See cut.) 9-in., long handles, with 1 wheel. Border or Edging, 9-in., long handles, with 2 wheels. Hedge. (See cut.) "Sheffield," 8-in. Hedge, "Sheffield," 9-in. Hedge, "Sheffield," 10-in.	ars75 1.00 3.00 3.50 4.00 2.00 2.25 2.50
Saws. "Shears. Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See cut.) 9-in., long handles, with 1 wheel Border or Edging, 9-in., long handles, with 2 wheels Hedge. (See cut.) "Sheffield," 8-in Hedge, "Sheffield," 9-in Hedge, "Sheffield," 10-in Lopping Tree. (See cut) \$1.25 to	ars75 1.00 3.00 3.50 4.00 2.25 2.50 2.50
Saws. "Shears. Shears. Shears. Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles. Border or Edging. (See eut.) 9-in., long handles, with 1 wheel. Border or Edging, 9-in., long handles, with 2 wheels Hedge. (See cut.) "Sheffield," 8-in Hedge, "Sheffield," 9-in Hedge, "Sheffield," 10-in Lopping Tree. (See cut) \$1.25 to Tree Pruning. (See cut.) Lee's Telegraph, 6-ft. \$1.00; 8-ft. \$1.15; 10-ft	ars75 1.00 3.00 3.50 4.00 2.25 2.50 2.50 1.25
Saws. "Shears. Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See cut.) 9-in., long handles, with 1 wheel. Border or Edging, 9-in., long handles, with 2 wheels. Hedge. (See cut.) "Sheffield," 8-in Hedge, "Sheffield," 9-in Hedge, "Sheffield," 10-in Lopping Tree. (See cut.) Lopping Tree. (See cut.) Pruning, small for ladies' use; made of fine steel, nickel-plated, 2 sizes80c and	ars75 1.00 3.00 3.50 4.00 2.00 2.25 2.50 2.50 1.25 1.00
Saws. "Shears. Shears. Shears. Shears. Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Border She Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See eut.) 9-in., long handles, with 1 wheel Border or Edging, 9-in., long handles, with 2 wheels Hedge. (See cut.) "Sheffield," 8-in Hedge, "Sheffield," 10-in Lopping Tree. (See cut.) Lee's Telegraph, 6-ft. \$1.00; 8-ft. \$1.15; 10-ft Pruning, small for ladies' use; made of fine steel, nickel-plated, 2 sizes80c and Pruning, (See cut.) German imported. (Henckel's)\$1.00 to	ars75 1.00 3.00 3.50 4.00 2.25 2.50 2.50 1.25
Saws. "Shears. Shears. Shears. Shears. Shears. Shears. Shears. Shears. Shears.	Lee's Telegraph Tree Pruner. Pruning, Disston's Crescent, with upward cut, 12-in. and 14-in Keen Kutter," 15-in Border or Edging, 9-in, long handles Border or Edging. (See cut.) 9-in., long handles, with 1 wheel. Border or Edging, 9-in., long handles, with 2 wheels. Hedge. (See cut.) "Sheffield," 8-in Hedge, "Sheffield," 9-in Hedge, "Sheffield," 10-in Lopping Tree. (See cut.) Lopping Tree. (See cut.) Pruning, small for ladies' use; made of fine steel, nickel-plated, 2 sizes80c and	ars75 1.00 3.50 4.00 2.00 2.25 2.50 2.50 1.25 1.00 3.50

PLANT STAKES AND TRELLISES.

Plant Stakes. (See eut.) Rou	nd, painted
green and smoothly turned:	
Per I	
2 feet \$0.5	25 \$2.00
2½ feet	30 2.50
	40 3.00
3 feet, heavy	
	55 4.00
	70 5.00
4 feet, heavy 1.0	
	85 6.50
5 feet, heavy 1.	
2 2000, 11000 y 1.0	20 12.00

6	fect,	heavy		•••
Plar	it St	akes.	Square,	painted


g	reen:		
0	feet	.25	1.75
2	feet	.30	2.00
3	fect	.40	2.50
4	feet	.50	3.50
37	4 [[]		

2.00

15.00


Plant Trellises. Fan. (See cut.) 18 in. 20e each; 2 ft. 35e; 2½ ft. 45e; 3½ ft. 60e; 4×2¹4 ft. wide 75e; 5×2 ft. 8 in. wide \$1; 6×3 ft. 2 in. wide, \$1.25; 7×3 ft. 6 in. wide \$1.50.

Plant Trellises. Veranda. (Sec cut.) 5 ft. long by 18 inches wide, each 85c; 6 ft. \$1; 7 ft. \$1.25; 8 ft. \$1.50.



Plant Stakes.

Fan Trellis. Veranda Trellis-



Pampas Plume.

FERTILIZERS.

Gypsum or Land Plaster. (Sulphate of Lime.) We strongly recommend its use on all black alkali land, as it is the best leacher we know of. In 100-lb. bags, 75c; per ton \$10.00.

Lawn Fertilizer. Our own special mixture. To keep a lawn in good order, it is necessary that it should be supplied with the invigorating power with which to produce a rich green growth. This want is amply fulfilled by our special lawn fortilizer, which is a elean, eonvonient and portable dressing, it never fails to improve the lawn, and will not introduce weeds as stable manure docs. It should be sown broadcast at the rate of 600 pounds to the aere; 15 pounds will fertilize well, a piece of ground 25×25 feet. Per lb. 5c; per 100 lbs. \$3.00.

Nitrate of Soda or Chili Salt-petre. This is a fertilizor that should be used with a great deal of eare, as, if used in oxcess, it is likely to kill the plants, wo, therefore, advise it only to be used in small quantities. In applying it to pot plants, dissolve a tablespoonful in one gallon of water and uso it every two weeks. The ammonia in this salt is about 20 per cent. Per lb., 5e; per 100 lbs., \$3.00; per ton, at market rates.

Pure Granulated Bone. For lawns, etc. Recommended for plants and fruit trees. Per lb., 5e; per 100 lbs., \$2.50; larger quantities, prices on application.

PAMPAS PLUMES.

No. 1.	Size, 24 to 36 inches in length; per doz	e
No. 2.	Size; 18 to 24 inches in longth; per doz	c
Ma	ailed free anywhere in the United States.	
Lar	rger quantities, priced on application.	

FLORISTS' SUPPLIES.

We earry a full line of Florists's Supplies, such as: Wire Designs, Flowor Baskets, Motal and Beaded Funeral Pieces, Immortello Lettering, Tinfoil, Wire, Toothpicks, ote.

Prices and particulars upon application.

Orchard Trees and Small Fruits.

The nursery industry throughout the State, and indeed throughout the Southwest, has been in a transition state during the past few years—a condition bordering onto stagnation induced and intensified by three or four seasons of scant rainfall. This has made the sale of citrus and deciduous fruit trees during that period rather dull, and as a consequence much stock became unsalable while at the same time many trees were dug up and burned. This has made nursery stock searce and prices this year have materially advanced. It is now safe to say that the period of depression has lifted; people with the advent of plenty of rain, are planting freely; confidence in commercial horticulture has been restored; the demand for trees is now almost in excess of the source of supply. Under these conditions specific prices in large quantities can not be given here, but in spite of that fact we want our patrons to understand that we can supply citrus and deciduous fruit trees of all varieties as low as is consistent with good reliable stock. Fifteen years experience in this line has not been without its advantages. We are at all times ready to quote prices. The following prices are subject to change without notice:

	The following prices are subject to change with		
	CITRUS FRUIT TREES.		
Orange Washington Navel 2-1	car buds4 to 6 ft	Each.	Per 10
Other varieties. Same price	ear buds	фт.00	φ12.50
Lemon. Eureka, Lisbon, Villa	Franca4 to 6 ft		
Pomelo or Grape Fruit 4 to 6 ft. 2 to 3 ft.		$\frac{1.25}{1.05}$	$10.00 \\ 10.00$
Lime, Mexican	ck, 1 year, 8 to 15 inches. Market Price	1.20	10.00
D	ECIDUOUS FRUIT TREES.		
Apple. Leading Varieties	4 to 6 ft	\$.20	\$ 1.50
Pear. Leading Varietics	4 to 6 ft	.25	2.00
Cherry. Leading Varieties4 to 6 ft			2.00
Plum. Leading Varietics 4 to 6 ft		.25	2.00
Prune. Leading Varieties 4 to 6 ft.		.25 .59	$\frac{2.00}{4.00}$
Apricot. Leading Varioties		.30	$\frac{4.00}{2.50}$
Nectarine. Loading Varieties.	4 to 6 ft.	.30	$\frac{2.50}{2.50}$
Quince. Leading Varieties	4 to 6 ft		2.00
Almond. Leading Varioties		.25	2.00
Filbert. Leading Varieties	3 to 4 ft	.40	3.00
	3 to 4 ft		3.00
Paner Shelled	4 to 6 ft	$.40 \\ .75$	
	5 to 6 ft		2.50
	7 to 8 ft		3.00
Fig. Leading Varieties. 3 to 4 ft.		.30	2.50
Oiive. Leading Varieties		.25	2.00
Persimmon. Leading Varieties 3 to 4 ft		.25	2.00
Pomegranate. Leading Varioties 3 to 4 ft		.35	3.00
Common 3 to 4 f	t and 4 to 6 ft	1.25	
	F	er Doz.	Per 100
Grapes. Rooted. Black Malvo	ise, Rose of Peru, Flame Tokay, Black Cornichon		
Black Hamburg, Emperor, Missic	on, Muscat of Alexandria, Sultana, Thompsons Seedless	A B B B B B B B B B B	A # 00
Each 10c.	- Vittations I ambor William Foods Food 100	\$1.00	\$ 5.00
Puenhamias Red Varieties (y. Kittatinny, Lawton, Wilson's Early. Each 10c	.50 .50	$\frac{2.00}{2.00}$
Raspberries. Yellow Varieties	Goldon Queen, Yellow Autwerp. Each 10c	.50	2.00
The Logan Berry. Each 10	oc	1.00	5.00
Gooseberries. 2-Year. Dow	ning, Oregon Champion, Smith's Improved. Each 20c	1.50	
Currant. 1-Year. Black Napl	es, Cherry, Fay's Prolific. Each 15c	.75	
	STRAWBERRY PLANTS.		
	F. F	er 100	Per 1000
Arizona Everbearing. On	c of our best summer varieties, very prolific	\$0.50	\$ 4.00
Brandywine. The largest ber	ries on the Los Angeles market this season were the		
Brandywine. Bright red all over	, fine flavor, and a good fall and winter bearer	.50	4.00
	ntroduced into Southern California seems to agree		
	fully as productive as the Arizona Everbearing, but ecount of being 5 or 6 weeks earlier. The berry is		
very large, of a heautiful dark re	ed color all over	.50	4.00
Lady Thomson. Very produc	tive, large, bright red. Very hardy, standing frost	.00	2.00
in oarly spring better than most	varieties. It is one of the earliest, good bearing		
sorts, bringing the highest market	t price, no insects bother it	.50	4.00

. . We are Headquarters for Everything required by the Breeders of . .

Poultry, Belgian Hares


AND


Miscellaneous Pet Stock

For want of space, and also in deference to the fact that we publish a separate and distinct catalogue descriptive of Poultry and Pet Stock Supplies, we here enumerate only a few of the standard articles we carry constantly in stock. If you do not see what you want send for a copy of this catalogue.

PETALUMA INCUBATORS AND BROODERS.

We pay the freight on Incubators and Brooders.





ALFALFA CUTTERS.

Mann's without legs.

Price...... \$10.00

Mann's, with legs.

Price...... \$12.50

VEGETABLE CUTTERS.

Evans No. 5.

Price\$5.00

Evans No. 10.

Price\$7.00

Egg Testers, to fit the Ordinary 2 or 3 burners	il 45c
The Hydro Safety Lamp No. 2	\$1.75
The Hydro Safety Lamp No. 1	2.00



GERMAIN FRUIT COMPANY

Valuable Agricultural and Horticultural Books.

BY MAIL POSTPAID AT PRICES AFFIXED.

AMERICAN CATTLE, by L. F. Allen. Cloth, 528 pages	3.2.65
ASPARAGUS CULTURE by J. Barnes and Wm. Robinson. Cloth 84 pages	.55
REE-KEEPERS' GUIDE, by A. J. Cook. Cloth, 461 pages	1.15
BEE-KEEPING, by L. C. Root, Cloth, 271 pages	1.60
BULBS AND TUBEROUS-ROOTED PLANTS, by C. L. Allen. Cloth, 311 pages	2.15
CABBAGES AND CAULIFLOWERS, by Jas. J. H. Gregory. Paper cover SS pages	.35
CALIFORNIA FRUITS AND HOW TO GROW THEM, by E. J. Wickson. Cloth, 477 pages	2.70
CALIFORNIA VEGETABLES IN GARDEN AND FIELD, by E. J. Wickson Cloth, 336 pages	$\frac{2.20}{2.20}$
CARROT, SUGAR BEET AND MANGEL CULTURE, by Jas. J. H. Gregory. Paper cover, 61 p.	.35
OF EDV MANUAL Depose of the Control of Sax, J. H. Gregory, raper cover, 61 p.	
CELERY MANUAL. Paper cover, 59 pages	.55
COMMERCIAL FLORISTS' MANUAL, by Wm. Scott	5.00
ELEMENTS OF FORESTRY, by F. B. Hough, Cloth, 381 pages	1.65
FARM-GARDENING AND SEED-GROWING, by Francis Brill. Cloth, 166 pages	1.10
FLORAL DESIGNS, by J. Horace McFarland. Cloth, 148 pages, 50 tinted illustrations	3.75
GARDENING IN CALIFORNIA, by W. S. Lyon. Paper cover 156 pages	.55
GARDENING FOR PLEASURE, by P. Henderson. Cloth, 404 mages	2.10
GARDENING FOR PROFIT, by P. Heuderson, Cloth, 376 pages	2.10
GARDEN AND FARM TOPICS, by P. Henderson. Cloth, 244 pages.	1.10
GRAIN TABLES, by J. L. Elwood. Cloth, 200 pages.	1.35
GRASSES AND FORAGE PLANTS, by Charles L. Flint. Cloth, 398 pages	$\frac{1.33}{2.20}$
Chicere Of volume Ambies by Williams B. Fint. Cloth, 598 pages	
GRASSES OF NORTH AMERICA, by W. J. Beal. Cloth, 457 pages.	2.70
HANDBOOK OF PLANTS, by P. Henderson. Cloth, 526 pages	4.30
HANDBOOK OF TREE PLANTING, by N. H. Egleston. Cloth, 126 pages	.80
HINTS TO HORSE-KEEPERS, by H. W. Herbert. Cloth, 425 pages.	1.90
HOP CULTURE, by A. S. Fuller. Paper cover, 40 pages	.35
HOW THE FARM PAYS, by Wm. Crozier and P. Henderson Cloth 400 pages	2.70
INSECTS INJURIOUS TO VEGETATION, by T. W. Harris Cloth 640 pages	4.20
INSECTS AND INSECTICIDES, by Clarence M. Weed. Cloth, 281 pages	1.40
IRRIGATION FOR THE FARM, GARDEN AND ORCHARD, by H. Stewart. Cloth, 276 pgs.	1.10
MUSHROOM CULTURE, by W. Robinson. Cloth, 172 pages.	.55
MUSHROOM CULTURE, Paper pamphlet	
MOUNTON OF HIGH AND AND EVOLUTIONED OF A DEPARTMENT OF A DESCRIPTION OF A	.10
NICHOLSON'S DICTIONARY AND ENCYCLOPEDIA OF HORTICULTURE. Cloth, 4 vol	
ONION RAISING, by Jas. J. H. Gregory. Paper cover, 66 pages	.35
"ON THE PIG," by J. Harris. Cloth, 318 pages	1.60
OKNAMENTAL GARDENING, by E. A. Long, Cloth, 390 pages	2.15
OUR HOMES AND HOW TO BEAUTIFY THEM. Cloth, 198 pages	1.10
PEANUT PLANT, by B. W. Jones. Paper cover, 69 pages	.50
PRACTICAL FLORICULTURE, by P. Henderson, Cloth, 325 pages	1.60
PRACTICAL FORESTRY, by A. S. Fuller. Cloth. 299 pages	1.60
PROPAGATION OF PLANTS, by A. S. Fuller. Cloth, 349 pages.	1.65
SHEPHERD'S MANUAL, by H. Stewart. Cloth, 276 pages	1.60
SORGHUM AND ITS PRODUCTS, by F. L. Stewart. Cloth, 240 pages	
STRAWRERRY OUT TUDE to A C Entre Court to	1.60
STRAWBERRY CULTURE, by A. S. Fuller. Cloth, 59 pages	30
SUGAR BEET, by L. S. Ware. Cloth, 323 pages	4.15
SWEET POTATO CELTURE, by J. Fitz. Cloth, 86 pages	,55
TARKS ON MANURES, by J. Harris, Cloth, 366 pages	1.90
THE ROSE, by H. B. Ellwauger. Cloth, 340 pages.	1.35
TOBACCO CULTURE. Paper cover, 50 pages	.30
LITERATURE FOR POULTRYMEN.	
LITERATORE TOR FOULTRIMEN.	
BY MAIL POSTPAID AT PRICES AFFIXED.	
AMERICAN STANDARD OF PERFECTION. Cloth, 200 pages	1.00
ARTIFICIAL INCUBATION AND BROODING, by J. M. Curtis. Paper, 146 pages	.50
BROILERS FOR PROFIT, by Michael K. Boyer. Paper, 64 pages	
CAPONS FOR PROFIT, by T. Greiner. Paper, 50 pages.	.50
DPOK 691 TUDE by Lynne De let D	.30
DUCK CULTURE, by James Rankin. Paper, 108 pages.	.25
DISEASES OF POULTRY, by P. H. Jacobs. Paper, 20 pages	.25
DIFFERENT BREEDS, by P. H. Jacobs. Paper, 22 pages	.25
FIVE HUNDRED QUESTIONS AND ANSWERS ON RAISING POPLERY P. H. Jacobs AS no.	.25
INCUBATORS AND BROODERS, by P. H. Jacobs. Paper, 18 pages	.25
FOURTRY CULTURE, by I. K. Felch. Cloth. 438 pages	1,50
TOURTRY HOUSES, by P. H. Jacobs. Paper 32 pages	.25
PRACTICAL CAPONIZING, by Wm. H. Wigmore. Paper, 75 pages	.25
RELIABLE POULTRY MANUAL. Paper, 89 pages	
THE BANTAM FOWL, by T. F. McGrew. Paper, 44 pages	.25
THE AMERICAN RANCIERS, POLITIER, 14 pages.	.50
THE AMERICAN FANCIERS' POULTRY BOOK, by George H. Howard. Paper, 169 pages THE PLYMOUTH ROCKS, by breeders and judges. Paper, 62 pages	.50
THE LITTLE OF THE DOLLARS BY DESCRIPTION OF THE PROPERTY OF TH	
THE DRACTICAL DOLL MAY EXPLANA	.50
THE PRACTICAL POULTRY KEEPER, by L. Wright. Cloth, 247 pages.	$\frac{.50}{2.00}$



ACKING ROOMS IN REAR.